



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶:
C12N 15/62, A61K 39/395, 38/17, 47/48, 51/10, C07K 16/30, 16/46, 16/00, C12N 15/13, 1/21, 5/10 // C07K 19/00

(11) International Publication Number:

WO 98/05787

(43) International Publication Date:

12 February 1998 (12.02.98)

(21) International Application Number:

PCT/US97/13562

A1

....

1 August 1997 (01.08.97)

(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

(30) Priority Data:

60/023.033

(22) International Filing Date:

2 August 1996 (02.08.96) US

Published

With international search report.


Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(71) Applicant: BRISTOL-MYERS SQUIBB COMPANY [US/US]; 345 Park Avenue, New York, NY 10154 (US).

(72) Inventors: ROSOK, Mae, Joanne; 6340 N.E. 194th Street, Seattle, WA 98155 (US). YELTON, Dale, E.; 2307 19th Avenue East, Seattle, WA 98112 (US).

(74) Agent: ADRIANO, Sarah, B.; Merchant, Gould, Smith, Edell, Welter & Schmidt, Suite 400, 11150 Santa Monica Boulevard, Los Angeles, CA 90025 (US).

(54) Title: A METHOD FOR INHIBITING IMMUNOGLOBULIN-INDUCED TOXICITY RESULTING FROM THE USE OF IMMUNOGLOBULINS IN THERAPY AND IN VIVO DIAGNOSIS



Plasme clearance in high LeY expressing dogs chimeric versus constant region mutant of cBR96-2.

(57) Abstract

The present invention provides a method for inhibiting immunoglobulin-induced toxicity resulting from immunotherapy in a subject comprising administering an immunoglobulin or Ig fusion protein molecule to the subject, the immunoglobulin molecule having a variable region and a constant region, the immunoglobulin molecule being modified prior to administration by inactivation of at least a portion of the constant region.

Z

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Мопасо	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	Tj	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	(srac)	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	iT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	-	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Congo Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	ΚZ	Kazakstan	RO	Romania		
		LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia	LK	Liberia	30	3 mg apore		

5 A METHOD FOR INHIBITING IMMUNOGLOBULIN-INDUCED TOXICITY RESULTING FROM THE USE OF IMMUNOGLOBULINS IN THERAPY AND IN VIVO DIAGNOSIS

Throughout this application various publications are referenced. The disclosures of these publications in their entireties are hereby incorporated by reference into this application in order to more fully describe the state of the art to which this invention pertains.

15 TECHNICAL FIELD OF THE INVENTION

The present invention relates to methods for inhibiting or reducing immunoglobulin-induced toxicity resulting from therapy or in vivo diagnosis. Specifically, in lieu of using unmodified antibodies or recombinant binding proteins for in vivo use, the invention provides the use of modified antibodies or recombinant binding proteins which have been structurally altered in the constant domain so that upon administration immunoglobulin-induced toxicity is reduced or inhibited.

BACKGROUND OF THE INVENTION

25

30

20

Over the years investigators have attempted to harness the immune system for therapeutic use. Immunoglobulin (Ig) molecules which constitute an important part of the immune system are of great interest because they (1) react with a diverse family of ligands, (2) possess different effector functions and (3) are of great biological importance. Despite its potential, a persistent problem with

immunoglobulin immunotherapy has been, among other problems, the toxic effect to normal cells of using antibodies which recognize both normal and diseased cells. This problem is far-reaching because the majority of antibodies presently available recognize a target located on both normal and diseased cells (Slavin-Chiorini, et al., Int. J. Cancer 53: 97-103 (1993)).

The constant region can promote cell death through antibody dependent cell mediated cytotoxicity (ADCC) or by complement dependent cytotoxicity (CDC). Despite the deletion of portions of the constant region, particularly the CH₂ domain, the antigen binding function can be retained (D. Yelton, M. Scharf, Mutant monoclonal antibody with alterations in biological functions, J. Exp. Methods 156:1131-1148 (1982)).

Others have generated a CH₂-deleted antibody (Mueller et al., Proc. Natl. Acad. Sci. USA 87: 5702-5705 (1990)). Their findings provide that the CH₂-deleted antibody was cleared from the blood of tumor-bearing mice much faster than the corresponding intact antibody. Other in vivo findings also confirmed that a CH₂-deleted antibody, designated ch14.18DCH2, is a potentially useful reagent for radioimmunodetection of human tumors because of its reduced immunogenicity, increased target specificity, and rapid clearance from circulation (Mueller et al., Proc. Natl. Acad. Sci. USA 87: 5702-5705 (1990).

Generally, whole antibody molecules are composed of two heavy (H) and two light (L) chains which are held together by covalent bonds (disulfide) and non-covalent interactions. Each chain contains a variable region (V) and a constant region (C). The variable regions at the amino termini of the two chains form the antigen binding region. The constant region of the H chain has three components or domains. Occasionally, the first constant region domain (CH₁) interacts with the C region of the L chain through hydrophobic interactions and generally a disulfide bond,

5

10

depending on isotype. The next C region stretch is the hinge-acting disulfide bond stably introduced between two H chains. The second constant region domain (CH₂) is adjacent to the hinge region. CH₂ contains sequences important for effector functions of the antibody, such as the sequences responsible for complement fixation, and Fc receptor binding. The third constant region domain (CH₃) is located at the carboxyl terminus of the H chain, and is considered to play an important role in H chain assembly as well as some C region functions.

Today many antibodies in clinical trials are directed against tumor associated antigens. Most tumor associated antigens are not tumor specific but are also generally found on the cell surface of some normal, non-tumorigenic cells. The clinical use of some antibodies directed against tumor associated antigens are limited because of the toxicity associated with their use. Therefore, there is a need for methods for inhibiting toxicity associated with immunoglobulin use in the field of disease therapy (e.g., therapy for tumors, kidney disease, and the like) and in vivo diagnosis.

We addressed this need by discovering methods for inhibiting or reducing toxicity to normal cells generally associated with immunoglobulin immunotherapy or in vivo diagnosis, wherein the immunoglobulin recognizes both diseased and normal cells. Our discovery involves generating immunoglobulin molecules or Ig fusion proteins having structurally altered constant regions which inhibit or reduce immunoglobulin-induced toxicity.

25 SUMMARY OF THE INVENTION

The present invention provides methods for inhibiting immunoglobulin-induced toxicity by using known immunoglobulin or Ig fusion protein molecules which are structurally altered in their constant regions so that the resulting structurally altered

5

10

15

immunoglobulin or Ig fusion protein molecules exhibit reduced or inhibited toxicity in vivo compared to their original unmodified counterparts.

Structural alteration of the constant region may be effected in a number of ways as long as it results in reducing or inhibiting immunoglobulin-induced toxicity.

In accordance with the practice of the invention, structural alteration of the constant region is effected by deletion of the entire constant region. In another embodiment, only the CH₂ domain is deleted. In another embodiment, only that portion of the CH₂ domain that binds the Fc receptor is deleted. In yet another embodiment, only that portion of the CH₂ domain that binds the complement component Clq is deleted. Alternatively, in another embodiment, multiple deletions in discrete Fc receptor and complement component binding domains are effected.

15 Alternatively, structural alteration is effected by single or multiple mutations in the CH₂ domain such as amino acid insertions and substitutions. The mutation or mutations must result in inhibiting immunoglobulin-induced toxicity. By way of example, the amino acids in multiple toxicity associated domains in the constant region can be altered so as to render the constant region unable to mediate a ADCC response or activate complement thereby inhibiting immunoglobulin induced toxicity resulting from immunotherapy. Alternatively, multiple amino acids in a single toxicity associated domain in the constant region can be altered.

Further alternatively, structural alteration can be effected by isotype switching resulting in an altered immunoglobulin molecule that either does not induce toxicity or induces some limited toxicity but does not cause a harmful effect. For example, isotype switching can result in the constant region being unable to mediate a CDC or ADCC response or some other activity which mediates toxicity.

10

BRIEF DESCRIPTION OF THE FIGURES

Figure 1 is a line graph showing plasma clearance in high Le^Y expressing dogs using chimeric BR96 versus constant region mutant of cBR96-2.

5

Figure 2 is a schematic diagram of a plasmid designated pTWD-cJVK.L1 including the chimeric (c)BR96-light chain (SEQ ID NO. 11).

rigui

Figure 3 is a schematic diagram of a plasmid designated pD16hJ1.L1 including the

human (h)BR96-light chain (SEQ ID NO. 13).

Figure 4 is a schematic diagram of a plasmid, designated pD17-hJm14-dCH2.H1, of

hBR96-2A (i.e., human mutant BR96 having the H1, H2, and H3 mutations and the

CH₂ deletion (PCT Application No. 95/305444, published March 6, 1996)).

15

Figure 5 is a schematic diagram of a plasmid, designated pD17-cJ-dCH2.H1, of

cBR96-A (SEQ ID NO. 10) (i.e., chimeric BR96 having the CH2 deletion (PCT

Application No. 95/305444, published March 6, 1996)).

20 Figure 6 is a schematic diagram of a plasmid, designated pD17-cJ.H1, of cBR96.

Figure 7 is a line graph showing the results of an ELISA assay of (1) hBR96-2A-

Dox to Ley (closed diamond), (2) hBR96-2A to Ley (96:0006A2 R/A)(closed

square), (3) hBR96-2A to Ley (96:0006B R/A)(closed triangle), and BR96-Dox to

25 Le^y (X).

Figure 8 is a line graph showing the results of an ELISA assay of (1) BR96-A-Dox

to Ley (closed diamond), (2) chiBR96 to Ley (closed square), (3) cBR96-A to Ley

(96:0003 R/A)(closed triangle), and cBR96-Dox to Ley (X).

Figures 9a-c are schematic diagrams showing the steps for deleting a CH₂ domain.

Figures 10a-c are schematic diagrams showing the construction of BR96 IgG1 CH₂ domain point mutations.

Figure 11 is a schematic diagram showing the construction of the pNg1/14 vector.

Figure 12 is a schematic diagram showing the construction of pD17-hBR96-2.

10

Figure 13 is a schematic diagram showing the construction of pD17-hJm14-dCH2.H1.

Figure 14 is the nucleic acid sequence of pD17-cJ-dCH2.H1, the plasmid shown in Figure 5, chimeric BR96 having the CH₂ deletion.

Figure 15 is a line graph showing the results of an ELISA assay comparing whole chiBR96 and deleted CH₂ chiBR96 on Le^y.

20 Figure 16 is a description of the seven structural alterations.

Figure 17 is a schematic diagram of a plasmid designated pD17-hG1b.

Figure 18 is the nucleic acid sequence of pD17-hJm14.H1.

25

Figure 19 is the nucleic acid sequence of pD17-hG1b.

Figure 20 is a line graph showing complement dependent cytotoxicity. In the legend, the closed square is hBR96-1; closed diamond is hBR96-2B; closed circle is

hBR96-2C; closed triangle is hBR96-2D; open square is hBR96-2H; open circle is hBR96-2A and open triangle is 2B8, anti-*Pseudonomas aeruginosa* flagella type b mAb, negative control.

Figure 21 is a line graph showing antibody dependent cell-mediated cytotoxity. In the legend, the closed square is hBR96-1; closed diamond is hBR96-2B; closed circle is hBR96-2C; closed triangle is hBR96-2D; open square is hBR96-2H; open circle is hBR96-2A and open triangle is 2B8, anti-Pseudonomas aeruginosa flagella type b monoclonal antibody (mAb), negative control.

10

15

Figure 22 is a line graph showing binding activity of hBR96-2 constant region mutants on LeY-HSA. In the legend, the solid diamond is hBR96-1; solid square is hBR96-2A (CH2 deletion); solid triangle is hBR96-2B (235, 237 mutations); open square is hBR96-2C (318, 320, 322 mutations); open circle is hBR96-2D (331 mutation); and open triangle is hBR96-2H (235, 237, 318, 320, 322, 331 mutations).

Fig mu 20 tris

Figure 23 is a line graph showing binding activity of hBR96-2 constant region mutants on LNFPIII-BSA. LNFPIII is a lacto-N-fucopentasose, a Lewis X trisaccharide with an additional lactose spacer (V Labs, Covington, LA). In the legend, the solid diamond is hBR96-1; solid square is hBR96-2A (CH2 deletion); solid triangle is hBR96-2B (235, 237 mutations); open square is hBR96-2C (318, 320, 322 mutations); open circle is hBR96-2D (331 mutation); and open triangle is hBR96-2H (235, 237, 318, 320, 322, 331 mutations).

25

Figures 24A and 24B provide a strategy for introducing multiple mutations by RPCR. (A) Diagram of he 1.4 kpb IgG heavy chain region showing the hinge CH₂ and CH₃ domains as boxed regions. Site-specific mutations to be introduced into CH₂ positions L1, L2, and L3 are encoded by complementary sets of mutant PCR

primers (A1 and A2; B1 and B2; and C1 and C2). The asterisks (*) indicate the number of amino acid changes introduced at each L position. The two PCR primers, Rs (Recombination -sense) and Ra (Recombination-antisense), flank the Eco-47-III restriction sites and mediate homologous recombination with vector ends. The 3' ends of the oligonucleotides are represented by arrowheads. (B) A three-way homologous recombination event between fragments RsA2, A1Ra and the linearized vector produces the L1 mutant IgG. Two distally located sets of mutations (L1 and L2) are simultaneously introduced by increasing the number of recombining PCR produces as is shown in the four-way recombination of RsA2, A1B1, B1Ra with vector.

Figure 25 is a gel showing Eco-47-III restriction endonuclease analysis of DNAs prepared from colonies generated by multiple PCR fragment RPCR. Lane M: 1kb ladder DNA marker (GIBCO/BRL Life Science Technology). Lanes 1-12: Twelve randomly selected colonies resulting from quadruple homologous recombination events were used to prepare plasmid and digested with Eco47-III. Clones 1, 2, 6 and 9 contain the fully assembled 1.4 kpb insert.

Figure 26 provides the amino acid sequence for hBR96-2 heavy-chain variable region and the human IgG1 constant region.

Figure 27 provides the amino acid sequence for hBR96-2A heavy-chain variable region and the human IgG1 constant region.

Figure 28 provides the amino acid sequence for chi BR96 heavy-chain variable region and the human IgG1 constant region without the CH₂ domain.

5

10

DETAILED DESCRIPTION OF THE INVENTION

DEFINITIONS

As used herein the term "inhibiting immunoglobulin-induced toxicity" means to reduce or alleviate symptoms generally associated with toxicity caused by immunoglobulin or Ig fusion protein therapy, e.g., toxicity mediated by effector functions of the Fc receptor. For example, BR96 antibody recognizes and binds BR96 antigen which is found at some levels in the gastrointestinal tract and at elevated levels in tumors (as compared to the gastrointestinal tract of normal tissues). The binding of BR96 antibody to BR96 antigen in vivo causes symptoms associated with gastrointestinal toxicity. These symptoms include rapid onset of vomiting, often with blood, and nausea. In humans the bleeding is limited to the fundus of the stomach, causing erosion of the superficial mucosa of the stomach.

15

10

The pathology of the wound is limited and resolves. However, the extreme nature of the nausea and vomiting, unrelieved by anti-emetics, defines it as the dose-limiting toxicity. For highly elevated levels of other antigens found in the central nervous system (CNS), liver, and other locations, the toxicity will be characterized by symptoms other than those described above.

20

25

As used herein the term "immunoglobulin molecule" can be produced by B cells or be generated through recombinant engineering or chemical synthetic means. Examples of immunoglobulin molecules include (1) antibodies, e.g., polyclonal and monoclonal antibodies, chimeric or humanized, and (2) recombinant Ig containing binding proteins, e.g., Ig fusion proteins. Recombinant Ig containing binding proteins include cell surface proteins, e.g., CD antigens (in one embodiment, CTLA4), to which an Ig tail is joined.

As used herein the terms "structurally altered" or "structural alteration" means manipulating the constant region so that the resulting molecule or protein exhibits a diminished ability to induce toxicity. Structural alteration can be by chemical modification, proteolytic alteration, or by recombinant genetic means. Recombinant genetic means may include, but is not limited to, the deletion, insertion and substitution of amino acid moieties.

As used herein the terms "multiple toxicity associated domains" means more than one discrete toxicity associated domain. As there appear to be at least two toxicity associated domains in the immunoglobulin molecule, one roughly localized to amino acids 231-238 and another roughly localized to amino acids 310-331, an example of the structural alteration of multiple toxicity associated domains comprises the insertion, substitution or deletion of amino acid residues in both of these domains. This definition excludes structural alterations targeting a single toxicity associated domain.

Merely by way of example, the constant region of the immunoglobulin molecule can be structurally altered so that the molecule no longer mediates a CDC or ADCC response. However, the methods of the invention encompasses the use of structurally altered immunoglobulin molecules regardless of whether it mediates a CDC or ADCC response. The underlying requirement is that the altered molecule must inhibit immunoglobulin-induced toxicity.

Structural alteration can be effected in a number of ways. For example, structural alteration can be effected by deletion of the entire constant region.

Alternatively, structural alteration can be effected by deletion of the entire CH₂ domain of the constant region. In this instance, deletion of the entire CH₂ domain may render the molecule unable to (1) bind an Fc receptor thereby eliminating the

5

10

15

20

molecule's possibility of mediating antibody-dependent cellular cytotoxicity (ADCC), (2) bind Clq, or (3) activate complement.

Alternatively, structural alteration can be effected by deletion of only that portion of the CH₂ domain that binds the Fc receptor or complement.

Further alternatively, a single mutation or multiple mutations such as substitutions and insertions in the CH₂ domain can be made. The underlying requirement of any mutation is that it must inhibit, diminish, or block immunoglobulin-induced toxicity. For example, this can be achieved by mutating the constant region such that the altered molecule is rendered unable to mediate a CDC response or an ADCC response, or to activate complement.

Alternatively, structural alteration can be effected by isotype switching (also known as class switching) so that the altered molecule does not induce toxicity in the subject. In one embodiment, the constant region of the immunoglobulin is structurally altered so that it no longer binds the Fc receptor or a complement component, e.g., switching a molecule's original IgG isotype from IgG1 to IgG4. Isotype switching can be effected regardless of species, i.e., an isotype from a non-human being can be switched with an isotype from a human being (E.D. Finkelman et al. (1990) Annu. Rev. Immunol. 8:303-333; T. Honjo et al. (1979) Cell 18: 559-568; T. Honjo et al. In "Immunoglobulin Genes" pp. 124-149 Academic Press, London)).

As used herein the term "Ig fusion protein" means any recombinantly produced antigen or ligand binding domain having a constant region which can be structurally altered.

As used herein "cytotoxic agent" includes antimetabolites, alkylating agents, anthracyclines, antibiotics, anti-mitotic agents, and chemotherapeutic agents. Specific examples within these groups include but are not limited to ricin, doxorubicin, daunorubicin, taxol, ethidium bromide, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicine, supporin, gelonin, PE40, bryodin, dihydroxy anthracin dione, actinomycin D, and 1-dehydrotestosterone.

As used herein the term "BR96" refers to (1) the whole BR96 monoclonal antibody disclosed in PCT No. 95/305444, published March 6, 1996, (2) chimeric BR96 monoclonal antibody disclosed in PCT No. 95/305444, published March 6, 1996, or (3) BR96 mutant molecules disclosed in PCT No. 95/305444, published March 6, 1996.

As used herein, "treating" means to (1) provide tumor regression so that the tumor is not palpable for a period of time (standard tumor measurement procedures may be followed (A.B. Miller et al. "Reporting results of cancer treatment" Cancer 47:207-214 (1981)); (2) stabilize the disease; or (3) provide any clinically beneficial effects.

As used herein, an "effective amount" is an amount of the antibody, 20 immunoconjugate, or recombinant molecule which kills cells or inhibits the proliferation thereof.

As used herein, "administering" means oral administration, administration as a suppository, topical contact, intravenous, intraperitoneal, intramuscular or subcutaneous administration, or the implantation of a slow-release device such as a miniosmotic pump, to the subject.

As used herein, "pharmaceutically acceptable carrier" includes any material which when combined with the antibody retains the antibody's specificity or efficacy and is

5

10

non-reactive with the subject's immune system. Examples include, but are not limited to, any of the standard pharmaceutical carriers such as a phosphate buffered saline solution, water, emulsions such as oil/water emulsion, and various types of wetting agents. Other carriers may also include sterile solutions, tablets including coated tablets and capsules.

Typically such carriers contain excipients such as starch, milk, sugar, certain types of clay, gelatin, stearic acid or salts thereof, magnesium or calcium stearate, talc, vegetable fats or oils, gums, glycols, or other known excipients. Such carriers may also include flavor and color additives or other ingredients. Compositions comprising such carriers are formulated by well known conventional methods.

As used herein, "mutation" means a single amino acid or nucleic acid mutation or multiple mutations by whatever means, e.g., homologous recombination, error prone PCR, or site directed mutagenesis.

In order that the invention herein described may be more fully understood, the following description is set forth.

20 METHODS OF THE PRESENT INVENTION

The present invention provides a method for inhibiting immunoglobulin-induced toxicity resulting from the use of immunoglobulin during therapy or in vivo diagnosis. For example, the methods of the invention would be useful to minimize the toxicity associated with prolonged clinical exposure to immunoglobulin use during or after tumor imaging with radiolabeled antibodies.

In accordance with the practice of this invention, the subject includes, but is not limited to, human, equine, porcine, bovine, murine, canine, feline, and avian

5

10

subjects. Other warm blooded animals are also included in this invention.

This method comprises administering an immunoglobulin molecule to the subject.

The immunoglobulin can be IgG, IgM, or IgA. IgG is preferred.

5

10

In one embodiment of the invention, the immunoglobulin molecule recognizes and binds Le^x. In another embodiment, the immunoglobulin recognizes and binds Le^x. In a further embodiment, the immunoglobulin is a monoclonal antibody BR96 produced by the hybridoma deposited on February 22, 1989 with the American Type Culture Collection (ATCC), 12301 Parklawn Drive, Rockville, MD 20852 and accorded ATCC Accession No.: HB 10036. In yet another embodiment, the immunoglobulin is a chimeric antibody ChiBR96 produced by the hybridoma deposited on May 23, 1990, with the ATCC, 12301 Parklawn Drive, Rockville, MD 20852 and accorded ATCC Accession No.: HB 10460.

15

20

25

In accordance with the practice of the invention, the immunoglobulin can be a bispecific antibody with a binding specificity for two different antigens, one of the antigens being that with which the monoclonal antibody BR96 produced by the hybridoma having the identifying characteristics of HB 10036 as deposited with the ATCC binds. Also, in accordance with the practice of the invention, the immunoglobulin can be an anti-idiotypic antibody.

As required by the invention, at least a portion of the constant region of the immunoglobulin molecule is structurally altered. Structural alteration can be effected by a number of means. In one embodiment, the entire constant region, i.e., CH_1 , CH_2 , and CH_3 domains, can be deleted.

In another embodiment, only the CH₂ domain is deleted from the immunoglobulin molecule (e.g., cBR96-A (Figure 5), hBR96-2A (Figure 4). In this embodiment, the

CH₂ deletion may result in a molecule unable to bind the Fc receptor or a complement component.

In another embodiment, only that portion of the CH₂ domain which binds the complement component C1q is deleted. In yet another embodiment, mutations in specific portions of the CH₂ domain are made. For example, the immunoglobulin molecule may be modified by structurally altering multiple toxicity associated domains in the constant region so that immunoglobulin-induced toxicity is inhibited. A discussion of such mutations are further found hereinafter.

10

15

20

25

Regardless of the means, the underlying requirement for any structural alteration of the constant region is that immunoglobulin-induced toxicity is substantially reduced or inhibited. In one embodiment, immunoglobulin-induced toxicity is inhibited by structurally altering the constant region such that the molecule's ability to mediate a CDC response or ADCC response and/or activate the complement cascade is prevented or inhibited. Methods for determining whether the molecule is able to inhibit a CDC response are well known, e.g., one method involves a ⁵¹Cr-release test (H. Garrigues et al. Int. J. Cancer 29:511 (1982); I. Hellström et al. PNAS 82:1499 (1985)). Methods for determining whether the molecule is able to inhibit an ADCC response are well known (I. Hellström et al. PNAS 82:1499 (1985)). Methods for determining whether the molecule is able to activate a complement cascade are well known.

In another embodiment of the invention, the method comprises administering to the subject an Ig fusion protein having a structurally altered constant region. Structural alteration of the constant region may include deletion of the entire C region or portions thereof, e.g., alteration of the CH₂ domain so that the altered molecule no longer binds the Fc receptor or a complement component.

The invention further provides a method for inhibiting immunoglobulin-induced toxicity resulting from immunotherapy in a subject. The method comprises administering to the subject an antibody which has been modified so that at least a portion of the constant region has been structurally altered as discussed supra. In one embodiment, the antibody recognizes and binds Le^y. In another embodiment, the antibody recognizes and binds to Le^x.

In accordance with the practice of this invention, the antibody can be monoclonal antibody BR96 produced by the hybridoma having the identifying characteristics of HB 10036 as deposited with the ATCC. Alternatively, the antibody can be chimeric antibody ChiBR96 produced by the hybridoma having the identifying characteristics of HB 10460 as deposited with the ATCC. Further, the antibody can be a bispecific antibody with a binding specificity for two different antigens, one of the antigens being that with which the monoclonal antibody BR96 produced by the hybridoma having the identifying characteristics of HB 10036 as deposited with the ATCC binds.

Additionally, the present invention provides a method for inhibiting immunoglobulin-induced toxicity resulting from immunotherapy for a disease in a subject. The disease will vary with the antigen sought to be bound. Examples of diseases include but are not limited to immunological diseases, cancer, cardiovascular diseases, neurological diseases, dermatological diseases or kidney disease.

This method comprises the following steps. Step one provides selecting an antibody for a target. Generally, the target is associated with the disease and the antibody directed to the target is known. For example, the target can be the BR96 antigen and the antibody selected is BR96.

5

10

15

Step two of this method provides structurally altering the constant region of the antibody so selected so that immunoglobulin induced toxicity is inhibited. Inactivation can include any of the means discussed above. For example, inactivation can be effected by structurally altering multiple toxicity associated domains in the CH₂ domain of the constant region of the Ig protein so selected.

Step three of this method provides administering the structurally altered antibody of step two to the subject under conditions that the structurally altered antibody recognizes and binds the target and that such binding directly or indirectly alleviates symptoms associated with the disease.

In accordance with the invention, in one embodiment step one provides selecting an Ig fusion protein for a target. Further, the method provides mutating the Ig fusion protein so selected by structurally altering the CH₂ domain of the constant region of the Ig protein by the same means discussed above.

The invention further provides methods to treat human carcinoma. For example, the immunoglobulin, antibody, or Ig fusion protein discussed above can be used in combination with standard or conventional treatment methods such as chemotherapy, radiation therapy or can be conjugated or linked to a therapeutic drug, or toxin, as well as to a lymphokine or a tumor-inhibitory growth factor, for delivery of the therapeutic agent to the site of the carcinoma.

Techniques for conjugating therapeutic agents to immunoglobulins are well known (see, e.g., Arnon et al., "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in Monoclonal Antibodies And Cancer Therapy, Reisfeld et al. (eds.), pp. 243-56 (Alan R. Liss, Inc. 1985); Hellström et al., "Antibodies For Drug Delivery", in Controlled Drug Delivery (2nd Ed.), Robinson et al. (eds.), pp. 623-53 (Marcel Dekker, Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In

5

10

15

Cancer Therapy: A Review", in Monoclonal Antibodies '84: Biological And Clinical Applications, Pinchera et al. (eds.), pp. 475-506 (1985); and Thorpe et al., "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", Immunol. Rev., 62:119-58 (1982)).

5

Alternatively, the structurally altered antibody or Ig fusion protein can be coupled to high-energy radiative agents, e.g., a radioisotope such as ¹³¹I; which, when localized at the tumor site, results in a killing of several cell diameters (see, e.g., Order, "Analysis, Results, And Future Prospective Of The Therapeutic Use Of Radiolabeled Antibody In Cancer Therapy", in Monoclonal Antibodies For Cancer Detection And Therapy, Baldwin et al. (eds.), pp. 303-16 (Academic Press 1985)). According to yet another embodiment, the structurally altered BR96 antibody can be conjugated to a second antibody to form an antibody heteroconjugate for the treatment of tumor cells as described by Segal in United States Patent 4,676,980.

15

20

25

10

Still other therapeutic applications for the structurally altered antibody or Ig fusion protein of the invention include conjugation or linkage, e.g., by recombinant DNA techniques or protein chemical techniques, to an enzyme capable of converting a prodrug into a cytotoxic drug and the use of that antibody-enzyme conjugate in combination with the prodrug to convert the prodrug to a cytotoxic agent at the tumor site (see, e.g., Senter et al., "Anti-Tumor Effects Of Antibody-alkaline Phosphatase", Proc. Natl. Acad. Sci. USA, 85:4842-46 (1988); "Enhancement of the in vitro and in vivo Antitumor Activities of Phosphorylated Mitomycin C and Etoposide Derivatives by Monoclonal Antibody-Alkaline Phosphatase Conjugates", Cancer Research 49:5789-5792 (1989); and Senter, "Activation of Prodrugs by Antibody-Enzyme Conjugates: A New Approach to Cancer Therapy," FASEB J. 4:188-193 (1990)).

It is apparent therefore that the present invention encompasses pharmaceutical compositions including immunoglobulin molecules, antibodies, and Ig fusion proteins all having structurally altered CH₂ domains, and their use in methods for treating human carcinomas. For example, the invention includes pharmaceutical compositions for use in the treatment of human carcinomas comprising a pharmaceutically effective amount of a structurally altered BR96 and a pharmaceutically acceptable carrier.

The compositions may contain the structurally altered antibody or Ig fusion protein or antibody fragments, either unmodified, conjugated to a therapeutic agent (e.g., drug, toxin, enzyme or second antibody). The compositions may additionally include other antibodies or conjugates for treating carcinomas (e.g., an antibody cocktail).

The compositions of the invention can be administered using conventional modes of administration including, but not limited to, intrathecal, intravenous, intraperitoneal, oral, intralymphatic or administration directly into the tumor. Intravenous administration is preferred.

The composition of the invention can be in a variety of dosage forms which include, but are not limited to, liquid solutions or suspensions, tablets, pills, powders, suppositories, polymeric microcapsules or microvesicles, liposomes, and injectable or infusible solutions. The preferred form depends upon the mode of administration and the therapeutic application.

The compositions of the invention also preferably include conventional pharmaceutically acceptable carriers and adjuvants known in the art such as human serum albumin, ion exchangers, alumina, lecithin, buffer substances such as phosphates, glycine, sorbic acid, potassium sorbate, and salts or electrolytes such as protamine sulfate.

In accordance with the practice of the invention, the pharmaceutical carrier can be a lipid carrier. The lipid carrier can be a phospholipid. Further, the lipid carrier can be a fatty acid. Also, the lipid carrier can be a detergent. As used herein, a detergent is any substance that alters the surface tension of a liquid, generally lowering it.

In one example of the invention, the detergent can be a nonionic detergent. Examples of nonionic detergents include, but are not limited to, polysorbate 80 (also known as Tween 80 or (polyoxyethylenesorbitan monooleate), Brij, and Triton (for example Triton WR-1339 and Triton A-20).

Alternatively, the detergent can be an ionic detergent. An example of an ionic detergent includes, but is not limited to, alkyltrimethylammonium bromide.

Additionally, in accordance with the invention, the lipid carrier can be a liposome.

As used in this application, a "liposome" is any membrane bound vesicle which contains any molecules of the invention or combinations thereof.

The most effective mode of administration and dosage regimen for the compositions of this invention depends upon the severity and course of the disease, the patient's health and response to treatment and the judgment of the treating physician.

The interrelationship of dosages for animals of various sizes and species and humans based on mg/m² of surface area is described by Freireich, E.J., et al. Cancer Chemother., Rep. 50 (4): 219-244 (1966). Adjustments in the dosage regimen can be made to optimize the tumor cell growth inhibiting and killing response, e.g., doses can be divided and administered on a daily basis or the dose reduced proportionally depending upon the situation (e.g., several divided doses can be

10

administered daily or proportionally reduced depending on the specific therapeutic situation).

THE MOLECULES OF THE INVENTION

5

10

The present invention provides structurally altered BR96 or BR96 Ig fusion proteins. Structurally altered BR96 antibodies or Ig fusion proteins have the variable region of BR96 and a modified constant region. This modification provides structurally altered BR96 antibodies or Ig fusion proteins with the ability to inhibit immunoglobulin-induced toxicity.

Various embodiments of structurally altered BR96 or BR96 lg fusion proteins have been made.

- In one embodiment, designated cBR96-A, the entire CH₂ domain of cBR96 was deleted. CBR96-A is expressed by the plasmid having the sequence shown in SEQ. ID. NO. 10. cBR96 is expressed by a plasmid having the sequence in SEQ ID NO. 9.
- In another embodiment, designated hBR96-2A, the entire CH₂ domain of hBR96 was deleted. hBR96-A is expressed by the plasmid having the sequence shown in SEQ. ID. NO. 12. hBR96 is a mutant BR96 having the H1, H2, and H3 mutations described in PCT Application No. 95/305444, published March 6, 1996.
- In yet another embodiment, designated hBR96-2B, the leucine residue located at amino acid position 235 is mutated to alanine. Additionally, the glycine residue located at amino acid position 237 is mutated to alanine. The amino acid position numbering used is described in Kabat et al. Sequences of Proteins of Immunological Interest 5th Edition (1991) United States Department of Health and Human Services.

In a further embodiment, designated hBR96-2C, the glutamic acid residue at position 318 is mutated to serine; the lysine residue located at position 320 is mutated to serine; and the lysine residue located at position 322 is mutated to serine using standard protocols (Alexander R. Duncan and Greg Winter "The binding site for C1q on IgG" Nature 332:738 (1988)).

In another embodiment, designated hBR96-2D, the proline residue at position 331 is mutated to alanine (M-H. Tao et al., "Structural features of human immunoglobulin 10 G that determine isotype-specific differences in complement activation" J. Exp. Med. 178:661-667 (1993); Y. Xu et al., "Residue at position 331 in the IgG1 and IgG4 domains contributes to their differential ability to bind and activate complement" J. Biol. Chem. 269:3469-3474 (1994)).

In an additional embodiment, designated hBR96-2E, the leucine residue at position 235 is mutated to alanine; the glycine residue located at position 237 is mutated to alanine; the glutamic acid residue located at position 318 is mutated to serine; the lysine residue located at position 320 is mutated to serine; and the lysine residue located at position 322 is mutated to serine (A. Morgan et al., "The N-terminal end of the CH₂ domain of chimeric human IgG1 anti-HLA-DR is necessary for C1q, Fc(gamma)RI and Fc(gamma)RIII binding" Immunol. 86:319-324 (1995)).

In yet a further embodiment, designated hBR96-2F, the leucine residue located at position 235 is mutated to alanine; the glycine residue located at position 237 is mutated to alanine; and the proline residue located at position 331 is mutated to alanine.

In yet another embodiment, designated hBR96-2G, the glutamic acid residue located at position 318 is mutated to serine; the lysine residue located at position 320 is

25

mutated to serine; the lysine residue located at position 322 is mutated to serine; and the proline residue located at position 331 is mutated to alanine.

In another embodiment, designated hBR96-2H, the leucine residue located at position 235 is mutated to alanine; the glycine residue located at position 237 is mutated to alanine; the glutamic acid residue at position 318 is mutated to serine; the lysine residue located at position 320 is mutated to serine; the lysine residue located at position 322 is mutated to serine; and the proline residue located at position 331 is mutated to alanine.

10

15

20

25

5

Depending on its form, a structurally altered BR96 antibody or fusion protein can be a monofunctional antibody, such as a monoclonal antibody, or bifunctional antibody, such as a bispecific antibody or a heteroantibody. The uses of structurally altered BR96, i.e., as a therapeutic or diagnostic agent, will determine the different forms of structurally altered BR96 which is made.

Several options exists for antibody expression. Immunoexpression libraries can be combined with transfectoma technology, i.e., the genes for the Fab molecules derived from the immunoglobulin gene expression library can be connected to the desired constant-domain exons. These recombinant genes can then be transfected and expressed in a transfectoma that would secrete an antibody molecule.

Once produced, the polypeptides of the invention can be modified, i.e., by amino acid modifications within the molecule, so as to produce derivative molecules. Such derivative molecules would retain the functional property of the polypeptide, namely, the molecule having such substitutions will still permit the binding of the polypeptide to the BR96 antigen or portions thereof.

It is a well-established principle of protein chemistry that certain amino acid

substitutions, entitled "conservative amino acid substitutions," can frequently be made in a protein without altering either the conformation or the function of the protein.

5 Amino acid substitutions include, but are not necessarily limited to, amino acid substitutions known in the art as "conservative".

Such changes include substituting any of isoleucine (I), valine (V), and leucine (L) for any other of these hydrophobic amino acids; aspartic acid (D) for glutamic acid (E) and vice versa; glutamine (Q) for asparagine (N) and vice versa; and serine (S) for threonine (T) and vice versa.

Other substitutions can also be considered conservative, depending on the environment of the particular amino acid and its role in the three-dimensional structure of the protein. For example, glycine (G) and alanine (A) can frequently be interchangeable, as can alanine and valine (V).

Methionine (M), which is relatively hydrophobic, can frequently be interchanged with leucine and isoleucine, and sometimes with valine. Lysine (K) and arginine (R) are frequently interchangeable in locations in which the significant feature of the amino acid residue is its charge and the differing pK's of these two amino acid residues are not significant. Still other changes can be considered "conservative" in particular environments.

In one embodiment of the present invention, the polypeptide is substantially pure, i.e., free of other amino acid residues which would inhibit or diminish binding of the polypeptide to its target and would inhibit or reduce gastrointestinal toxicity which are normally exhibited during or after antibody therapy.

10

15

NUCLEIC ACID MOLECULES ENCODING THE PRESENT INVENTION

The nucleotide sequences and the amino acid sequences of the variable and constant regions of BR96 are known. The sequence for the immunoglobulin constant region is known and provided in Figure 18. Specific mutations in the constant region of the BR96 antibody were made. Nucleic acid molecules encoding the seven mutants described above (hBR96-2B through hBR96-2H) are as follows.

In hBR96-2B, alanine at amino acid positions 235 and 237 is encoded by codons 10 GCU, GCC, GCA, or GCG.

In hBR96-2C, serine at positions 318, 320, and 322 is encoded by UCU, UCC, UCA, or UGG.

In hBR96-2D, alanine at position 331 is encoded by codons GCU, GCC, GCA, or GCG.

In hBR96-2E, alanine at positions 235 and 237 is encoded by codons GCU, GCC, GCA, or GCG. Serine at positions 318, 320, and 322 is encoded by UCU, UCC, UCA, or UGG.

In hBR96-2F, alanine at positions 235, 237, and 331 is encoded by codons GCU, GCC, GCA, or GCG.

In hBR96-2G, serine at positions 318, 320, 322 is encoded by UCU, UCC, UCA, or UGG. Further, the alanine at position 331 is encoded by codons GCU, GCC, GCA, or GCG.

In hBR96-2H, alanine at positions 235, 237, and 331 is encoded by codons GCU,

GCC, GCA, or GCG. Additionally, serine at positions 318, 320, 322 is encoded by UCU, UCC, UCA, or UGG.

Any of the above can be deoxyribonucleic acid (DNA), e.g., complementary DNA (cDNA), or ribonucleic acid (RNA).

IMMUNOCONJUGATES

Immunoconjugates (having whole antibody or Ig fusion proteins) may be constructed using a wide variety of chemotherapeutic agents such as folic acid and 10 anthracyclines (Peterson et al., "Transport And Storage Of Anthracyclines In Experimental Systems And Human Leukemia", in Anthracycline Antibiotics In Cancer Therapy, Muggia et al. (Eds.), p. 132 (Martinus Nijhoff Publishers (1982); Smyth et al., "Specific Targeting of Chlorambucil to Tumors With the Use of Monoclonal Antibodies", J. Natl. Cancer Inst., 76:503-510 (1986)), including 15 doxorubicin (DOX) (Yang and Reisfeld "Doxorubicin Conjugated with a Monoclonal Antibody Directed to a Human Melanoma-Associated Proteoglycan Suppresses Growth of Established Tumor xenografts in Nude Mice PNAS (USA)" 85:1189-1193 (1988)), Daunomycin (Arnon and Sela "In Vitro and in vivo Efficacy of Conjugates of Daunomycin With Anti-Tumor Antibodies" Immunol. Rev., 65:5-20 27 (1982)), and morpholinodoxorubicin (Mueller et al., "Antibody Conjugates With Morpholinodoxorubicin and Acid-Cleavable Linkers", Bioconjugate Chem., 1:325-330 (1990)).

BR96 has been conjugated to doxorubicin and has been shown to be effective in therapy of certain cancers or carcinomas (Trail, P.A., Willner, D., Lasch, S.J., Henderson, A.J., Casazza, A.M., Firestone, R.A., Hellström, I., and Hellström, K.E. Cure of xenografted human carcinomas by BR96-doxorubicin immunoconjugates. Science, 261:212-215, 1993).

In accordance with the practice of the invention, structurally altered BR96 can be used in forms including unreduced IgG, reduced structurally altered IgG, and fusion proteins (PCT Application No. 95/305444, published March 6, 1996).

5

Suitable therapeutic agents for use in making the immunoconjugate includes <u>Pseudomonas</u> exotoxin A (PE) in either the native PE or LysPE40 form. LysPE40 is a truncated form containing a genetically modified amino terminus that includes a lysine residue for conjugation purposes. Doxorubicin is also a suitable therapeutic agent.

Additional examples of therapeutic agents include, but are not limited to, antimetabolites, alkylating agents, anthracyclines, antibiotics, and anti-mitotic agents.

15

10

Antimetabolites include methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine.

Alkylating agents include mechlorethamine, thiotepa chlorambucil, melphalan,
carmustine (BSNU) and lomustine (CCNU), cyclothosphamide, busulfan,
dibromomannitol, streptozotocin, mitomycin C, and cis-dichlorodiamine platinum
(II) (DDP) cisplatin.

Anthracyclines include daunorubicin (formerly daunomycin) and doxorubicin (also referred to herein as adriamycin). Additional examples include mitozantrone and bisantrene.

Antibiotics include dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC).

Antimitotic agents include vincristine and vinblastine (which are commonly referred to as vinca alkaloids).

Other cytotoxic agents include procarbazine, hydroxyurea, asparaginase, corticosteroids, mytotane (O,P'-(DDD)), interferons.

Further examples of cytotoxic agents include, but are not limited to, ricin, bryodin, gelonin, supporin, doxorubicin, taxol, cytochalasin B, gramicidin D, ethidium bromide, etoposide, tenoposide, colchicine, dihydroxy anthracin dione, 1-dehydrotestosterone, and glucocorticoid.

Clearly analogs and homologs of such therapeutic and cytotoxic agents are encompassed by the present invention. For example, the chemotherapuetic agent aminopterin has a correlative improved analog namely methotrexate.

Further, the improved analog of doxorubicin is an Fe-chelate. Also, the improved analog for 1-methylnitrosourea is lomustine. Further, the improved analog of vinblastine is vincristine. Also, the improved analog of mechlorethamine is cyclophosphamide.

METHODS FOR MAKING MOLECULES OF THE INVENTION

There are multiple approaches to making site specific mutations in the CH₂ domain of an immunoglobulin molecule. One approach entails PCR amplification of the CH₂ domain with the mutations followed by homologous recombination of the mutated CH₂ into the vector containing the desired immunoglobulin, e.g., hBR96-2. For example, hBR96-2B and hBR96-2D have been made by this method.

Another approach would be to introduce mutations by site-directed mutagenesis of single-stranded DNA. For example, vector pD17-hG1b, which contains only the constant region of IgG1 and not the V domain of hBR96, has the f1 origin of replication. This gives the vector the properties of a phagemid and site-directed mutagenesis experiments can be performed according to the methods of Kunkel, et al. (Kunkel, T.A., J.D. Roberts, and R.A. Zakour, 1987 Methods Enzymol. 154:367-383) as provided in the Bio-Rad Muta-Gene® phagemid *in vitro* mutagenesis kit, version 2. For example, hBR96-2B, -C, -D, -E, -F, -G, and -H were made by this method.

10

In order that the invention described herein may be more fully understood, the following examples are set forth. It should be understood that these examples are for illustrative purposes only and are not to be construed as limiting the scope of this invention in any manner.

15

EXAMPLE 1

The following standard ELISA protocol was used.

Materials: Immulon2 96 well plates and Genetic Systems Specimen Diluent
Concentrate (10x); antibody conjugate was Goat Anti Human Kappa-HRP Mouse
Adsorbed, Southern Biotech. at 1:10,000 in Genetic Systems Conjugate Diluent
(1x); Genetic Systems EIA Chromogen Reagent (TMB) (1:100); Genetic Systems
EIA Buffered Substrate (1x); primary antibody or antigen were AffiniPure F(ab')₂
 Fragment Goat Anti Human IgG Fc Fragment specific (Jackson Immuno Research),
Goat Anti Human Kappa-UNLB (Southern Biotechnology Associates), Le^y-HSA
(Alberta Research Council).

Methods: Dilute primary antibody or antigen to 1.0 μg/ml in 0.05M Carb/Bicarb buffer. Add 100μl of the diluted solution per well in Immulon 2 plates. Seal plates and incubate O.N. at 4°C.

5 Block plates by flicking them and blotting on paper towels. Add 200μl/well of Genetic Systems, Specimen Diluent Concentrate (1x). Incubate at least 1 hour at room temperature and then dump the contents of the plates. Wash the plates 3x in saline/Tween. Blot to dry. Allow the plates to dry at R.T. (45 min. to 1 hour). Seal and store the plates at 4°C.

10

Test samples as follows. Dilute samples and standards in Specimen Diluent at 1:10. Perform serial dilutions in separate round bottom plates. Transfer 100µl/well of final dilutions to antigen coated assay plates; then incubate O.N. at 4°C. Wash plates 3x with saline/Tween.

15

For conjugation add 100 µl/well of antibody-HRP conjugate in Genetic Systems Conjugate Diluent (1x). Incubate plates at Room Temp. for 60 min. Wash plates 3x in saline/Tween.

20 Add 100 µl/well of Genetic Systems EIA Chromogen Reagent (TMB) 1:100 in EIA Buffered Substrate (1x). Incubate at R.T. for 15 min. and stop with 1N H₂SO₄ 100 µl/well. Read plate at 450/630nm in EIA plate reader.

EXAMPLE 2

25

Construction of CH₂ deleted BR96 molecules

Strategy for Deleting CH₂ Domains: To construct CH₂ deleted BR96 molecules, the hinge, CH₂ and CH₃ domains were removed from chimeric BR96 and humanized

BR9696-2 IgG1 molecules by an Eco47-III restriction digestion in non-coding regions. The hinge and CH₃ domains were amplified by polymerase chain reaction (PCR) from a human IgG1 (pNγ1.14) molecule lacking the CH₂ domain. Two oligonucleotides (Sense 49mer, Antisense 50mer) homologous to the sequences of IgG1 constant region at both sides preserving E.co47-III sites were synthesized. The amplified hinge and CH₃ domain PCR fragments were added into Eco47-III sites on BR96 IgG1 molecules by in vivo homologous recombination (P. Bubeck et al., Nucleic Acid Research (1993) 21:3601-3602). The new BR96 IgG1 molecules were verified by restriction mapping and sequencing.

10

A sewing PCR strategy was used for the construction of CH₂ deleted human IgG1 (pNγ1.14) (Robert M. Horton, et al. (1990) Biotech 8 (5)P, 528).

The CH₁ domain was amplified as a 580 bp fragment with a sense oligonucleotide

(5' TGG CAC CGA AAG CTT TCT GGG GCA GGC CAG GCC TGA 3') (primer A) and an antisense oligonucleotide (5' TCC GAG CAT GTT GGT ACC CAC GTG GTG GTC GAC GCT GAG CCT GGC TTC GAG CAG ACA 3') (primer B) from a linearized human IgG1 constant region vector (pNγ1.7). The PCR fragment extends from the 5' end of the Hind-III site (in bold) through the Cel-II, Sal-I, Dra-III, Kpn-I, 6 bp nucleotide spacer and Mro-I sites (in bold) at the 3' end of the CH₁ domain.

The CH₃ domain was then partially amplified (to the Xba-I site) with a sense primer (5' GTC GAC CAC GTG GGT ACC AAC ATG TCC GGA GCC ACA

25 TGG ACA GAG GCC GGC T 3') (primer C) and an antisense primer (5' CTG GTT CTT GTT CAT CTC CTC TCT AGA TGG 3') (primer D) from a linearized human IgG1 constant region vector (pNγ1.7). A PCR fragment (about 150 bp) with Sal-I, Dra-III, Kpn-I, 6 nucleotide spacer and Mro-I sites (in bold) on its 5' end, extends only through the Xba-1 site (in bold) within the CH₃ domain.

The CH₁ and CH₃ partial PCR fragments were combined in a PCR without any primer. The reaction was run through two full cycles of denaturation and reannealing to allow the fragments to combine at the homologous region at the 3' ends. Primers A and D (described above) were added to the reaction and the PCR cycle was completed. The polymerase extends the DNA with primer A and primer D, yielding a full-length (660 bp) PCR fragment. The newly extended PCR fragment is arranged from the 5' end to the 3' end in the following order: Hind-III - CH₁ - Cel-II - Sal-I - Dra-III - Kpn-I - 6 bp spacer - Mro-I - CH₃ partial - Xba-1.

10

5

The combined PCR fragment, with the CH₁ and partial CH₃ domains, was then cloned by a blunt end ligation into a Sma-I site on a pEMBL18 vector and the sequence was confirmed by dideoxy sequencing (Sanger et al. (1977) PNAS (USA) 74:5463-5466).

15

To transfer the CH₁ and partial CH₃ into a mammalian expression vector, both the pEMBL18 and pNγ1.7 vectors were digested with Hind-III and Xba-I. The Hind-III and Xba-I fragment was ligated into the same sites on a linearized pNγ1.7 vector. The new construct, with CH₁ and a full CH₃ domain, was designated the pNγ1.10 vector.

20

25

The hinge fragment was amplified from a Hind-III digested pNγ1.7 vector with the primers designed to flank the hinge exon with a Sal-I and a Dra-III cloning site at each end. These sites also exist between the CH₁ and CH₃ domains of the pNγ1.10 construct. The sense oligonucleotide (5' ACC ATG GTC GAC CTC AGA CCT GCC AAG AGC CAT ATC 3') with a 6 bp spacer and a Sal-I cloning site (in bold) and the antisense oligonucleotide (5' CAT GGT CAC GTG GTG TGT CCC TGG ATG CAG GCT ACT CTA G 3') with a 6 bp spacer and a Dra-III cloning site (in bold) were used for the amplication of the hinge fragment (250 bp).

The hinge region PCR fragment was cloned into a Sma-I site on pEMBL18 by blunt end ligation. Both the pEMBL18 with the hinge domain and the pNγ1.10 with the CH₂ and CH₃ domains were digested with Sal-1 and Dra-III. The digested hinge fragment was cloned into the Sal-1 and Dra-III linearized sites on the pNγ1.10 vector. The new construct, now carrying the CH₁, hinge and CH₃ domains, was designated pNγ1.11.

To make the final CH_2 deleted human IgG1 construct, both the pN γ 1.11 construct and pN γ 1.11 vector were digested with BamH1 and HindIII. A fragment containing the CH_1 , hinge and CH_3 domains was cloned into the linearized pN γ 1.11 vector. The new constant region IgG1 construct lacks the CH_2 domain and is designated pN γ 1.14 (Figure 11).

15 For digestion of BR96 IgG1 with Eco47-III, a restriction fragment with hinge, CH₂ and CH₃ domains was identified on the constant region sequence of BR96 IgG1 vector in both chimeric and humanized molecules. The 5' end of this fragment lies inside the intron between CH₁ and hinge and the 3' end is located inside the CH₃ intron of the BR96 IgG1 molecule. The hinge, CH₂ and CH₃ domains (1.368 kb fragment) were removed from BR96 IgG1 molecules by Eco47-III restriction digestion. The Eco47-III is a blunt end cutter. The BR96 IgG1 DNA digested with this enzyme does not require any pretreatment before cloning. Figure 12 is a diagrammatic representation of the pD17-hBR96-2 vector showing the Eco47-III sites used in cloning.

25

10

The CH₂ deleted BR96 IgG1 was then constructed as follows. The hinge and CH₃ domains were amplified from a CH₂ deleted L6 IgG1 (pN γ 1.14) construct with a sense oligonucleotide (5'

CAGGGAGGGAGGTGTCTGCTGGAAGCCAGGCTCAGCGCTGACCTCAG

A 3') homologous to the constant region sequence of IgG1 at the 5' end of the Eco47-III site (in bold) and an antisense oligonucleotide (5'GGAAAGAACCATCACAGTCTCGCAGGGG CCCAGGGCAGCGCTGGGTGCTT 3') homologous to the constant region sequence of IgG1 at the 3' end of the Eco47-III site (in bold). The Eco47-III site at the 3' end of the pNγ1.14 construct is modified in the cloning process. The Eco47-III site is thus introduced into an antisense primer and used in amplification of the hinge and CH₃ domains.

The pD17-BR96 IgG1 vector was digested with Eco47-III and the hinge, CH₂ and CH₃ domains were removed. The linearized pD17-BR96 IgG1 vector was mixed with equimolar amounts of hinge and CH₃ PCR fragments. Cotransformation of the PCR fragment with linearized DNA into E.coli DH5a competent cells resulted in a recombinant molecule, mediated by homologous recombination in bacteria. This construct lacks the CH₂ domain of BR96 IgG1 molecules, and is designated pD17-BR96-dCH2 (Figure 13).

1.9 grams of CH₂-deleted chimeric BR96 was obtained as raw material from 89L of culture supernatant.

20

EXAMPLE 3

Toxicity, localization and clearance of CH₂-deleted chimeric BR96 was tested in vivo as follows.

25

Three dogs received 400 mg/m² of cBR96-A, the CH₂ deletion mutant of chimeric BR96, and two received chimeric BR96. Both molecules had been mildly reduced and alkylated. This is required to prevent dimerization of the deletion mutant into a tetravalent form. Both control dogs experienced the typical GI toxicity and none of

the three receiving the mutant displayed any toxicity. The control dogs and two of the test dogs were sacrificed at 1 hr to obtain duodenal tissue to measure antibody localization. Both control dogs had grossly visible GI pathology, and the test dogs had normal appearing GI tissue. The third dog has continued to show no signs of toxicity.

Results: A significant amount of localization of the CH₂ deleted cBR96 (cBR96-A) occurred to the GI tract in dogs treated with 400 mg/m², although the intact chiBR96 localized slightly better. The levels of localization indicate that roughly equivalent amounts of intact and CH₂ deleted cBR96 was delivered to the GI tract in these dogs.

Table 5. Localization of cBR96 to GI tissue.

Group	Animal	Specific	mean
		Localization	
	#271	155	
cBR96			135
	#272	114	
	#273	126	
cBR96-A			89
	#274	52	

15

20

5

10

Using the mean level of specific localization, an amount of cBR96-A equivalent to at least 66% of the amount of cBR96 was delivered to the target organ of toxicity, the duodenum. Based on the dose ranging done with cBR96 in dogs (some clinical signs of toxicity seen at doses of 10 mg/m²), even if this difference is real, it could

not explain the difference between significant toxicity and no toxicity, evaluation to date indicated that dogs treated with cBR96-A had no toxicity, pending microscopic histopathologic examination. This evaluation was based on analysis of 2 frozen blocks per dog and 2 sections per block. Replicates were quite good. We also ran historical frozen tissues from dogs treated with native cBR96 or F(ab)2/BR96 and the levels of localization for those tissues were 110 and 0, respectively, consistent with our previous data.

Assuming that there is no toxicity at marginally higher (2X) doses of cBR96-A, these data indicate that the CH₂ domain is associated with the induction of acute gastroenteropathy, and that the removal of this domain prevents the induction of gastroenteropathy mediated by BR96.

This study confirms the results showing that F(ab')2 is not toxic in the dog model
and that the toxicity is mediated by the constant region. The CH₂ deletion mutant is
a candidate for targeting agents clinically. Because of the very long half-life of
chimeric BR96, some decrease in the mutant's half-life should be acceptable.

Figure 1 shows the measurement of the clearance of the cBR96-A in high Le^Y
20 expressing dogs. The study used chimeric versus constant region mutant of cBR962.

CBR96-2 did clear faster than the chimeric BR96. The localization of cBR96-A to the gastrointestinal epithelium is not significantly affected by this more rapid clearance. More than enough of the cBR96-A localized to have caused toxicity.

Discussion: The constant region of chimeric IgG is responsible for the GI toxicity seen in clinical trials, e.g. with chiBR96-dox. The GI toxicity seen in the dog model is very similar to the clinical toxicity. Both in man and dog, administration of the

unconjugated antibody mediates an acute GI toxicity characterized by rapid onset of vomiting, often with blood.

In man the bleeding is limited to the fundus of the stomach, causing erosion of the superficial mucosa of the stomach. Although the pathology of the wound is limited and resolves, the extreme nature of the nausea and vomiting, unrelieved by antiemetics, defines it as the dose-limiting toxicity.

This toxicity is mediated in man and dog by the antibody molecule alone. At higher doses of the antibody-dox conjugate, additional toxicity is seen in the dog model, probably due to doxorubicin. Although the intact IgG of BR96 causes toxicity in dog and man, the F(ab')2 molecule (divalent and lacking only in the constant region) is not toxic in dogs. This finding has motivated our attempts at high levels, and improves the affinity and specificity of BR96 for tumor antigen.

The CH₂ domain is known to mediate complement and FcR binding. It was not known that structural alteration of the CH₂ domain would result in immunoglobulin-induced toxicity inhibition.

20 Toxicology study of hBR96-2B

5

15

The toxicology study of hBR96-2B in high Lewis Y expressor dogs (n=2) showed that a dose of 400 mg/m² did not cause hematemesis nor bloody stools, in contrast to BR96 which consistently causes one or both signs. A dog sacrificed at 24 hrs had normal gross appearance of the GI tract, again in marked contrast to chimeric BR96 which causes hemorrhagic lesions and mucosal erosions.

EXAMPLE 4

The polymerase chain reaction (PCR) is a widely used and versatile technique for the amplification and subsequent modification of immunoglobulin genes. The rapidity and accuracy with which antibody genes can be modified in vitro has 5 produced an assortment of novel antibody genes can be modified in vitro has produced an assortment of novel antibodies. For example, PCR methods have been used for engineering antibodies with increased affinity to antigen, for "humanizing" antibodies, and for modulating effector function (Marks, J.D., A.D. Griffiths, M. Malmqvist, T. Clackson, J.M. Bye and G. Winter. 1992. Bypassing immunization: 10 high affinity human antibodies by chain shuffling. Bio/Technology 10:779-783; Rosok, M.J., D.E. Yelton, L.J. Harris, J. Bajorath, K.-E. Hellstrom, I. Hellstrom, G.A. Cruz, K. Kristensson, H. Lin, W.D. Huse and S.M. Glaser. 1996. A combinatorial library strategy for the rapid humanization of anticarcinoma BR96 Fab. J. Biol. Chem. 271:22611-22618; Morgan, A.N., D. Jones, A.M. Nesbitt, L. 15 Chaplin, M.W. Bodmer and S. Emtage. 1995. The N-terminal end of the CH2 domain of chimeric human IgG1 anti-HLA-DR is necessary for Clq, FcyRI and FcyRIII binding. Immunology. 86:319-324).

As part of a more comprehensive study, we desired to introduce various site specific mutations in the CH₂ constant domain of human IgG₁. Six specific amino acid residues distributed throughout the CH2 domain previously identified to play a role in immune effector function were marked as targets for mutagenesis (Morgan, A.N., D. Jones, A.M. Nesbitt, L. Chaplin, M.W. Bodmer and S. Emtage. 1995. The N-terminal end of the CH2 domain of chimeric human IgG1 anti-HLA-DR is necessary for Clq, FcγRI and FcγRIII binding. Immunology. 86:319-324; Duncan, A.R. and G. Winter. 1988. The binding site for Clq on IgG. Nature 332:738-740; Tao, M.-H., R.I.F. Smith and S.L. Morrison. 1993. Structural features of human immunoglobulin G that determine isotype-specific differences in complement

activation. J.Exp.Med. 178:661-667). five of the six residues were grouped into two clusters-one cluster consisting of two residues, two amino acids apart (Location 1, or L1); and a second cluster consisting of three residues spanning a sequence of five amino acids (L2). The remaining amino acid position (L3) made for the total of six residues. We were interested in constructing a panel of mutant CH₂ domain IgGs consisting of each L mutation by itself as well as in combination with other L mutants (e.g., L1; L1; and L2; L1, L2 and L3; etc.).

Various in vitro methods have been described where PCR is used to simultaneously introduce distally located site-specific mutations within a gene sequence (Ho, S.N., H.D. Hunt, R.M. Horton, J.K. Pullen and L.R. Pease. 1989. Site-directed mutagenesis by overlap extension. Gene 77:51-59; Ge, L. and P. Rudolpf. 1996. Simultaneous introduction of multiple mutations using overlap extention PCR. BioTechniques 22:28-30). Alternatively, an in vivo procedure termed recombination PCR (RPCR) has also successfully been used for rapidly and efficiently generating 15 distally located site-specific mutations (Jones, D.H. and S.C. Winistorfer. 1993. Use of polymerase chain reaction for making recombinant constructs. p.241-250. In B.A. White (Ed.), Methods in Molecular Biology, Vol. 15. Humana Press Inc., Totowa, NJ, Jones, D.H. And B.H. Howard. 1991. A rapid method for recombination and site-specific mutagenesis by placing homologous ends on DNA 20 using polymerase chain reaction. BioTechniques 10:62-66). RPCR uses E. Coli's recombination machinery to generate intact circular recombinant plasmids from a transfected mixture of linear PCR-generated product and linearized vector. In vivo recombination is mediated through the joining of nucleotide sequences designed into the 5' ends of both PCR primers that are homologous to DNA sequences encoded by 25 the vector. In this report we describe an extension of the RPCR procedure for simultaneously introducing complex combinations of mutations into an antibody CH₂ domain.

Humanized BR96 variable region heavy and light chain genes, previously cloned and co-expressed as an assembled active Fab fragment in an M13 phage expression vector, provided the starting material (Rosok, M.J., D.E. Yelton, L.J. Harris, J. Bajorath, K.-E. Hellstrom, I. Hellstrom, G.A. Cruz, K. Kristensson, H. Lin, W.D. Huse and S.M. Glaser. 1996. A combinatorial library strategy for the rapid 5 humanization of anticarcinoma BR96 Fab. J. Biol. Chem. 271:22611-22618). The heavy and light chain V genes were amplified by PCR from a single-stranded M13 DNA template and subcloned by in vivo recombination (Jones, D.H. And B.H. Howard. 1991. A rapid method for recombination and site-specific mutagenesis by 10 placing homologous ends on DNA using polymerase chain reaction. BioTechniques 10:62-66) into vectors pD17-hGla and pD16-hCκ, to form pBR96-hGla and pBR96-hCk respectively. pD17-hG1a and pD16-hCk are eukaryotic immunoglobulin expression vectors derived from pcDNA3 (Invitrogen, San Diego, CA). The plasmid pBR96-hG1a was further modified by site-directed mutagenesis to introduce two Eco47-III restriction sites flanking the immunoglobulin hinge-CH₂-15 CH₃ domains using standard procedures. The recipient vector was then prepared by digesting pBR96-hG1a with Eco47-III, isolating the vector backbone by agarose gel electrophoresis followed by extracting the vector DNA from the excised gel slice using the Qiagen Gel Extraction kit (Qiagen, Chatsworth, CA).

20

25

The strategy for introducing multiple mutations within the immunoglobulin CH₂ gene, shown in Figure 24, relies on the *in vivo* homologous recombination of several independently amplified PCR products with each other as well as with the pBR96-hG1a vector DNA. For introducing mutations at two distal locations two PCR products are synthesized (Figure 24B). One end of each PCR product is for recombining with an homologous end of the linear vector, and the other end, encoding the mutation(s) of interest, is for recombining with the neighboring PCR product. As shown in Figure 24B, additional distally-located mutations can be introduced into a target sequence by increasing the number of PCR products

proportionately. The recombination of neighboring PCR products always occurs across the regions containing the desired mutations, therefore the oligonucleotide primers encoding these ends (e.g., A1, A2) contain complementary mutant residues. The mutagenic PCR primers contain at least 15 nucleotides of wild-type sequence flanking each side of the mutant residues for either priming the polymerization reaction or mediating recombination. Two 49-nucleotide long PCR sense and antisense primers (Rs and Ra) contain sequences for recombining with the end regions of the Eco47-III digested pBR96-hG1a vector.

Each L mutation was amplified in a separate PCR reaction. The reaction conditions 10 were 250 ng intact pBR96-hG1a DNA template, 10 ul of 1X Pfu buffer (Stratagene, Inc. San Diego, CA), 10 nmol dNTPs, 200ng each of the appropriate PCR primers, 10% dimethysulfoxide (ATCC, Rockville, MD) and 2.5 units cloned Pfu DNA polymerase in a 100ul reaction volume. Samples were first denatured at 95° C for 5 min, cooled to 45°C for 5 min, and extended at 72°C for 1 min followed by 25 15 cycles of denaturation at 94°C for 45 sec, annealing at 45°C for 45 sec, extension at 72°C for 1 min/kb, followed by a final extension at 72°C for 7 min in a Perkin-Elmer DNA Thermal Cycler (Norwalk, CT). The amplified products were purified from a 1% agarose gel, extracted with Qiagen Gel Extraction kit and the recovered DNA quantitated. 50 ng of each PCR product was mixed with 25 ng of the Eco47-20 III digested pBR96-hG1a vector, transfected into Max competent E. coli DH5a according to the manufacturer's procedure (GIBCO BRL/Life Technologies, Gaithersburg, MD), and the entire transfection reaction plated onto selective LB agar plates containing 100 ug/ml ampicillin.

25

The results of several cloning experiments are summarized in the Table that follows. Typically the transformations produced from 80 to 200 bacterial colonies. Individual colonies were selected and grown overnight in 2 ml liquid cultures for isolation of miniprep plasmid DNA (Qiagen) and analysis by Eco47-III restriction

endonuclease mapping. Among 24 independent transformants analyzed from triple homologous recombination events (two PCR products plus vector) 11 clones contained the predicted 1.4 kpb DNA insert.

Figure 25 shows a sample diagnostic restriction analysis of DNA prepared from clones derived from quadruple homologous recombination events (three PCR products plus vector). Additional sampling of clones resulting from quadruple recombination yielded a cloning efficiency of 29% (7 clones containing inserts/24 clones sampled). At this point, due to the small sampling sizes, we do not know whether the differences in the cloning efficiencies observed between the triple and quadruple recombination events are meaningful.

To evaluate the expression of Le⁷ -binding activity of the CH₂ mutant IgGs, miniprep DNAs from 6 clones derived from the triple recombination reaction and 6 clones derived from the quadruple recombination reaction exhibiting the predicted 15 diagnostic Eco47-III restriction patterns were isolated, mixed with pBR96- hCk DNA and used to co-transfect COS7 cells. 48 hour spent supernatants from 3 ml cultures were assayed for total IgG production and for Ley binding activity by enzyme-linked immunosorbent assay (EIA) as described (Yelton, D.E., M.J. Rosok, G.A. Cruz, W.L. Cosand, J. Bajorath, I. Hellstom, K.-E. Hellstorm, W.D. Huse and 20 S.M. Glaser. 1995. Affinity maturation of the BR96 anti-carcinoma antibody by codon-based mutagenesis. J.Immunol. 155:1994-2004). All twelve cultures were found to secrete approximately 2-3 ug/ml Le^γ -reactive IgG. The spectrum of Le^γ binding activities were all similar to that of native humanized BR96 IgG indicating that the homologously recombined antibodies did not acquire any gross mutations 25 that could affect antigen binding. To confirm that the desired CH₂ mutations had been incorporated, and to evaluate the recombined genes for misincorporated nucleotides, four of the clones producing functional antibody were sequenced using Sequenase Version 2 DNA Sequencing Kit (United States Biochemical). One clone

was found to contain a single nucleotide change within the forward PCR primer used for mediating recombination with vector DNA. We are uncertain whether this error occurred during chemical synthesis of the oligonucleotide primer or is a result of misincorporation during the PCR reaction, despite the fact that we used a thermostable polymerase with proofreading activity.

A RPCR procedure for homologously recombining up to three separate PCR-generated mutated antibody sequence products into a eukaryotic expression vector for the rapid construction of engineered IgG molecules is described herein. The advantage of this approach is the ability to simultaneously introduce multiple distally-located mutations with PCR products synthesized by a single round of PCR. Recombinant DNAs are produced with a reasonably high cloning efficiency and fidelity of correct nucleotide sequences. The ability to efficiently rejoin several distinct PCR products should permit combinatorial strategies for constructing complexly mutated protein domains as well as broadening the number and location of desired mutations.

Analysis of transformants generated by multiple-fragment RPCR.

Mutant IgGs	PCR	HR ^a events	Colonies	Cloning
Constructed	Fragments in		Analyzed	Efficiency ^b
	reaction			
2	2	triple	24	45%
2	3	quadruple	24	33%

^aHR-homologous recombination

5

^bCloning efficiency (number of clones containing 1.4kbp insert/total number of colonies

EXAMPLE 5

10

15

20

25

This example provides two methods for introducing site specific mutations into the CH2 domain of human IgG1 constant region containing vectors.

One method involves PCR amplification of a segment or segments of the constant region, wherein mutations are introduced using appropriately constructed oligonucleotides. The vector receiving the fragment(s) is digested with a restriction enzyme to linearize the vector. PCR amplification primers are designed so that the 5' ends of the PCR fragments can hybridize to the DNA sequence of the vectors. If more than one PCR fragment is amplified, then common sequences to the two fragments are introduced by oligonucleotides. Bacteria are transfected with the PCR fragments and with the digested vector. The fragments and vector can recombine by homologous recombination using the bacteria's recombination machinery. Bacterial colonies are selected and the DNA is analyzed by size and restriction map as a preliminary determination that the vector and fragment(s) recombined correctly. Correct insertion of fragments with the mutations is confirmed by dideoxynucleotide sequence analysis. DNA is then introduced into mammalian cells as described for the CH2 deleted antibody, and the expressed antibody analyzed for binding and functional activity.

By way of example, mutations Leu to Ala at residue 235 in CH2 and Gly to Ala at residue 237 were introduced by the procedure disclosed in Example 4. The heavy chain vector used for this procedure was pD17-hG1a, similar to pD17-BR96 vector described herein except that humanized V regions (Rosok, M.J., D.E. Yelton, L.J. Harris, J. Bajorath, K-E. Hellstrom, I, Hellstrom, G.A. Cruz, K. Kristensson, H. Lin, W.D. Huse, and S.M. Glaser, 1996. J. Biol. Chem 271 37:22611-22618) with three affinity mutations (H1, H2, and H3 mutations) were substituted.

pBR96-hG1a contains two Eco47-III restriction sites flanking the Ig hinge-CH2-CH3 domains. The recipient vector was prepared by (1) digesting pBR96-hG1a with *Eco*47-III, (2) isolating the vector by agarose gel electrophoresis, and (3) extracting the vector DNA from the excised gel slice using the Qiagen Gel Extraction kit (Qiagen, Chatsworth, CA). To introduce mutations at a single location, such as for positions 235 and 237, two PCR products were synthesized.

10 herein as hBR96-2F) with mutations at 235, 237, 331, requires 3 PCR products. The recombination of neighboring PCR products occurs across the regions containing the desired mutations, therefore the oligonucleotide primers encoding these ends contain complementary mutant residues. The mutagenic PCR primers contain at least 15 nucleotides of wild-type sequence flanking each side of the mutant residues for either priming the polymerization reaction or mediating recombination. Two 49-nucleotide long PCR sense and anti-sense primers containing sequences for recombining with the end regions of the *Eco*47-III digested pBR96-hG1a vector.

PCR amplification used 250 ng intact pBR96-hG1a DNA template, 10 μl of 10X Pfu
buffer (Stratagene, Inc., San Diego, CA), 10 nmol dNTPs, 200 ng each of the
appropriate PCR primers, 10% dimethylsulfoxide (ATCC, Rockville, MD) and 2.5
units cloned Pfu DNA polymerase (Stratagen, Inc. San Diego, CA) in 100 μl
reaction. Samples were denatured at 95°C for 5 min, annealed at 45°C for 5 min,
and extended at 72°C for 1 min followed by 25 cycles of denaturation at 94°C for 45
sec, annealing at 45°C for 45 sec, extension at 72°C for 1 min/kb, and a final
extension at 72°C for 7 min. The amplified products were purified from a 1%
agarose gel, extracted with the Qiagen Gel Extraction kit and quantitated. 50 mg of
each PCR product was mixed with 25 ng of the Eco47-III digested pBR96-hG1a
vector and transfected in E.coli MAX Efficiency DH5α™ according to the

manufacturer's instructions (GIBCO BRL/Life Technologies, Gaithersburg, MD). The entire transfection reaction was plated onto LB agar plated containing 100 μg/ml ampicillin.

- Bacterial colonies were selected and grown overnight at 37° C in 2 ml liquid cultures. DNA was isolated and analyzed by Eco47-III restriction endonuclease mapping. Clones with the correct size insert were sequenced (Sequenase Version 2, U.S. Biochemical Corp., Cleveland, OH).
- The second method for introducing site specific mutations into the CH₂ domain of human IgG1 involved the method of Kunkel (1987 Methods Enzymology, supra). For this procedure pD17-hG1b DNA with the F1 origin of replication was introduced into electrocompetent E. coli CJ236 dut-ung- (Bio-Rad Laboratories, Hercules, CA) by electroporation according to manufacturer's instructions. PD17-hG1b is a vector having a constant region but no variable region. The F1 ori site allows treatment of this vector as a phagemid.
- Bacteria containing the plasmid were selected by ampicillin resistance. Single stranded uridinylated DNA was prepared using the Muta-Gene Phagemid In Vitro

 Mutagenesis Version 2 protocol (Bio-Rad). Mutations were introduced by site-directed mutagenesis with the appropriate antisense oligonucleotide. For molecules with mutations at more than one location, mutations were introduced by either of the two methods discussed above. One method would be to (1) prepare one mutant, for example, mutant 2C (also referred to herein as BR96-2C) with the mutations at

 residues 318, 320, 322, (2) isolate ssDNA, and (3) introduce a second mutation set with the appropriate anti-sense oligonucleotide. The second method would be to anneal two antisense oligonucleotides with the same uridinylated ssDNA and screen for mutants with both sets of changes. Mutant 2H (hBR96-2H) was also prepared by a combination of thse methods.

The V region of humanized BR96-2 heavy chain was introduced by the homologous recombination method described above in pD17-hJm14.H1. The pD17-hJm14.H1 plasmid contains the BR96 humanized variable region with the H1/H2/H3 mutations and the plasmid was used to transfect mutant sequences into mammalian cells. The pD17G1b vector containing the Fc mutation(s) was digested with NheI for 3 hr at 37° C and the DNA isolated by methods described above. Insertion of the V region into the vector was determined by size and restriction enzyme mapping and confirmed by sequence analysis.

10

Transient expression of whole antibodies was performed by transfection of COS cells. For production of antibody, stable transfections of CHO cells were performed (see description of deleted CH2 mutant). All mutants were purified from CHO culture supernatants by protein A chromatography.

15

25

The oligonucleotide primers homologous to the vector and used to introduce the constant regions mutations were as follows:

Oligonucleotides homologous to vector sequences:

Sens(sense)CH2 E47-3-5: CAG GGA GGG AGG GTG TCT GCT GGA AGC

20 CAG GCT CAG CGC TGA CCT CAGA

D CH2 E47-3 A (antisense): GGA AAG AAC CAT CAC AGT CTC GCA GGG GCC CAG GGC AGC GCT GGG TGC TT

Oligonucleotides to mutate Leu235 to Ala and Gly237 to Ala (underlined sequences show sites of mutation):

Antisense CH2 L235-G237/aa: GAA GAG GAA GAC TGA CGG TGC CCC CGC GAG TTC AGG TGC TGA GG

SensCH2 L235-G237/AA: CCT CAG CAC CTG AAC TCG CGG GGG CAC

Oligonucleotides to mutate Glu318, Lys320, Lys322 to Ser

Antis(antisense)CH2 EKK/SSS-2: CTG GGA GGG CTT TGT TGG AGA CCG

AGC ACG ACT ACG ACT TGC CAT TCA GCC

5 Oligonucleotides to mutate Pro331 to Ala:

Antis CH2 P331/A/3: GAT GGT TTT CTC GAT GGC GGC TGG GAG GGC Sense CH2 P33/A: GCC CTC CCA GCC GCC ATC GAG AAA ACC ATC Alternative antisense oligo to introduce Ala at 331 by site-directed mutation: CH2P331A: GAT GGT TTT CTC GAT AGC GGC TGG GAG GGC TTT G

10

15

Oligonucleotides to mutate Glu318 to Ser, Lys320 to Ser, Lys322 to Ser, and Pro331 to Ala:

Antis CH2 EKKP/SSA-6: GAT GGT TTT CTC GAT GGC GGC TGG GAG GGC TTT GTT GGA GAC CGA GCA CGA GTA CGA CTT GCC ATT CAG CCA GTC CTG GTG

Sense CH2 EKKP/SSA-6: CAC CAG GAC TGG CTG AAT GGC AAG TCG
TAC TCG TGC TCG GTC TCC AAC AAA GCC CTC CCA GCC GCC ATC
GAG AAA ACC ATC

20

In vitro Assays of the Mutants

Results of the CDC demonstrate that mutant hBR96-2B has approximately 10 fold less activity than the control hBR96-1 (two affinity mutations, one in H2 and one in H3, refer to previous patent (Figure 20)). The mutants that have the least ability to kill cells in the presence of complement is hBR96-2C with the triple mutations at positions 318, 320, and 322 and the hBR96-2H mutant (least cytotoxic antibodies in the panel) which contains all six mutations at the three different locations. ADCC activity was most affected by the CH2 deleted hBR96-2 molecule (Figure 21).

hBR96-2B and -2H lost between 100 and 1000 fold activity to kill in the presence of effector cells. In the ADCC assay the hBR96-2B molecule also lost approximately 10 fold activity (Figure 21).

Figures 26-28 provide the amino acid sequences for the heavy chain variable region for both chimeric and humanized BR96 having the H1, H2, and H3 mutations. The amino acid sequence for the light chain variable region is known and methods for generating it are found in PCT Application No. 95/305444. Additionally provided is the amino acid sequence for the IgG1 constant region. Mutations in the constant region are marked.


SEQUENCE LISTING

5	(1) GENERAL INFORMATION
)	(i) APPLICANT: Bristol-Myers Squibb Co.
	(ii) TITLE OF THE INVENTION:
	A METHOD FOR INHIBITING
10	<pre>IMMUNOGLOBULIN-INDUCED TOXICITY FROM THE USE OF IMMUNOGLOBULINS IN THERAPY AND IN VIVO DIAGNOSI.</pre>
	IFERENCE OF THE PROPERTY OF TH
	(iii) NUMBER OF SEQUENCES: 13
15	(iv) CORRESPONDENCE ADDRESS:
	(A) ADDRESSEE: Merchant & Gould
	(B) STREET: 11150 Santa Monica Blvd., Suite 400
	(C) CITY: Los Angeles
• •	(D) STATE: CA
20	(E) COUNTRY: USA
	(F) ZIP: 90025
	(v) COMPUTER READABLE FORM:
25	(A) MEDIUM TYPE: Diskette
25	(B) COMPUTER: IBM Compatible
	(C) OPERATING SYSTEM: DOS (D) SOFTWARE: FastSEO Version 2.0
	(D) SOFTWARE: FASCISED VEISION 2.0
	(vi) CURRENT APPLICATION DATA:
30	(A) APPLICATION NUMBER: PCT/US97/
	(B) FILING DATE: 01-AUG-1997
	(C) CLASSIFICATION:
	(vii) PRIOR APPLICATION DATA:
35	(A) APPLICATION NUMBER: 60/023,033
	(B) FILING DATE: 02-AUG-1996
40	(viii) ATTORNEY/AGENT INFORMATION:
	(A) NAME: Adriano, Sarah B
	(B) REGISTRATION NUMBER: 34,470
	(C) REFERENCE/DOCKET NUMBER: 30436.43WOU1
45	(ix) TELECOMMUNICATION INFORMATION:
	(A) TELEPHONE: 310-445-1140
	(B) TELEFAX: 310-445-9031
	(C) TELEX:
50	
	(2) INFORMATION FOR SEQ ID NO:1:
	(i) SEQUENCE CHARACTERISTICS:
55	(A) LENGTH: 36 base pairs
55	(B) TYPE: nucleic acid (C) STRANDEDNESS: single
	(C) STRANDEDNESS: SINGLE (D) TOPOLOGY: linear
	(D) IUPONOGI. IIIICAL


	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	
5	TGGCACCGAA AGCTTTCTGG GGCAGGCCAG GCCTGA	36
	(2) INFORMATION FOR SEQ ID NO:2:	
10	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 57 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
15	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	
20	TCCGGACATG TTGGTACCCA CGTGGTGGTC GACGCTGAGC CTGGCTTCGA GCAGACA	57
20	(2) INFORMATION FOR SEQ ID NO:3:	
25	 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 55 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
30	(ii) MOLECULE TYPE: cDNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:	
	GTCGACCACC ACGTGGGTAC CAACATGTCC GGAGCCACAT GGACAGAGGC CGGCT	55
35	(2) INFORMATION FOR SEQ ID NO:4:	
40	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 30 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single	
40	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
45	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:	
	CTGGTTCTTG TTCATCTCCT CTCTAGATGG	30
50	(2) INFORMATION FOR SEQ ID NO:5:	
55	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 36 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	

	ACCATGGTCG ACCTCAGACC TGCCAAGAGC CATATC	36
5	(2) INFORMATION FOR SEQ ID NO:6:	
3	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 39 base pairs (B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
10	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
13	CATGGTCACG TGGTGTGCC CTGGATGCAG GCTACTCTA	39
	(2) INFORMATION FOR SEQ ID NO:7:	
20	(i) SEQUENCE CHARACTERISTICS:	
	(A) LENGTH: 49 base pairs (B) TYPE: nucleic acid	
	(C) STRANDEDNESS: single	
25	(D) TOPOLOGY: linear	
25	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
30	CAGGGAGGA GGGTGTCTGC TGGAAGCCAG GCTCAGCGCT GACCTCAGA	49
	(2) INFORMATION FOR SEQ ID NO:8:	
	(i) SEQUENCE CHARACTERISTICS:	
35	(A) LENGTH: 50 base pairs	
	(B) TYPE: nucleic acid (C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
40	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
45	GGAAAGAACC ATCACAGTCT CGCAGGGGCC CAGGGCAGCG CTGGGTGCTT	50
40	(2) INFORMATION FOR SEQ ID NO:9:	
	(i) SEQUENCE CHARACTERISTICS:	
50	(A) LENGTH: 8691 base pairs (B) TYPE: nucleic acid	
50	(C) STRANDEDNESS: single	
	(D) TOPOLOGY: linear	
55	(ii) MOLECULE TYPE: cDNA	
رر	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
	GACGGATCGG GAGATCTGCT AGGTGACCTG AGGCGCGCCG GCTTCGAATA GCCAGAGTAA CCTTTTTTTT TAATTTTATT TTATTTTATT	60 120






WO 98/05787			PCT/US97/13562
-------------	--	--	----------------





30




(2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8327 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- 35 (ii) MOLECULE TYPE: cDNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

TTAATACGAC TCACTATAGG GAGACCCAAG CITGGTACCA MITTELLITIES	60
TGCTCCCTGC TTGTGTGTTG GAGGTCGCTG AGTAGATCT TAAGCTACAA CAAGGCAAGG CTTGACCGAC AATTGCATGA AGAATCTGCT TAGGGTTAGG CGTTTTGCGC TGCTTCGCGA TGTACGGGCC AGATATACGC GTTGACATTG ATTATTGACT AGTTATAAT 45 AGTAATCAAT TACGGGGTCA TTAGTTCATA GCCCATATAT GGAGTTCCGC GTTACATAAC TTACGGTAAA TGGCCCGCCT GGCTGACCGC CCAACGACCC CCGCCCATTG ACGTCAATAA TGACGTATGT TCCCATAGTA ACGCCAATAG GGACTTCCA TTGACGTCAA TGGGTGGACT ATTTACGGTA AACTGCCCAC TTGGCAGTAC ATCAAGTGTA TCATATGCCA AGTACCCCC CTATTGACGT CAATGACGGT AAATGGCCCG CCTGGCATTA TGCCCAGTAC ATGACCTCAT 50 GGGACTTTCC TACTTGGCAG TACATCTACG TATTAGTCAT CGCTATTACC ATGGTGATGC GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CCCCAGTAC ATGACCTTAT TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGCCGC TAGGCGTGTA CGGTGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCCAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	120
CAAGGCAAGG CTTGACCGAC AATTGCATGA AGAATCTGCT TAGGGTTAGG CGTTTTGCGC TGCTTCGCGA TGTACGGGCC AGATATACGC GTTGACATTG ATTATTGACT AGTTATAAT 45 AGTAATCAAT TACGGGGTCA TTAGTTCATA GCCCATATAT GGAGTTCCGC GTTACATAAC TTACGGTAAA TGGCCCGCCT GGCTGACCGC CCAACGACCC CCGCCCATTG ACGTCAATAA TGACGTATGT TCCCATAGTA ACGCCAATAG GGACTTCCA TTGACGTCAA TGGGTGGACT ATTTACGGTA AACTGCCCAC TTGGCAGTAC ATCAAGTGTA TCATATGCCA AGTACGCCCC CTATTGACGT CAATGACGGT AAATGGCCCG CCTGGCATTA TGCCCAGTAC ATGACCTTAT 50 GGGACTTTCC TACTTGGCAG TACATCTACG TATTAGTCAT CGCTATTACC ATGGTGATGC GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CCCCAGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGCCGC TAGGCGTGTA CGGTGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	180
TGCTTCGCGA TGTACGGGCC AGATATACGC GTTGACATTG ATTATTGACT AGTTATAAT 45 AGTAATCAAT TACGGGGTCA TTAGTTCATA GCCCATATAT GGAGTTCCGC GTTACATAAC TTACGGTAAA TGGCCGCCT GGCTGACCGC CCAACGACCC CCGCCCATTG ACGTCAATAA TGACGTATGT TCCCATAGTA ACGCCAATAG GGACTTTCCA TTGACGTCAA TGGGTGGACT ATTTACGGTA AACTGCCCAC TTGGCAGTAC ATCAAGTGTA TCATATGCCA AGTACGCCCC CTATTGACGT CAATGACGGT AAATGGCCCG CCTGGCATTA TGCCCAGTAC ATGACCTTAT 50 GGGACTTTCC TACTTGGCAG TACATCTACG TATTAGTCAT CGCTATTACC ATGGTGATGC GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CTCACGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGCCGC TAGGCGTGTA CGGTGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TTGCTTACTG CTTATCCAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	240
AGTATCACA TACGGGGTCA TTAGTTCATA GCCCATATAT GGAGTTCGC GTTACATAAC TTACGGTAAA TGGCCGCCT GGCTGACCGC CCAACGACCC CCGCCCATTG ACGTCAATAA TGACGTATGT TCCCATAGTA ACGCCAATAG GGACTTCCA TTGACGTCAA TGGGTGGACT ATTTACGGTA AACTGCCCAC TTGGCAGTAC ATCAAGTGTA TCATATGCCA AGTACGCCCC CTATTGACGT CAATGACGGT AAATGGCCCG CCTGGCATTA TGCCCAGTAC ATGACCTTAT 50 GGGACTTTCC TACTTGGCAG TACATCTACG TATTAGTCAT CGCTATTACC ATGGTGATGC GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CTCACGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGGCGG TAGGCGTGTA CGGTGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	300
TTACGGTAAA TGGCCGCCT GGCTGACCGC CCAACGACCC CCGCCCATTG ACGTCAATAA TGACGTATGT TCCCATAGTA ACGCCAATAG GGACTTTCCA TTGACGTCAA TGGGTGGACT ATTTACGGTA AACTGCCCAC TTGGCAGTAC ATCAAGTGTA TCATATGCCA AGTACGCCCC CTATTGACGT CAATGACGGT AAATGGCCCG CCTGGCATTA TGCCCAGTAC ATGACCTTAT 50 GGGACTTTCC TACTTGGCAG TACATCTACG TATTAGTCAT CGCTATTACC ATGGTGATGC GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CTCACGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACCG AAATGGCCGG TAGGCGTGTA CGGTGGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	360
TTACGGTAAA TGGCCCGCCT GGCTGACGGC CCACCACCACCCCCCCCCC	420
ATTTACGGTA AACTGCCAC TTGGCAGTAC ATCAAGTGTA TCATATGCCA AGTACGCCCC CTATTGACGT CAATGACGGT AAATGGCCCG CCTGGCATTA TGCCCAGTAC ATGACCTTAT 50 GGGACTTTCC TACTTGGCAG TACATCTACG TATTAGTCAT CGCTATTACC ATGGTGATGC GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CTCACGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGGCGG TAGGCGTGTA CGGTGGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	480
CTATTGACGT CAATGACGGT AAATGGCCCG CCTGGCATTA TGCCCAGTAC ATGACCTTAT GGGACTTTCC TACTTGGCAG TACATCTACG TATTAGTCAT CGCTATTACC ATGGTGATGC GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CTCACGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGGCGG TAGGCGTGTA CGGTGGAAG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	540
50 GGGACTTCC TACTTGCAG TACATCTACC TATTAGTCAT CGCTATTACC ATGGTGATGC GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CTCACGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGGCGG TAGGCGTGTA CGGTGGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	600
GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CTCACGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGAGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGGCGG TAGGCGTGTA CGGTGGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	660
TCCACCCCAT TGACGTCAAT GGGGGTTTGT TTTGGCACCA AAATCAACGG GACTTTCCAA AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGGCGG TAGGCGTGTA CGGTGGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	720
AATGTCGTAA CAACTCCGCC CCATTGACGC AAATGGGCGG TAGGCGTGTA CGGTGGGAGG TCTATATAAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	780
TCTATATAG CAGAGCTCTC TGGCTAACTA GAGAACCCAC TGCTTACTGG CTTATCGAAA 55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	840
55 TTAATACGAC TCACTATAGG GAGACCCAAG CTTGGTACCA ATTTAAATTG ATATCTCCTT	900
TTAATACGAC TCACTATAGG GAGACCCAAG CITGGTACCA MITTELLITIES	960
	1020
AGGTCICGAG ICICIAGATA ACCGGICAAT CONTIGUITI	1080
CACCATGGAG IIGIGGIAA GCIIGGICCI ICCIIGICCI ICIIIIIII	1140
GTGAAGTGAA TCIGGIGGAG TCIGGGGGAA GCTIMOTGAT GCTTGATGG	L200
TCTCCTGTGT AACCTCTGGA TTCACTTTCA GTGACTATTA CATGTATTGG GTTCGCCAGA	1260

WO 98/05787		PCT/US97/13562
-------------	--	----------------





	CTGTTTACCA	GGAAGCCATG	AATCAACCAG	GCCACCTTAG	ACTCTTTGTG	ACAAGGATCA	4860
	TGCAGGAATT	TGAAAGTGAC	ACGTTTTTCC	CAGAAATTGA	TTTGGGGAAA	TATAAACTTC	4920
	TCCCAGAATA	CCCAGGCGTC	CTCTCTGAGG	TCCAGGAGGA	AAAAGGCATC	AAGTATAAGT	4980
	TTGAAGTCTA	CGAGAAGAAA	GACTAACAGG	AAGATGCTTT	CAAGTTCTCT	GCTCCCCTCC	5040
5	TAAAGCTATG	CATTTTTATA	AGACCATGGG	ACTTTTGCTG	GCTTTAGATC	TCTTTGTGAA	5100
•	GGAACCTTAC	TTCTGTGGTG	TGACATAATT	GGACAAACTA	CCTACAGAGA	TTTAAAGCTC	5160
	TAAGGTAAAT	ATAAAATTTT	TAAGTGTATA	ATGTGTTAAA	CTACTGATTC	TAATTGTTTG	5220
	TGTATTTTAG	ATTCCAACCT	ATGGAACTGA	TGAATGGGAG	CAGTGGTGGA	ATGCCTTTAA	5280
	TGAGGAAAAC	CTGTTTTGCT	CAGAAGAAAT	GCCATCTAGT	GATGATGAGG	CTACTGCTGA	5340
10	CTCTCAACAT	TCTACTCCTC	CAAAAAAGAA	GAGAAAGGTA	GAAGACCCCA	AGGACTTTCC	5400
	TTCAGAATTG	CTAAGTTTTT	TGAGTCATGC	TGTGTTTAGT	AATAGAACTC	TTGCTTGCTT	5460
	TGCTATTTAC	ACCACAAAGG	AAAAAGCTGC	ACTGCTATAC	AAGAAAATTA	TGGAAAAATA	5520
	TTCTGTAACC	TTTATAAGTA	GGCATAACAG	TTATAATCAT	AACATACTGT	TTTTTCTTAC	5580
	TCCACACAGG	CATAGAGTGT	CTGCTATTAA	TAACTATGCT	CAAAAATTGT	GTACCTTTAG	5640
15	CTTTTTTAATT	TGTAAAGGGG	TTAATAAGGA	ATATTTGATG	TATAGTGCCT	TGACTAGAGA	5700
	TCATAATCAG	CCATACCACA	TTTGTAGAGG	TTTTACTTGC	TTTAAAAAAC	CTCCCACACC	5760
	TCCCCCTGAA	CCTGAAACAT	AAAATGAATG	CAATTGTTGT	TGTTAACTTG	TTTATTGCAG	5820
	CTTATAATGG	TTACAAATAA	AGCAATAGCA	TCACAAATTT	CACAAATAAA	GCATTTTTTT	5880
	CACTGCATTC	TAGTTGTGGT	TTGTCCAAAC	TCATCAATGT	ATCTTATCAT	GTCTGGATCG	5940
20	GCTGGATGAT	CCTCCAGCGC	GGGGATCTCA	TGCTGGAGTT	CTTCGCCCAC	CCCAACTTGT	6000
	TTATTGCAGC	TTATAATGGT	TACAAATAAA	GCAATAGCAT	CACAAATTTC	ACAAATAAA G	6060
	CATTTTTTTC	ACTGCATTCT	AGTTGTGGTT	TGTCCAAACT	CATCAATGTA	TCTTATCATG	6120
	TCTGTATACC	GTCGACCTCT	AGCTAGAGCT	TGGCGTAATC	ATGGTCATAG	CTGTTTCCTG	6180
	TGTGAAATTG	TTATCCGCTC	ACAATTCCAC	ACAACATACG	AGCCGGAAGC	ATAAAGTGTA	6240
25	AAGCCTGGGG	TGCCTAATGA	GTGAGCTAAC	TCACATTAAT	TGCGTTGCGC	TCACTGCCCG	6300
	CTTTCCAGTC	GGGAAACCTG	TCGTGCCAGC	TGCATTAATG	AATCGGCCAA	CGCGCGGGA	6360
	GAGGCGGTTT	GCGTATTGGG	CGCTCTTCCG	CTTCCTCGCT	CACTGACTCG	CTGCGCTCGG	6420
	TCGTTCGGCT	GCGGCGAGCG	GTATCAGCTC	ACTCAAAGGC	GGTAATACGG	TTATCCACAG	6480
	AATCAGGGGA	TAACGCAGGA	AAGAACATGT	GAGCAAAAGG	CCAGCAAAAG	GCCAGGAACC	6540
30	GTAAAAAGGC	CGCGTTGCTG	GCGTTTTTCC	ATAGGCTCCG	CCCCCTGAC	GAGCATCACA	6600
50	AAAATCGACG	CTCAAGTCAG	AGGTGGCGAA	ACCCGACAGG	ACTATAAAGA	TACCAGGCGT	6660
	TTCCCCCTGG	AAGCTCCCTC	GTGCGCTCTC	CTGTTCCGAC	CCTGCCGCTT	ACCGGATACC	6720
	TGTCCGCCTT	TCTCCCTTCG	GGAAGCGTGG	CGCTTTCTCA	ATGCTCACGC	TGTAGGTATC	6780
	TCAGTTCGGT	GTAGGTCGTT	CGCTCCAAGC	TGGGCTGTGT	GCACGAACCC	CCCGTTCAGC	6840
35	CCGACCGCTG	CGCCTTATCC	GGTAACTATC	GTCTTGAGTC	CAACCCGGTA	AGACACGACT	6900
23	TATCGCCACT	GGCAGCAGCC	ACTGGTAACA	GGATTAGCAG	AGCGAGGTAT	GTAGGCGGTG	6960
	CTACAGAGTT	CTTGAAGTGG	TGGCCTAACT	ACGGCTACAC	TAGAAGGACA	GTATTTGGTA	7020
	TCTGCGCTCT	GCTGAAGCCA	GTTACCTTCG	GAAAAAGAGT	TGGTAGCTCT	TGATCCGGCA	7080
	AACAAACCAC	CGCTGGTAGC	GGTGGTTTTT	TTGTTTGCAA	GCAGCAGATT	ACGCGCAGAA	7140
40	AAAAAGGATC	TCAAGAAGAT	CCTTTGATCT	TTTCTACGGG	GTCTGACGCT	CAGTGGAACG	7200
	AAAACTCACG	TTAAGGGATT	TTGGTCATGA	GATTATCAAA	AAGGATCTTC	ACCTAGATCC	7260
	TTTTAAATTA	AAAATGAAGT	TTTAAATCAA	TCTAAAGTAT	ATATGAGTAA	ACTTGGTCTG	7320
	ACACTTACCA	ATGCTTAATC	AGTGAGGCAC	CTATCTCAGC	GATCTGTCTA	TTTCGTTCAT	7380
	CCATAGTTGC	CTGACTCCCC	GTCGTGTAGA	TAACTACGAT	ACGGGAGGGC	TTACCATCTG	7440
45	GCCCCAGTGC	TGCAATGATA	CCGCGAGACC	CACGCTCACC	GGCTCCAGAT	TTATCAGCAA	7500
73	TABACCAGCC	AGCCGGAAGG	GCCGAGCGCA	GAAGTGGTCC	TGCAACTTTA	TCCGCCTCCA	7560
	TCCAGTCTAT	TAATTGTTGC	CGGGAAGCTA	GAGTAAGTAG	TTCGCCAGTT	AATAGTTTGC	7620
	GCAACGTTGT	TGCCATTGCT	ACAGGCATCG	TGGTGTCACG	CTCGTCGTTT	GGTATGGCTT	7680
	CATTCAGCTC	CGGTTCCCAA	CGATCAAGGC	GAGTTACATG	ATCCCCCATG	TTGTGCAAAA	7740
50	AAGCGGTTAG	CTCCTTCGGT	CCTCCGATCG	TTGTCAGAAG	TAAGTTGGCC	GCAGTGTTAT	7800
	CACTCATGGT	TATGGCAGCA	CTGCATAATT	CTCTTACTGT	CATGCCATCC	GTAAGATGCT	7860
	TTTCTGTGAC	TGGTGAGTAC	TCAACCAAGT	CATTCTGAGA	ATAGTGTATG	CGGCGACCGA	7920
	GTTGCTCTTG	CCCGGCGTCA	ATACGGGATA	ATACCGCGCC	ACATAGCAGA	ACTTTAAAAG	7980
	TGCTCATCAT	TGGAAAACGT	TCTTCGGGG	GAAAACTCTC	AAGGATCTTA	CCGCTGTTGA	8040
55	GATCCAGTTC	GATGTAACCC	ACTCGTGCAC	CCAACTGATC	TTCAGCATCT	TTTACTTTCA	8100
J J	CLACCAGITC	TGGGTGAGCA	AAAACAGGAA	GCAAAATGC	CGCAAAAAA	GGAATAAGGG	8160
	CCACACGGAA	ATGTTGAATA	CTCATACTCT	TCCTTTTTCA	ATATTATTG	AGCATTTATC	8220
	AGGGTTATTG	TCTCATGAGC	GGATACATAT	TTGAATGTAT	TTAGAAAAA	AAACAAATAG	8280
	GGGTTCCGCC	CACATTTCCC	CGAAAAGTG	CACCTGACGT	CCBRAAG		8327
			· -				

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 8897 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single


(D) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: cDNA

5

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

	GGTACCAATT	TAAATTGATA	TCTCCTTAGG	TCTCGAGCAC	CATGAAGTTG	CCTGTTAGGC	60
15	TGTTGGTGCT	GATGTTCTGG	ATTCCTGCTT	CCAGCAGTGA	TGTTTTGATG	ACCCAAATTC	120
	CAGTCTCCCT	GCCTGTCAGT	CTTGGAGATC	AAGCGTCCAT	CTCTTGCAGA	TCTAGTCAGA	180
	TCATTGTACA	TAATAATGGC	AACACCTATT	TAGAATGGTA	CCTGCAGAAA	CCAGGCCAGT	240
	CTCCACAGCT	CCTGATCTAC	AAAGTTTCCA	ACCGATTTTC	TGGGGTCCCA	GACAGGTTCA	300
	GCGGCAGTGG	ATCAGGGACA	GATTTCACAC	TCAAGATCAG	CAGAGTGGAG	GCTGAGGATC	360
20	TGGGAGTTTA	TTACTGCTTT	CAAGGTTCAC	ATGTTCCATT	CACGTTCGGC	TCGGGGACAA	420
	AGTTGGAAAT	AAAACGTAAG	TCTCGAGTCT	CTAGATAACC	GGTCAATCGA	TTGGAATTCT	480
	AAACTCTGAG	GGGGTCGGAT	GACGTGGCCA	TTCTTTGCCT	AAAGCATTGA	GTTTACTGCA	540
	AGGTCAGAAA	AGCATGCAAA	GCCCTCAGAA	TGGCTGCAAA	GAGCTCCAAC	AAAACAATTT	600
	AGAACTTTAT	TAAGGAATAG	GGGGAAGCTA	GGAAGAAACT	CAAAACATCA	AGATTTTAAA	660
25	TACGCTTCTT	GGTCTCCTTG	CTATAATTAT	CTGGGATAAG	CATGCTGTTT	TCTGTCTGTC	720
	CCTAACATGC	CCTTATCCGC	AAACAACACA	CCCAAGGGCA	GAACTTTGTT	ACTTAAACAC	780
	CATCCTGTTT	GCTTCTTTCC	TCAGGAACTG	TGGCTGCACC	ATCTGTCTTC	ATCTTCCCGC	840
	CATCTGATGA	GCAGTTGAAA	TCTGGAACTG	CCTCTGTTGT	GTGCCTGCTG	AATAACTTCT	900
	ATCCCAGAGA	GGCCAAAGTA	CAGTGGAAGG	TGGATAACGC	CCTCCAATCG	GGTAACTCCC	960
30					CAGCCTCAGC		1020
					CTGCGAAGTC		1080
	*				GTGTTAGAGG		1140
					TTTGGCCTCT		1200
					TTTCACCTCA		1260
35					ATAAATAAAG		1320
					CTGTTGTTTT		1380
	CAATTTCTCT	TATAAGGGAC	TAAATATGTA	GTCATCCTAA	GGCACGTAAC	CATTTATAAA	1440
	AATCATCCTT	CATTCTATTT	TACCCTATCA	TCCTCTGCAA	GACAGTCCTC	CCTCAAACCC	1500
					AGAGACTTGC		1560
40					ACAGGTCTTA		1620
					TTTCAAAAGA		1680
					AACACAATAA		1740
					CTTAGACTTA		1800
					TGTCTGCCAA		1860
45					GAGATTAAAA		1920
					TTCTATAACT		1980
					TGCAAGAATG		2040
						GAATGAGTTA	2100
					GAGAATTAAC		2160
50					ACATAAGAGA		2220
						AAAATAAAGT	2280
	• • • • • • • • • • • • • • • • • • • •					CTGGGAGAAG	2340
						TTGTGCAGTT	2400
<i>c c</i>						ATAAAGAACA	2460
55						AACGCAGCTG	2520
						GAGCCCTGAA	2580
						ATTTTCCTGG	2640
						TGAAACAGAC	2700
	CTTCAGCAAG	GGGACAGAGG	ACAGAATTAA	CCTTGCCCAG	ACACTGGAAA	CCCATGTATG	2760



					GCTCACGCTG		6360
	AGTTCGGTGT	AGGTCGTTCG	CTCCAAGCTG	GGCTGTGTGC	ACGAACCCCC	CGTTCAGCCC	6420
	GACCGCTGCG	CCTTATCCGG	TAACTATCGT	CTTGAGTCCA	ACCCGGTAAG	ACACGACTTA	6480
	TCGCCACTGG	CAGCAGCCAC	TGGTAACAGG	ATTAGCAGAG	CGAGGTATGT	AGGCGGTGCT	6540
5	ACAGAGTTCT	TGAAGTGGTG	GCCTAACTAC	GGCTACACTA	GAAGGACAGT	ATTTGGTATC	6600
	TGCGCTCTGC	TGAAGCCAGT	TACCTTCGGA	AAAAGAGTTG	GTAGCTCTTG	ATCCGGCAAA	6660
	CAAACCACCG	CTGGTAGCGG	TGGTTTTTTT	GTTTGCAAGC	AGCAGATTAC	GCGCAGAAAA	6720
	AAAGGATCTC	AAGAAGATCC	TTTGATCTTT	TCTACGGGGT	CTGACGCTCA	GTGGAACGAA	6780
	AACTCACGTT	AAGGGATTTT	GGTCATGAGA	TTATCAAAAA	GGATCTTCAC	CTAGATCCTT	6840
10	TTAAATTAAA	AATGAAGTTT	TAAATCAATC	TAAAGTATAT	ATGAGTAAAC	TTGGTCTGAC	6900
					TCTGTCTATT		6960
	ATAGTTGCCT	GACTCCCCGT	CGTGTAGATA	ACTACGATAC	GGGAGGGCTT	ACCATCTGGC	7020
						ATCAGCAATA	7080
	AACCAGCCAG	CCGGAAGGGC	CGAGCGCAGA	AGTGGTCCTG	CAACTTTATC	CGCCTCCATC	7140
15	CAGTCTATTA	ATTGTTGCCG	GGAAGCTAGA	GTAAGTAGTT	CGCCAGTTAA	TAGTTTGCGC	7200
	AACGTTGTTG	CCATTGCTAC	AGGCATCGTG	GTGTCACGCT	CGTCGTTTGG	TATGGCTTCA	7260
	TTCAGCTCCG	GTTCCCAACG	ATCAAGGCGA	GTTACATGAT	CCCCCATGTT	GTGCAAAAAA	7320
	GCGGTTAGCT	CCTTCGGTCC	TCCGATCGTT	GTCAGAAGTA	AGTTGGCCGC	AGTGTTATCA	7380
					TGCCATCCGT		7440
20	TCTGTGACTG	GTGAGTACTC	AACCAAGTCA	TTCTGAGAAT	AGTGTATGCG	GCGACCGAGT	7500
						TTTAAAAGTG	7560
						GCTGTTGAGA	7620
					CAGCATCTTT		7680
						AATAAGGGCG	7740
25					ATTATTGAAG		7800
						ACAAATAGGG	7860
						AGATCTGCTA	7920
						TTTTAATTTT	7980
						TATGGTCGAC	8040
30						CTGCTTGTGT	8100
						AAGGCTTGAC	8160
						GCGATGTACG	8220
						CAATTACGGG	8280
						TAAATGGCCC	8340
35						ATGTTCCCAT	8400
						GGTAAACTGC	8460
	CCACTTGGCA	GTACATCAAG	TGTATCATAT	GCCAAGTACG	CCCCCTATTG	ACGTCAATGA	8520
						TTCCTACTTG	8580
	GCAGTACATC	TACGTATTAG	TCATCGCTAT	TACCATGGTG	ATGCGGTTTT	GGCAGTACAT	8640
40						CCATTGACGT	8700
						GTAACAACTC	8760
	CGCCCCATTG	ACGCAAATGG	GCGGTAGGCG	TGTACGGTGG	GAGGTCTATA	TAAGCAGAGC	8820
	TCTCTGGCTA	ACTAGAGAAC	CCACTGCTTA	CTGGCTTATC	GAAATTAATA	CGACTCACTA	8880
	TAGGGAGACC	CAAGCTT					8897
45							

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 8321 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single


(D) TOPOLOGY: linear


(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:


GGTACCAATT TAAATTGATA TCTCCTTAGG TCTCGAGTCT CTAGATAACC GGTCAATCGA 60
TTGGAATTCT TGCGGCCGCT TGCTAGCCAC CATGGAGTTG TGGTTAAGCT TGGTCTTCCT 120

50







25



- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8897 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

	GACGGATCGG	GAGATCTGCT	AGCCCGGGTG	ACCTGAGGCG	CGCCGGCTTC	GAATAGCCAG	60
	AGTAACCTTT	TTTTTTAATT	TTATTTTATT			GGCGCCGATC	120
35	TCCCGATCCC	CTATGGTCGA	CTCTCAGTAC	AATCTGCTCT	GATGCCGCAT	AGTTAA GCCA	180
• •	GTATCTGCTC	CCTGCTTGTG	TGTTGGAGGT	CGCTGAGTAG	TGCGCGAGCA	AAATTTAAGC	240
	TACAACAAGG	CAAGGCTTGA	CCGACAATTG	CATGAAGAAT	CTGCTTAGGG	TTAGGCGTTT	300
	TGCGCTGCTT	CGCGATGTAC	GGGCCAGATA			TGACTAGTTA	360
	TTAATAGTAA	TCAATTACGG			TATATGGAGT		420
40	ATAACTTACG						480
	AATAATGACG	TATGTTCCCA					540
		CGGTAAACTG					600
	GCCCCCTATT						660
	CTTATGGGAC				GTCATCGCTA		720
45	GATGCGGTTT	TGGCAGTACA	TCAATGGGCG		TTTGACTCAC		780
	AAGTCTCCAC	CCCATTGACG	TCAATGGGAG		CACCAAAATC		840
	TCCAAAATGT	CGTAACAACT			GGCGGTAGGC		900
		ATAAGCAGAG			CCCACTGCTT		960
	CGAAATTAAT	ACGACTCACT					1020
50	TCCTTAGGTC	TCGAGCACCA	• •		TTGGTGCTGA		1080
		AGCAGTGATG	• • • • • • • • •		CTGTCCAGTC		1140
	TGGACAACCT	GCGTCCATCT	CTTGCAGATC	TAGTCAGATC	ATTGTACATA	ATAATGGCAA	1200
	CACCTATCTG	GAATGGTACC					1260
	AGTTTCCAAC				GGCAGTGGAG		1320
55	TTTCACACTC	AAGATCAGCA	GAGTGGAGGC	TGAGGATGTG	GGAGTTTACT	ACTGCTTCCA	1380
	GGGTTCACAT	GTTCCATTCA			TTGGAAATCA		1440
	TCGAGTCTCT					GGTCGGATGA	1500
	CGTGGCCATT					CATGCAAAGC	1560
	CCTCAGAATG	GCTGCAAAGA	GCTCCAACAA	AACAATTTAG	AACTTTATTA	AGGAATAGGG	1620





CAGGAAGGCA	AAATGCCGCA	AAAAAGGGAA	TAAGGGCGAC	ACGGAAATGT	TGAATACTCA	8760
TACTCTTCCT	TTTTCAATAT	TATTGAAGCA	TTTATCAGGG	TTATTGTCTC	ATGAGCGGAT	8820
ACATATTTGA	ATGTATTTAG	AAAAATAAAC	AAATAGGGGT	TCCGCGCACA	TTTCCCCGAA	8880
AAGTGCCACC	TGACGTC					8897

PCT/US97/13562 WO 98/05787

What is claimed is:

A method for inhibiting immunoglobulin-induced toxicity resulting from 1. immunoglobulin immunotherapy in a subject comprising administering an 5 immunoglobulin molecule to the subject, the immunoglobulin molecule having a variable region and a constant region, the immunoglobulin molecule being modified prior to administration by structurally altering multiple toxicity associated domains in the constant region so that immunoglobulininduced toxicity is inhibited.

10

A method for inhibiting immunoglobulin-induced toxicity resulting from 2. immunoglobulin immunotherapy in a subject comprising administering a structurally altered antibody to the subject, the structurally altered antibody comprising a variable region and a constant region, multiple toxicity associated domains in the constant region being modified so as to render the constant region unable to mediate an ADCC response or activate complement thereby inhibiting immunoglobulin-induced toxicity resulting from immunotherapy.

20

15

A method for inhibiting immunoglobulin-induced toxicity resulting from 3. immunotherapy in a subject comprising administering an Ig fusion protein to the subject, the Ig fusion protein having multiple structurally altered toxicity associated domains in the constant region.

25

A method for inhibiting immunoglobulin-induced toxicity resulting from 4. immunotherapy in a subject comprising administering an Ig fusion protein to the subject, the Ig fusion protein comprising a modified constant region, the

modification being a structural alteration in multiple toxicity associated regions within the CH₂ domain.

- A method for preventing immunoglobulin-induced toxicity resulting from
 immunotherapy for a disease in a subject comprising:
 - (a) selecting an immunoglobulin which recognizes and binds a target, the target being associated with the disease;
- 10 (b) mutating the immunoglobulin so selected by structurally altering multiple toxicity associated domains in the constant region of the immunoglobulin thereby creating a structurally altered immunoglobulin;
- 15 (c) administering the structurally altered immunoglobulin of step (b) to the subject under conditions so that the structurally altered immunoglobulin recognizes and binds the target thereby alleviating symptoms associated with the disease, the structural alteration of the constant region thereby preventing immunoglobulin-induced toxicity in the subject.
 - 6. A method for preventing immunoglobulin-induced toxicity resulting from immunotherapy for a disease in a subject comprising:
- 25 (a) selecting an Ig fusion protein which recognizes and binds a target, the target being associated with the disease;
 - (b) structurally altering multiple toxicity associated domains in the CH₂ domain of the constant region of the Ig protein so selected;

(c) administering the structurally altered Ig fusion protein of step (b) to the subject under conditions so that the structurally altered Ig fusion protein recognizes and binds the target thereby alleviating symptoms associated with the disease, the structural alteration of the CH₂ domain thereby preventing immunoglobulin-induced toxicity in the subject.

- 7. The method of claim 1, 2, 3, 4, 5, or 6, wherein the portion of the constant region is the CH₂ domain.
 - 8. The method of claim 1 or 5, wherein the immunoglobulin molecule is IgG.
 - 9. The method of claim 1 or 5, wherein the immunoglobulin molecule is IgM.
 - 10. The method of claim 1 or 5, wherein the immunoglobulin molecule is IgA.
 - 11. The method of claim 2, wherein the antibody recognizes and binds Le^y.
- 20 12. The method of claim 2, wherein the antibody recognizes and binds to Lex.
 - 13. The method of claim 2, wherein the antibody is a monoclonal antibody BR96 produced by the hybridoma having the identifying characteristics of HB 10036 as deposited with the ATCC.
 - The method of claim 2, wherein the antibody is a chimeric antibody

 ChiBR96 produced by the hybridoma having the identifying characteristics

 of HB 10460 as deposited with the ATCC.

15

15. The method of claim 1 or 5, wherein the immunoglobulin recognizes and binds Le^y.

- The method of claim 1 or 5, wherein the immunoglobulin recognizes and
 binds to Le^x.
 - 17. The method of claim 1 or 5, wherein the immunoglobulin is a monoclonal antibody BR96 produced by the hybridoma having the identifying characteristics of HB 10036 as deposited with the ATCC.

18. The method of claim 1 or 5, wherein the immunoglobulin is a chimeric antibody ChiBR96 produced by the hybridoma having the identifying characteristics of HB 10460 as deposited with the ATCC.

- 15 19. The method of claim 3, 4, or 6, wherein the Ig fusion protein recognizes and binds Le^y.
 - 20. The method of claim 3, 4, or 6, wherein the Ig fusion protein recognizes and binds to Le^x.
 - 21. The method of claim 3, 4, or 6, wherein the Ig fusion protein is a derivative of monoclonal antibody BR96 produced by the hybridoma having the identifying characteristics of HB 10036 as deposited with the ATCC.
- 25 22. The method of claim 3, 4, or 6, wherein the Ig fusion protein is a derivative of chimeric antibody ChiBR96 produced by the hybridoma having the identifying characteristics of HB 10460 as deposited with the ATCC.
 - 23. A pharmaceutical composition comprising a pharmaceutically effective

10

amount of a structurally altered immunoglobulin, and an acceptable carrier, the structurally altered immunoglobulin (1) recognizes and binds a target, the target is associated with cancer and (2) has an inactivated CH₂ domain.

- A pharmaceutical composition comprising a pharmaceutically effective amount of structurally altered Ig fusion protein, and an acceptable carrier, the structurally altered Ig fusion protein (1) recognizes and binds a target, the target is associated with cancer and (2) has an inactivated CH₂ domain.
- A method of treating carcinomas in vivo comprising administering to a subject a pharmaceutically effective amount of the composition of claim 23 or 24.
- The method of claim 30, wherein the structurally altered immunoglobulin in the composition is labeled so as to directly or indirectly produce a detectable signal with a compound selected from the group consisting of a radiolabel, an enzyme, a chromophore, a chemiluminescer, and a fluorescer.
- The method of claim 24, wherein the Ig fusion protein in the composition is labeled so as to directly or indirectly produce a detectable signal with a compound selected from the group consisting of a radiolabel, an enzyme, a chromophore, a chemiluminescer, and a fluorescer.
- The method of claim 2 or 5, wherein the antibody is conjugated to a cytotoxic agent.
 - 29. The method of claim 1, wherein the immunoglobulin is conjugated to a cytotoxic agent.

30. The method of claim 3, 4 or 6, wherein the Ig fusion protein is conjugated to a cytotoxic agent.

- The method of claim 28, 29, or 31, wherein the cytotoxic agent is selected from the group consisting of antimetabolites, alkylating agents, anthracyclines, antibiotics, anti-mitotic agents, and chemotherapeutic agents.
- 32. A method for treating a subject suffering from a cancer, the cancer being characterized as a group of cells having a tumor associated antigen on the cell surface, which method comprises administering to the subject a cancer killing amount of the composition of claim 23 or 24 joined to a cytotoxic agent under conditions which permit the molecule so joined to bind the tumor associated antigen on the cell surface so as to kill the cells so bound thereby curing the subject.
 - 33. A pharmaceutical composition comprising a pharmaceutically effective amount of a structurally altered BR96 antibody, the structurally altered antibody having an inactivated CH₂ domain.
 - A method for treating a subject suffering from a proliferative type disease characterized by cells having a BR96 antigen on the cell surface which comprises administering to the subject an effective amount of the composition of claim 33 joined to doxorubicin such that the immunoconjugate binds the BR96 antigen and kills said cells thereby treating the subject.
 - 35. A method for inhibiting BR96 (ATCC: HB10036) induced toxicity resulting from immunoglobulin immunotherapy in a subject comprising administering

20

BR96 to the subject, the BR96 molecule being modified prior to administration, the modification comprising the deletion or substitution of at least one amino acid residue in the toxicity associated domain localized to amino acids 310-331 and the deletion or substitution of at least one amino acid residue in the toxicity associated domain localized to amino acids 231-238 so that complement and Fc receptor mediated toxicity is inhibited.

- 36. A method for preventing BR96 (ATCC: HB10036) induced toxicity resulting from immunotherapy for cancer in a subject comprising:
 - (a) mutating the BR96 polypeptide by the deletion or substitution of at least one amino acid residue in the toxicity associated domain localized to amino acids 310-331 and the deletion or substitution of at least one amino acid residue in the toxicity associated domain localized to amino acids 231-238 so that complement and Fc receptor mediated immunoglobulin-induced toxicity is inhibited in the altered BR96 polypeptide; and
 - (b) administering the structurally altered BR96 polypeptide of step (a) to the subject under conditions so that the peptide recognizes and binds cancer associated Le^y antigens, thereby alleviating symptoms associated with the cancer, the structural alteration of the toxicity associated domains thereby preventing BR96 toxicity in the subject.
- 25 37. A chimeric BR96 antibody having a structurally altered constant region having the CH1 and CH3 domains but not the CH2 domain, the antibody being designated cBR96-A.

5

10

15

15

- 38. The chimeric BR96 antibody of claim 37 which is expressed by the plasmid having the sequence shown in SEQ ID NO. 10.
- 39. A BR96 antibody having humanized variable and constant regions, wherein the constant region has been structurally altered so that the CH1 and CH3 domains are present but the CH2 domain is not, the antibody being designated hBR96-2A.
- The BR96 antibody of claim 39 which is expressed by the plasmid having the sequence shown in SEQ ID NO. 12.
 - 41. A BR96 antibody designated hBR96-2B having a structurally altered constant region wherein leucine at amino acid position 235 is mutated to alanine and glycine at amino acid position 237 is mutated to alanine.
- 42. A BR96 antibody designated hBR96-2C having a structurally altered constant region wherein glutamic acid at amino acid position 318 is mutated to serine; lysine at amino acid position 320 is mutated to serine; and lysine at amino acid position 322 is mutated to serine.
 - 43. A BR96 antibody designated hBR96-2D having a structurally altered constant region wherein proline at amino acid position 331 is mutated to alanine.
- A BR96 antibody designated hBR96-2E having a structurally altered constant region wherein leucine at amino acid position 235 is mutated to alanine; glycine at amino acid position 237 is mutated to alanine; glutamic acid at amino acid position 318 is mutated to serine; lysine at amino acid

position 320 is mutated to serine; and lysine at amino acid position 322 is mutated to serine.

- A BR96 antibody designated hBR96-2F having a structurally altered constant region wherein leucine at amino acid position 235 is mutated to alanine; glycine at amino acid position 237 is mutated to alanine; and proline at amino acid position 331 is mutated to alanine.
- 46. A BR96 antibody designated hBR96-2G having a structurally altered constant region wherein glutamic acid at amino acid position 318 is mutated to serine; lysine at amino acid position 320 is mutated to serine; and lysine at amino acid position 322 is mutated to serine; and proline at amino acid position 331 is mutated to alanine.
- A BR96 antibody designated hBR96-2H having a structurally altered constant region wherein leucine at amino acid position 235 is mutated to alanine; glycine at amino acid position 237 is mutated to alanine; glutamic acid at amino acid position 318 is mutated to serine; lysine at amino acid position 320 is mutated to serine; lysine at amino acid position 322 is mutated to serine; and proline at amino acid position 331 is mutated to alanine.
 - 48. A nucleic acid molecule which encodes the BR96 antibody of claim 37, 39, and 41-47.
 - 49. A cDNA of claim 48.
 - 50. A plasmid which comprises the nucleic acid molecule of claim 48.

51. A host vector system comprising a plasmid of claim 50 in a suitable host cell.

52. A method for producing a protein comprising growing the host vector system of claim 51 so as to produce the protein in the host and recovering the protein so produced.




Figure 1. Plasma clearance in high LeY expressing dogs chimeric versus constant region mutant of c8R96-2.

Figure One

Figure 2




Figure 3




Figure 4






Figure 5



5)56

Figure 6



PCT/US97/13562

Figure 7






Figure 8



A- Hinge + Cl... + CH3 domains were removed from R96 IgG1 construct by E.co -III restriction digestion.



3. 2 - Hinge + CH3 domains amplified by PCR from L6 IgG1 construct lacking the CH2 domain.




Figure 9





Figure 9 (CONTINUED)

- 1- Introduction of mutations by site-directed mutagenesis on double-stranded plasmid DNA.
- A- Mutations introduced into synthetic oligonucleotides used for the PCR amplification of CH2 domain.

B- Plasmid DNA linearized inside CH2 domain and cotransformed with PCR fragment into competent DH5α.




C- Cloning mediated by homologous recombination yields transformants harbouring recombinant plasmids.



Figure 10

Figure 11






Figure 12




Figure 13

90	180	260 270	360	450	540	630	720	810	900
TTATTTTATT	AGCCAGTATC	CTTGACCGAC AATTGCATGA	AGTTATTAAT	GGCTGACCGC	TGGGTGGACT	AAATGGCCCG	ATGGTGATGC	GGGAGTTTGT	CGGTGGGAGG
AATAAAATAA	TCGGTCATAG	GAACTGGCTG TTAACGTACT	TCAATAATTA	CCGACTGGCG	ACCCACCTGA	TYYACCGGGC	TACCACTACG	CCCTCAAACA	GCCACCCTCC
80	170	260	350	440	530	620	710	800	890
TAATTTTATT	CGCATAGTTA	CTTGACCGAC	ATTATTGACT	TGGCCCGCCT	TTGACGTCAA	CAATGACGGT	CGCTATTACC	TGACGTCAAT	TAGGCGTGTA
ATTAAAATAA	GCGTATCAAT	GAACTGGCTG	TAATAACTGA	ACCGGGCGGA	AACTGCAGTT	GTTACTGCCA	GCGATAATGG	ACTGCAGTTA	ATCCGCACAT
70	160	250	340	430	520	610	700	790	880
CCTTTTTTTT	GCTCTGATGC	CAAGGCAAGG	GPTGACATTG	TTACGGTAAA	GGACTTTCCA	CTATTGACGT	TATTAGTCAT	TCCACCCCAT	AAATGGGCGG
GGAAAAAAA	CGAGACTACG	GTTCCGTTCC	CAACTGTAAC	AATGCCATTT	CCTGAAAGGT	GATAACTGCA	ATAATCAGTA	AGGTGGGGTA	TTTACCCGCC
60	150	240	330	420	510	600	690	780	870
GCCAGAGTAA	AGTACAATCT	TAAGCTACAA	AGATATACGC	GTTACATAAC	ACGCCAATAG	AGTACGCCCC	TACATCTACG	TTTCCAAGTC	CCATTGACGC
CGGTCTCATT	TCATGTTAGA	ATTCGATGTT	TCTATATGCG	CAATGTATTG	TGCGGTTATC	TCATGCGGGG	ATGTAGATGC	AAAGGTTCAG	GGTAACTGCG
50	140	230	320	410	500	590	680	770	860
GCTTCGAATA	GTCGACTCTC	GAGCAAAATT	TGTACGGGCC	GGAGTTCCGC	TCCCATAGTA	TCATATGCCA	TACTTGGCAG	CTCACGGGGA	CAACTCCGCC
CGAAGCTTAT	CAGCTGAGAG	CTCGTTTTAA	ACATGCCCGG	CCTCAAGGCG	AGGGTATCAT	AGTATACGGT	ATGAACCGTC	GAGTGCCCCT	GTTGAGGCGG
AGGCGCGCCG TCCGCGCGGC	CGATCTCCCG ATCCCCTATG GTCGACTCTC AGTACAATCT GCTCTGATGC CGCATAGTTA AGCCAGTATC GCTAGAGGC TAGGGGATAC CAGCTGAGAG TCATGTTAGA CGAGACTACG GCGTATCAAT TCGGTCATAG	220 AGTAGTGCGC TCATCACGCG	360 350 350 350 COTTUGUE TOTALGEGE AGATATACGE GITGACATIG ATTATIGACT AGITATIAAT GCAAAACGE ACGAAGEGET ACAIGCEGG TETATATGEG CAACIGIAA TAATAACIGA TEATAATTA	400 GCCCATATAT CGGGTATATA	490 TGACGTATGT ACTGCATACA	580 ATCAAGTGTA TAGTTCACAT	670 GGGACTTTCC CCCTGAAAGG	760 AGCGGTTTGA TCGCCAAACT	BS0 AATGTCGTAA TTACAGCATT
30	120	210	300	390	480	570	660	750	840
AGGTGACCTG	CGATCTCCCG	GAGGTCGCTG	CGITTIGCGC	TTAGTTCATA	ACGTCAATAA	TTGGCAGTAC	ATGACCTTAT	GGCGTGGAT	GACTITICCAA
TCCACTGGAC	GCTAGAGGGC	CTCCAGCGAC	GCAAAACGCG	AATCAAGTAT	TGCAGTTATT	AACCGTCATG	TACTGGAATA	CCCGCACCTA	CTGAAAGGITI
10 20 30 80 90 GACGGATCGG GAGATCTGCT AGGTGACCTG AGGCGCGCCG GCTTCGAATA GCCAGAGTAA CCTTTTTTTT TAATTTTATT TTATTTTATT	110 110 150 150 180 180 180 180 180 180 180 180 180 18	190 200 210 200 270 TGCTCCTGC TIGIGIGITG GAGGTCGCTG AGTAGTGCGC GAGCAAAATT TAAGCTACAA CAAGGCAAGG	280 280 340 350 350 350 360 300 300 320 330 340 340 350 360 360 360 360 360 360 360 360 360 36	370 380 440 450 450 450 450 450 450 450 450 45	460 470 480 480 500 500 510 510 520 530 540 540 500 CCAACGACC CCGCCCATTG ACGCCTATGT TCCCATAGTA TCCCATAGTA TCCCATAGTA TCCCATAGTA TCCCATAGTA TCCCATAGTA ACGCTATACA TCCCATAGTA TCCCATCAAACTAACTAACTAAACTA	550 610 620 630 630 ATTRACEGIA AACTECCCAC TYGGCAGTAC TCAAAATGCCA AGTACEGCCC CTATTGACET CAATGACEGT AAATGGCCCE TAAATGCCCA TTGACEGT AACTTCACAT AGTATACEGT TCATGCGGG GATAACTGC GGG GATAACTGCC TTTACCGGGC TTTACCGGGC	610 650 650 710 720 CCTGGCATTA TGCCCAGTAT GGGACTTTCC TACTTGGCAG TACATCTACG TATTAGTCAT GCGTATTACC ATGGTGATGC GGACCGTAAT ACGGGTCATG TACTGGAATA CCCTGAAAGG ATGAACCGTC ATGTAGATGC ATAATCAGTA GCGATAATGG TACCACTACG	730 740 800 800 810 GGTTTTGGCA GTACATCAAT GGGCGTGGAT AGCGGTTTGA CTCACGGGGA TTTCCAAGTC TCCACCCCAT TGACGTCAAT GGGGGTTTTGA CTCAAAACCGT CATGTAGTTA CCGGGACCTA TCGCCAAAAC GAGTGGGGT AGTGGGGTA ACTGCAGTTA CCCTCAAAACA	820 880 880 890 900 900 900 900 900 900 90
10	100	190	280	370	460	550	640	730	820
GACGGATCGG	TTTGAGATGG	TGCTCCCTGC	AGAATCTGCT	AGTAATCAAT	CCAACGACCC	ATTTACGGTA	CCTGGCATTA	GGTTTTGGCA	TTTGGCACCA
CTGCCTAGCC	AAACTCTACC	ACGAGGGACG	TCTTAGACGA	TCATTAGTTA	GGTTGCTGGG	TAAATGCCAT	GGACCGTAAT	CCAAAACCGT	AAACCGTGGT

Figure 14

096

950

1080	1170	1260	1350	1440	1530	1620	1710	1800
GCTTGCTAGC	TCTGGGGGAG	GTTCGCCAGA	CGATTCACCA	GCAAGAGGCC	GTCTTCCCCC	ACGGTGTCGT	GTGGTCACCG	GTTGGTGAGA
CGAACGATCG	AGACCCCCTC	CAAGCGGTCT	GCTAAGTGGT	CGTTCTCCGG	CAGAAGGGGG	TGCCACAGCA	CACCAGTGGC	CAACCACTCT
1010	1160	1250	1340	1430	1520	1610	1700	1790
TCTTGCGGCC	TCTGGTGGAG	CATGTATTGG	TCTAAAGGGT	GTATTACTGT	GGGCCCATCG	CGAACCGGFG	CCTCAGCAGC	GGACAAGAAA
AGAACGCCGG	AGACCACCTC	GTACATAACC	ACATTTCCCA	CATAATGACA	CCCGGGTAGC	GCTFFGGCCAC	GGAGTCGTCG	CCTGTTCTTT
1060	1150	1240	1330	1420	1510	1600	1690	1780
CGATTGGAAT	GTGAAGTGAA	GTGACTATTA	ATCCAGACAC	ACACAGCCAT	CTAGCACCAA	ACTACTTCCC	GACTCTACTC	ACACCAAGGT
GCTAACCTTA	CACTTCACTT	CACTGATAAT	TAGGTCTGTG	TGTGTCGGTA	GATCGTGGTT	TGATGAAGGG	CTGAGATGAG	TGTGGTTCCA
1050	1140	1230	1320	1410	1500	1590	1680	1770
ACCGGTCAAT	GGTGTCCAGT	TTCACTTTCA	ATAACCGACT	AAGTCTGAGG	GTCTCTGTAG	CTGGTCAAGG	CAGTCCTCAG	AAGCCCAGCA
TGGCCAGTTA	CCACAGGTCA	AAGTGAAAGT	TATTGGCTGA	TTCAGACTCC	CAGAGACATC	GACCAGTTCC	GTCAGGAGTC	TTCGGGTCGT
1040	1130	1220	1310	1400	1490	1580	1670	1760
TCTCTAGATA	TGTTTTAAAA	AACCTCTGGA	AGGTGGTGAT	GAGCCGTCTG	TCTGGTCACG	CCTGGGCTGC	GGCTGTCCTA	CGTGAATCAC
AGAGATCTAT	ACAAAATTTT	TTGGAGACCT	TCCACCACTA	CTCGGCAGAC	AGACCAGTGC	GGACCCGACG	CCGACAGGAT	GCACTTAGTG
1030	1120	1210	1300	1390	1480	1570	1660	1720 1730 1740 1750 1760 1760 1770 1780 1790 1800 1790 1790 1800 1790 1800 1900 1900 1900 1900 1900 1900 19
AGGTCTCGAG	TCCTTGTCCT	TCTCCTGTGT	ACATTAGTCA	ACCTGCAAAT	GCCAAGOGAC	GCACAGCGGC	ACACCTTCCC	
TCCAGAGCTC	AGGAACAGGA	AGAGGACACA	TGTAATCAGT	TGGACGTTTA	CGCTTCCCTG	CGTGTCGCCG	TGTGGAAGGG	
1020	1110	1200	1290	1380	1470	1560	1650	1740
ATATCTCCTT	GCTTGGTCCT	TCCCTGAAAG	TGGGTCGCAT	AACACCCTGT	GCTTACTGGG	ACCTCTGGGG	AGCGGCGTGC	ACCCAGACCT
TATAGAGGAA	CGAACCAGGA	AGGGACTTTC	ACCCAGCGTA	TTOTGGGACA	CGAATGACCC	TGGAGACCCC	TCGCCGCACG	TGGGTCTGGA
1010	1100	1190	1280	1370	1460	1550	1640	1730
ATTTAAATTG	TTGTGGTTAA	GCCTGGAGGG	GAGGCTGGAG	CAATGCCAAG	GGCCTGGFFF	CTCCAAGAGC	CGCCCTGACC	CAGCTTGGGC
TAAATTTAAC	AACACCAATT	CGGACCTCCC	CTCCGACCTC	GTTACGGTTC	CCGGACCAAA	GAGGTTCTCG	GCGCGACTGG	GTCGAACCCG
1000	1090	1180	1270	1360	1450	1540	1630	1720
CTTGGTACCA	CACCATGGAG	GCTTAGTGCA	CTCCAGAGAA	TCTCCAGAGA	TGGACGACGG	TGGCACCCTC	GGAACTCAGG	TGCCCTCCAG
GAACCATGGT	GTGGTACCTC	CGAATCACGT	GAGGTCTCTT	AGAGGTCTCT	ACCTGCTGCC	ACCGTGGGAG	CCTTGAGTCC	ACGGGAGGTC
	1010 1020 1030 1030 1040 1050 1060 1060 1000 1070 ATTTANATIG ATATCTCCTT AGGTCTCGAG TCTCTAGATA ACCGGTCAAT CGATTGGAAT TCTTGCGGCC GCTTGC' TANATITANC TATAGAGGAA TCCAGAGCTC AGAGATCTAT TGGCCAGTTA GCTAACCTTA AGAACCCCGG CGAACG	CTTGGTACCA ATTTAAATTG ATATCTCCTT AGGTCTCGAG TCTCTAGATA ACCGGTCAAT GATTGGAAT TCTTGGGGC GCTTGCTAGC GACCATGGT TAAATTTAAA TCTCCTT AGGTCTCGAG TCTCTAGATA TGGCCAGTTA GCTAACCTTA AGAACGCCG GAACGATCG GACCATGGT TAAAATTTAAA TCTGGGAA TCCAGAGCTC AGAGATCTAT TGGCCAGTTA GCTAACCTTA AGAACGCCG CGAACGATCG 1090 1100 1110 1110 1110 1110 1110 11	1000 1010 1020 1020 1030 1040 1050 1060 1070 1080 1080	1000	1000	1000 1010 1020 1030 1040 1050 1050 1050 1060 1070 1080	1050	1000

Figure 14 (continued)

1890 AGTCCAGGGC TCAGGTCCCG	1980 TTTTCCCCAG AAAAGGGGTC	2070 GAGCCATATC CTCGGTATAG	2160 CCAGATTCCA GGTCTAAGGT	2250 CCAGGCCTCG GGTCCGGAGC	2340 GCCACATGGA CGGTGTACCT	2430 CACAGGTGTA GTGTCCACAT	2520 ACATCGCCGT TGTAGCGGCA	2610 TCTACAGCAA AGATGTCGTT	2700 ACACGCAGAA TGTGCGTCTT
1880 ATGCAGCCCC TACGTCGGGG	1960 1970 AGGAGAGG TCTTCTGGCT TCCCTCTCC AGAAGACCGA	2060 GACCTGCCAA CTGGACGGTT	2150 TYCTCTCCTC AAGAGAGGAG	2240 GTAAGCCAGC CATTCGGTCG	2330 CATGTCCGGA GTACAGGCCT	2420 CCCCGAGAAC GGGGCTCTTG	2510 TATCCCAGCG ATAGGGTCGC	2600 TCCTTCTTCC AGGAAGAAGG	2690 CACAACCACT GTGTTGGTGA
1870 CATCCCGGCT GTAGGGCCGA	1960 AGGGAGAGGG TCCCTCTCCC	2040 2050 2060 2000 AGGGCAGGT CCTGGCCTCA GACCTGCCAA GAGCCATATC TCCCCGTCCA CGACCCGAGT CTCGGTATAG	2140 CTCGGACACC GAGCCTGTGG	2220 2230 2230 2240 2250 CACATGCCCA CCGTGCCCAG GTAAGCCAGC CCAGGCCTCG GTGTACGGGT GGCACGGGTC CATTCGGTCG GGTCCGGAGC	2320 TGGGTACCAA ACCCATGGTT	2410 TACAGGGCAG ATGTCCCGTC	2500 CAAAGGCTTC GTTTCCGAAG	2590 CTCCGACGCC GAGGCTGCCG	2680 TGAGGCTCTG ACTCCGAGAC
1860 TGCCTGGACG ACGGACCTGC	1950 ACTCATGCTC TGAGTACGAG	2040 AGGGGCAGGT TCCCCGTCCA	2130 ACTCCCTCAG TGAGGGAGTC	2220 CACATGCCCA GTGTACGGGT	2310 2310 2310 2320 2330 2340 CATCCAGGG ACACACCACG TGGGTACCAA CATGTCCGGA GCCACATGGA CGTAGGTCC TGTGTAGGTCC TGTGTAGGTCC TGTGTAGGTCC TGTGTAGGTCC TGTGTAGGTCC TGTGTAGGTCC TGTGTAGGTAGGTCC TGTGTAGGTAGGTAGGTAGGTAGGTAGGTAGGTAGGTAG	2400 CCTCTGTCCC GGAGACAGGG	2480 2490 2500 2500 2510 2520 CTCAGCCTGA CCTGCCTGGT CAAAGGCTTC TATCCCAGCG ACATCGCGGTCGT GATTCCGAAG ATAGGGTCGC TGTAGCGCGC	2580 CCGTGCTGGA GGCACGACCT	2660 2670 2680 2680 2680 2700 2700 2700 2700 2700 2700 2700 27
1850 TCAGCGCTCC AGTCGCGAGG	1940 TGCCCGCCCC ACGGCCGGG	2030 CTGCACACAA GACGTGTGTT	2120 CAAACTCTCC GTTTGAGAGG	2210 ACAAAACTCA TGTTTTGAGT	2300 GCATCCAGGG CGTAGGTCCC	2390 GCTGTACCAA CGACATGGTT	2480 GTCAGCCTGA CAGTCGGACT	2570 ACCACGCCTC TGGTGCGGAG	2660 TTCTCATGCT AAGAGTACGA
1830 1840 GTGTCTGCTG GAAGCCAGGC CACAGACGAC CTTCGGTCCG	1930 1940 1950 CGGAGGCCTC TCCCGCCCC ACTCATGCTC GCCTCCGGAG ACGGCGGGG TGAGTACGAG	2020 AACCCAGGCC TTGGGTCCGG	2110 CCCCAAAGGC GGGGTTTCCG	2200 AAATCTTGTG TTTAGAACAC	2290 AGAGTAGCCT TCTCATCGGA	2380 GAGAGTGACC CTCTCACTGG	2470 CAAGAACCAG GTTCTTGGTC	2560 2570 2580 2590 2600 CAACTACAAG ACCACGCCTC CCGTGCTGGA CTCCGACGG TCCTTCTTCC GTTGATGTTC TGGTGCGGAG GGCACGACCT GAGGCTGCCG AGGAAGAAGG	2650 GGGGAACGIC CCCCTTGCAG
1830 1840 1850 1860 1870 1890 1890 CATCCCGGCT ATCCAGCCCC ACTCCAGGCC CACAGACGAC CATCGGGCCG ACTCCAGGCCCC ACTCCAGGCCCC ACTCCAGGCCCG ATCGGCGGC ACTCCCGGCCGA TACGTCGGGG TCAGGTCCCG	AGCAAGGCAG GCCCCGTCTG CCTCTTCACC CGGAGGCCTC TGCCGCCCC ACTCATGCTC AGGGAGGG TCTTCTGGCT TTTTCCCCAG TCGTTCCGTC CGGGGCAGAC GGAGAGTGG GCCTCCGGAG ACGGGGGG TGAGTACGAG TCCCTCTCCC AGAAGACGGA AAAAGGGGTC	1990 2000 2010 2020 2030 2040 2050 2060 2070 GCTCTGGGCA GCACAGGCT AGGTGCCCCT AACCCAGGCC CTGCACACAA AGGGGCAGGT GCTGGGCTCA GACCTGCCAA GAGCCATATC CGAGACCCGT CCGTGTCCGA TCCACGGGGA TTGGGTCCGG GACGTGTGTT TCCCCGTCCA CGACCCGAGT CTGGACGGTT CTCGGTATAG	2080 2090 2100 2110 2120 2130 2140 2150 2160 CGGGAGAGACC CTCCGACACC TTCTCTCTC CCAGATTCCA GCCCTCTGG GCCTCTGG ACGGGACAC TTCTCTCCTC CCAGATTCCA GCCCTCTGG ACGGGACT GGATTCGGGT GGGTTTCCG GTTTGAGAGG TGAGGGAGTC GAGCTGTGG AAGAGAGGAG GGTCTAAGGT	2170 2180 2190 2200 2210 2220 2230 2240 2250 CHARTECT ACARARCTCA CACATGCCCA CCGTGCCCAG GTAAGCCAGC CCAGGCCTCG CATTGAGAAGA ACOTCTCGGG TITAGAACAC TGTTTTGAG GTGTACGGGT GGCAGGGTC CATTGGGTC GGTCCGGAGC	2260 2310 2330 2330 2340 CCCTCCAGCT CHAGGCGGG TGGTACCAA CATGTCGGA GCCACATGGA GCCTCCAGCT CAAGGCGGGA CAGGTGCCG TGGTACCAA CATGTCGGA GCCACATGGA GCGAGGTCCC TGTGTGGTGC ACCCATGGTT GTACAGGCCT CGGTGTACCT	2350 12360 2410 2410 2420 2420 2420 2420 2420 242	2440 2450 2450 2450 2470 2480 2490 2500 2500 2510 2520 CACCCTGCC CCATCCCGGG ATGAGCTGAC CAAGAACCAG GTCAGCCTGA CCTGCCTGGT CAAAGGCTTC TATCCCAGCG ACATCGCGGT GGAGGGACGG GGTAGGGCCC TACTCGAACG GTTCTTGGTC CAGTCGGACT GGACGGACCA GTTTCCGAAG ATAGGGTCGC TGTAGCGGCG	2510 2580 2600 2610 2610 2610 2510 2510 2510 2510 2510 2610 2610 2610 2610 2610 2610 2610 26	2620 2630 2690 2690 2700 CCTCACCGTG GGGACGTC TYCYCATGCT CCGTGATGCA TGAGGCTCTG CACAACCACT ACACGCAGAA CCAGCAGAA GGAGGACGTC CCCCTTGCAGAA GGAGGAGGA GGGGAACGTC TYCYCATGCT CCGAGTGCA ACACGAGAACGAACGAACGAACGAACGAACGAACGA
1810 1820 GGCCAGCACA GGAGGGAGG CCGGTCGTGT CCCTCCCTCC	1910 GCCCCGTCTG CGGGCAGAC	2000 GGCACAGGCT CCGTGTCCGA	2090 CTGCCCCTGA GACGGGGACT	2170 2180 GTAACTCCCA ATCTTCTCTC CATTGAGGGT TAGAAGAGAG	CCCTCCAGCT CAAGGCGGGA GGGAGGTCGA GTTCCGCCCT	2360 CTCGGCCCAC GAGCCGGGTG	2450 CCATCCCGGG GGTAGGGCCC	2540 AGCAATGGGC TCGTTACCCG	2630 GACAAGAGCA CTGTTCTCGT
1810 GGCCAGCACA CCGGTCGTGT	1900 AGCAAGGCAG TCGTTCCGTC	1990 GCTCTGGGCA CGAGACCCGT	2080 CGGGAGGACC GCCCTCCTGG	2170 GTAACTCCCA CATTGAGGGT	2260 CCCTCCAGCT GGGAGGTCGA	2350 CAGAGGCCGG GTCTCCGGCC	2440 CACCCTGCCC GTGGGACGGG	2530 GGAGTGGGAG CCTCACCCTC	2620 GCTCACCGTG CGAGTGGCAC

Figure 14 (continued)

2790	2880	2970	3060	3150	3240	3330	3420	3510	3600
TGCTTGGCAC	ATGGTTCTTT	TCTGCAGGTG	AGCAGCACCT	TTCTGTGAGC	CTACCCCCAC	CCTGTGGAGG	CACCACACAC	GAACACTCCT	TCAGACAAAC
ACGAACCGTG	TACCAAGAAA	ACACGTCCAC	TCGTCGTGGA	AAGACACTCG	GATGGGGGTG	GGACACCTCC	GTGGTGTGTG	CTTGTGAGGA	AGTCTGTTTG
2780	2860 2870 2880	2960	3050	3140	3230	3320	3410	3500	3590
CGCACGAGGA	TGGCCCCTG CGAGACTGTG ATGGTTCTTT	TGGCCCAGGC	CCCTCCCTCC	GACTGTCCTG	CCTCACCCAT	ACTCTCGGGC	GCCACACGGC	TCGCACACGT	GCTGACCTGC
GCGTGCTCCT	ACCCGGGGA GCTCTGACAC TACCAAGAAA	ACGGGTCCG	GGGAGGGAGG	CTGACAGGAC	GGAGTGGGTA	TGAGAGCCCG	CGCTGTGCCG	AGCGTGTGCA	CGACTGGACG
2770	2860	2950	3040	3130	3220	3310	3400	3490	3580
CTCTCGCGGT	TGGGCCCCTG	GTCCCCACAC	GCCAGCGTGG	CTCTGTAGGA	ACAGGCCCTC	GGGGACATGC	AGGTTGGCCG	AGCAAGGTCC	TTCTCCACAT
GAGAGCGCCA	ACCCGGGGAC	CAGGGGTGTG	CGGTCGCACC	GAGACATCCT	TGTCCGGGAG	CCCCTGTACG	TCCAACCGGC	TCGTTCCAGG	AAGAGGTGTA
2760	2850	2940	3030	3120	3210	3300	3390	3480	3570
GCTCCCCGGG	AGCGCTGCCC	GGGTCCCACT	TGGGGGATTT	CAGCCCCTGC	GTGCGTAGGG	AACCGACTCC	CCCCGCACTG	CCCAGACCAG	TCTCGGCAGC
CGAGGGGCCC	TCGCGACGGG	CCCAGGGTGA	ACCCCTAAA	GTCGGGGACG	CACGCATCCC	TTGGCTGAGG	GGGGGTGAC	GGGTCTGGTC	AGAGCCGTCG
2710 2720 2730 2730 2740 2750 2760 2770 2770 2780 2790 2790 2770 2780 2790 2790 2790 2790 2790 2790 2790 279	2800 2810 2820 2830 2840 2850 2850 2850 2870 2880 CTACCCCCTG TACATACTC CCGGGCGCCC AGCATCTTT TATAGGACGC TCGCGACGGGAC GCTCTGACGC TCGCGACGGGA ATCTTGACGACGGGAC ATCTATGAAG GCCCGCGGG TCGTACCTTT ATTTCGTGGG TCGCGACGGG ACCCGGGGAC GCTCTGACAC TACCAAGAAA	2890 2900 2900 2910 2920 2930 2940 2950 2960 2960 CCACGGGTCA GGCTCCCACA GGCTCCACACA GGCCCAGGC TGGCCAGGC TGTGCAGGTG GGTGCCCAGT GTGCCAGGC TGTGCAGGTG GGTGCCCAGT CTGGCGTGTG ACGGGGTGTG ACGGGGTGTC ACGGGGTCACC CTCCGTCTCG CCCAGGGTGT CTGGGGTGTG ACGGGGTCG ACAGGGTCAAC	2980 2990 3000 3010 3020 3020 3040 3050 3050 3060 3060 3060 3060 3060 306	3070 3080 3090 3100 3100 3110 3120 3130 3140 3150 CCCTGGGG AGCCCCTGGG GACAGACACA CAGCCCCTGC CTCTGTAGGA GACTGTCCTG TTCTGTGAGC CGGGACCCGA CCCGGTGCCC TTCGGGGACCC TCGGGGACCC CTGTCTGTGTGT GTCGGGACG GAGACATCCT CTGACAGGAC AAGACATCG	3160 3170 3180 3190 3200 3200 3210 3220 3230 3230 3240 GCCCCTGTCCTGTCCTGTGGGG ACAGGCCCTC CCTCACCCCAT CTACCCCCAC CGGGGGTG GAACGCCTC CTCACCCCAT CTACCCCAC CGGGGACAGG AGGGCTGAAG GTACGGGTGA GCCCCCCTAC GGATCAGGTA CACGCATCCC TGTCCGGGAG GGAGTGGGTA GATGGGGTG	3250 3320 3320 3320 3320 3390 3390 3390 3300 3310 3320 3330 CTGTGGGG CCTGTGGGG CCTGTGGGG CCTGTGGGG CCTGTGGGG CCTGTGGGG CCTGTGGGG CCGTGTTGG GGGCGACGACGA GGGGGCGG GGGACGCGG GGGCGGG GGGCCGG GGGCCTGCG GGGCCGCG GGCGCCG GGCGCCCG GGCGCCCG GGCCCTGTGC TGAGAGCCCG GGCACCCTCTCC	3340 3350 3360 3370 3380 3390 3390 3400 3400 3410 3420 GACTGGTGCA GATGCCCACA CACACACTCA GCCCAGACCC GTTCAACAAA CCCCGCACTG AGGTTGGCCG GCCACACGGC CACCACACAC CTGACCACGT CTACGGGTGT GTGTGTGAGT CGGGTCTGGG CAAGTTGTTT GGGGCGTGAC TCCAACCGGC CGGTGTGCCG GTGGTGTGT	3430 3430 3440 3450 3460 3470 3480 3480 3500 3500 3500 3500 3500 3500 3500 35	3520 3530 3540 3550 3560 350 3500 3570 3590 3590 360 360 CGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG
2740	2830	2920	3010	3100	3190	3280	3370	3460	3550
GCGACGGCCG	AGCATGGAAA	TGGCATGAGG	AGGGGCTGCC	AGCCCCTGGQ	CGGGGGCATG	TCGCACCCGC	GCCCAGACCC	CCCGGGCGAA	CACCTCAAGG
CGCTGCCGGC	TCGTACCTTT	ACCGTACTCC	TCCCCGACGG	TCGGGGACCC	GCCCCCGTAC	AGCGTGGGCG	CGGGTCTGGG	GGGCCCGCTT	GTGGAGTTCC
2730	2820	2910	3000	3090	3180	3270	3360	3450	3540
GTAAATGAGT	CCGGGCGCCC	GAGGCCTGAG	GGGCTCAGCC	AAGCCCTAGG	CATGCCCACT	CTGCCCAGCC	CACACACTCA	CGGAGCCTCA	CCCCACGCGG
CATTTACTCA	GCCCGCGGG	CTCCGGACTC	CCCGAGTCGG	TTCGGGATCC	GTACGGGTGA	GACGGGTCGG	GTGTGTGAGT	GCCTCGGAGT	GGGGTGCGCC
2720	2800 2810	2900	2990	3080	3170	3260	3350	3440	3530
CTGTCTCCGG	GTACCCCCTG TACATACTTC	GGCCGAGTCT	CCCTAGGGTG	GGGCCACGGG	TCCCGACCTC	CCTGGCTGCC	GATGCCCACA	GCCTCACACA	CCCCCACGAG
GACAGAGGCC	CATGGGGGAC ATGTATGAAG	CCGGCTCAGA	GGGATCCCAC	CCCGGTGCCC	AGGGCTGGAG	GGACCGACGO	CTACGGGTGT	CGGAGTGTGT	GGGGTGCTC
2710	2800	2890	2980	3070	3160	3250	3340	3430	3520
GAGCCTCTCC	GTACCCCTG	CCACGGGTCA	TGCCTGGGCC	GCCCTGGGCT	GCCCCTGTCC	GGCACTAACC	GACTGGTGCA	ACACGTGCAC	CGGACACAGG
CTCGGAGAGG	CATGGGGGAC	GGTGCCCAGT	ACGGACCCGG	CGGGACCCGA	CGGGGACAGG	CCGTGATTGG	CTGACCACGT	TGTGCACGTG	GCCTGTGTCC

Figure 14 (continued)

1690 TGGCCCACTT ACCGGGTGAA	3780 CCCGTGCCTT GGGCACGGAA	3870 CATTCTATTC GTAAGATAAG	3960 ATGGCTTCTG TACCGAAGAC	4050 GTTACGCGCA CAATGCGCGT	4140 CCTCTCAAAA GGAGAGTTTT	4230 CCCAGTTCCG GGGTCAAGGC	4320 AAGTAGTGAG TTCATCACTC	4410 TCCTAGCGTG AGGATCGCAC	4470 4480 4490 4500 TGCATCGTCG CCGTCTCCCA AAATATGGGG ATTGGCAAGA ACGTAGCAGC GGCACAGGGT TTTATACCCC TAACCGTTCT
3680 TCCCTGGCCC AGGGACCGGG	3780 3770 3780 3780 CATCTGTTGT TGCCCCTCC CCCGTGCCTT GTAGACAACA AACGGGGAGG GGGCACGGAA	3860 GAGTAGGTGT CTCATCCACA	1940 1950 1950 1960 CTGGGGATGC GGTGGGCTCT ATGGCTTCTG GACCCCTACG CCACCCGAGA TACCGAAGAC	4040 GGGTGTGGTG CCCACACCAC	4130 GTTCGCCGGG CAAGCGGCCC	4220 CCTAACTCCG GGATTGAGGC	4310 GCTATTCCAG CGATAAGGTC	4400 TYCACGGCAA AACTGCCGTT	4490 AAATATGGGG TTTATACCCC
3660 3670 3670 3680 3690 GGATCACACA CCACGTCACG TCCCTGGCC TGGCCCACTT CCTAGTGTG AGGACCGGG ACCGGGTGAA	3760 CATCTGTTGT GTAGACAACA	3840 3850 3860 3870 GAAATTGCAT CGCATTGTCT GAGTAGGTGT CATTCTATTC CTTTAACGTA GCGTAACAGA CTCATCCACA GTAAGATAAG		4030 TAAGCGCGGC	4110 4120 4130 4130 4140 TTCCCTTCCT TTCTCGCCAC GTTCGCCGGG CCTCTCAAAAAAAAAA	4200 4210 4230 4230 4230 CTAACTCCGC CCATCCG CCCAGTTCCG GATTGAGGC GGGTGGGCGG GGATTGAGGC GGGTCAAGGC	4300 4310 GGGCTCTGA GCTATTCCAG GCCGGAGACT CGATAAGGTC	4390 4400 CGCGCCAAC TTGACGGCAA GCGCGGTTTG AACTGCCGTT	4480 CCGTGTCCCA GGCACAGGGT
	3750 AGTTGCCAGC TCAACGGTCG		3930 AGCAGGCATG TCGTCCGTAC	4020 AGCGGCGCAT TCGCCGCGTA			4290 GAGGCCGCCT CTCCGGCGGA	4380 GCTGCGATTT CGACGCTAAA	4470 TGCATCGTCG ACGTAGCAGC
3650 CACACACAGG GTGTGTGTCC	3740 TGTGCCTTCT ACACGGAAGA	3830 ATAAAATGAG TATTTTACTC	3910 3920 GGGAGGATTG GGAAGACAAT CCCTCCTAAC CCTTCTGTTA	4010 CGCGCCCTGT GCGCGGGACA	4090 4100 CGCCCGCTCC TTTCGCTTTC GCCGGCGAGG AAAGCGAAAG	4190 AGTCCCGCCC TCAGGGCGGG	4280 TGCAGAGGCC ACGTCTCCGG	4370 ACAGCTCAGG TGTCGAGTCC	4460 ACCATTGAAC TGGTAACTTG
3610 3620 CCAGCCCTCC TCTCACAAGG GTGCCCTTGC AGCCGCCACA CACACACAGG GTCCCCTTGC AGCCGCCACA CACACACAGG GCTCGCGGACG TCGGCGGTGT GTGTGTCC CACGGGGACG TCGGCGTGT GTGTGTCCC	CCCAGTOCCG COCTTCCCTG CAGGACGCAT CAGCCTCGAC TGTGCCTTCT GGGTCACGC GGGAAGGAC GTCCTGCCTA GTCGGAGCTG ACACGGAAGA	3790 3800 3810 3820 3830 CCTTGACCCT GGAAGGTGCC ACTCCCACTG TCCTTTCCTA ATAMAATGAG GGAACTGGGA CCTTCCACGG TGAGGGTGAC AGGAAAGGAT TATTTTACTC		4000 4010 4020 4030 4030 4040 4050 GGTATCCCCA CGCGCCCTCT AGCGCCGCAT TAAGCGCGGC GGGTGTGGTG GTTACGGGCC CCATAGGGGT GCGCGGAACA TCGCCGCGTA ATTCGCGCCC CCCACACCAC CAATGCGCGT		A150 4150 4170 4180 4190 A180 A190 A190 A190 A190 A190 AAGGGAAAAA AAGCATGCAT CTCAATTAATCA GTCGTTGGTA TCAGGGCGGG	4240 4250 4250 4250 4200 4290 4290 4300 4310 4320 CCCATCTGA GCTATTCCAG AAGTAGTGAG GGGTAGCCG CGGCCGCCT CGGCCTCTGA GCTATTCCAG AAGTAGTGAG GGGTAAGAG CGGGTACCG ACTGATTAAA AAAATAAAT ACGTCTCCGG CTCCGGCGGA GCCGGAGACT CGATAAGGTC TTCATCACTC	4310 4390 4400 4410 6AGGCTTTTTG ADARGCTTG ACAGCTCAGG GCTGCGATTT CGCGCCAAAC TTGACGGCAA TCCTAGCGTG CTCCGAAAAA ACCTCCGGAT CCGAAAACGT TTTTCGAACC TGTCGAGTCC CGACGCTAAA GCGCGGTTTG AACTGCCGTT AGGATCGCAC	4430 4440 4450 4460 6GATTTTATC CCCCTGCCA TCATGGTTCG ACCATTGAAC CCTAAAATAG GGGCGACGGT AGTACCAAGC TGGTAACTTG
3630 GTGCCCTGC CACGGGGACG	3720 CAGGACGGAT GTCCTGCCTA	3810 ACTCCCACTG TGAGGGTGAC	1880 1880 1890 1890 1900 1900 1900 1900	3990 GGCTCTAGGG CCGAGATCCC	4080 AGCGCCCTAG TCGCGGGATC	4170 CTCAATTAGT GAGTTAATCA	4240 4250 4250 CCCATTCTC GCCCATGGC TCACTAATTT GGGTAAGAG CGGGGTACCG ACTGATTAAA	4350 GGCTTTTGCA CCGAAAACGT	CCCCCTGCCA GGGCGACGGT
3620 TCTCACAAGG AGAGTGTTCC	3700 3710 CCCAGTGCCG CCCTTCCCTG GGGTCACGGC GGGAAGGGAC	3800 CGAAGGTGCC CCTTCCACGG	3890 GGTGGGGCAG CCACCCCGTC	3980 AACCAGCTGG TTGGTCGACC	4040 4070 GCGTGACCGC TACACTTGCC CGCACTGGCG ATGTGAACGG	4160 AAGCATGCAT TTCGTACGTA	4250 GCCCCATGGC CGGGGTACCG	4340 TGGAGGCCTA ACCTCCGGAT	4430 AAGGCTGGTA GGATTTTATC TTCCGACCAT CCTAAAATAG
3610 CCAGCCCTCC GGTCGGGAGG	3700 CCCAGTGCCG GGGTCACGGC	3790 CCTTGACCCT GGAACTGGGA	3880 TGGGGGGTGG ACCCCCCACC	3970 AGGCGGAAAG TCCGCCTTTC	4060 GCGTGACCGC CGCACTGGCG	4150 AAGGGAAAAA TTCCCTTTTT	4240 CCCATTCTCC GGGTAAGAGG	4330 GAGGCTTTTT CTCCGAAAAA	4420 AAGGCTGGTA TTCCGACCAT

Figure 14 (continued)

4590	4680	4770	4860	4950	5040	5130	5220	5310	S400
AAACAGAATC	AGTAGAGAAC	GCAAGTAAAG	ACAAGGATCA	CTCTCTGAGG	GCTCCCCTCC	TGACATAATT	TAATTGTTTG	CAGAAGAAAT	AGGACTTTCC
TYYGTCYYAG	TCATCTTTG	CGTTCATTTC	TGTTCCTAGT	GAGAGACTCC	CGAGGGGAGG	ACTGTATTAA	ATTAACAAAC	GTCTTCTTTA	TCCTGAAAGG
4580 AGTGGAAGGT TCACCTTCCA	4650 4660 4670 CCTTTAAAGG ACAGAATTAA TATAGTTCTC GGAAATTTCC TGTCTTAATT ATATCAAGAG	4730 4740 4750 4760 TITGGATGAT GCCTTAAGAC TTATTGAACA ACCGGAATTG AAACCTACTA CGGAATTCTG AATAACTTGT TGGCCTTAAC	4850 ACTCTTTGTG TGAGAAACAC	4930 4950 4950 4950 TCCCAGAATA CCCAGGCGTC CTCTCTGAGGAGGTCTTATT GGGTCCGCAG GAGAGACTCC	5010 CAAGTICICT GCTCCCCTCC GTTCAAGAGA CGAGGGGAGG	5120 5120 5120 5120 FULL CONTINUE STOOM STANDARD GGAACCTTAC TACTGTGGTG AGACACCAC	5180 5190 5200 5200 5210 ATAAAATTIT TAAGIGIATA ATGIGITAAA CTACTGATIC TAITITAAAA ATICACAIAI TACACAATIT GAIGACIAAG	5300 CTGTTTTTGCT GACAAAACGA	5370 5380 5390 CAAAAAGAA GAGAACCCA GITTTTTCTT CTCTTTCCAT CTTCTGGGGT
4570	4660	4750	4840	4910	5020	5110	5200	5290	5380
CAACCTCTTC	ACAGAATTAA	TTATTGAACA	GCCACCTTAG	TCCCAGAATA	AAGATGCTTT	GGAACCTTAC TTCTGTGGTG	ATGTGTTAAA	TGAGGAAAAC	GAGAAAGGTA
GTTGGAGAAG	TGTCTTAATT	AATAACTTGT	CGGTGGAATC	AGGGTCTTAT	TTCTACGAAA	CCTTGGAATG AAGACACCAC	TACACAATTT	ACTCCTTTTG	CTCTTTCCAT
4560	4650	4740	4830	4920	5010	5100	5190	5280	
AGAATGACCA	CCTTTAAAGG	GCCTTAAGAC	AATCAACCAG	TATAAACTTC	GACTAACAGG	TCTTTGTGAA	TAAGTGTATA	ATGCCTTTAA	
TCTTACTGGT	GGAAATTTCC	CGGAATTCTG	TTAGTTGGTC	ATATTTGAAG	CTGATTGTCC	AGAAACACTT	ATTCACATAT	TACGGAAATT	
4550	4640	4730	4820	4910	5000	5090	5180	5270	5360
GTACTTCCAA	GAAGAATCGA	TTTGGATGAT	GGAAGCCATG	TTTGGGGAAA	CGAGAAGAAA	GCTTTAGATC	ATAAAATTTT	CAGTGGTGGA	TCTACTCCTC
CATGAAGGTT	CTTCTTAGCT	AAACCTACTA	CCPTCGGTAC	AAACCCCTTT	GCTCTTCTTT	CGAAATCTAG	TATTTAAAA	GTCACCACCT	AGATGAGGAG
4530 4530 4530 4530 4530 4530 4590 4590 A550 4560 4560 4570 4580 4590 A590 ACGGAGACCT ACCCTGGCCT CCGCTCAGGA ACGAGTTCAA GTACTTCCAA AGAATGACCA CAACCTCTTC AGTGGAAGGT AAACAGAATC TGCTCTTCAA CTTAAATGATCAA TGCGACCGGA GGCGAGTCCT TGCTCAAGTT CATGAAGGTT TCTTAACTGGGT GTTGGAGAAG TCACCTTCCA TTTGTCTTAAG	4680 4650 4650 4670 4680 4680 4680 4680 4680 4680 4680 468	4690 4710 4750 4750 4760 TCAAAGAAC ACCACGAGGA GCTCATTITC TIGCCAAAG TITGGATGAT GCCTTAAGAC TATTGAACA ACCGGAATIG AGTICTG AATAACATGT TGGCCTTAAC	4780 4810 4820 4820 TAGATAGTC GOAGGCAGTT CTGTTTACCA GGAAGCCATG ATCTGTACCA AACCTATCAG CCTCCGTCAA GACAAATGGT CCTTCGGTAC	4900 CAGAAATTGA GTCTTTAACT	4990 5000 AAGTATAAGT TYGAAGTCTA CGAGAAGAAA TYCATATYCA AACTYCAGAT GCYCYTYTY	5050 5050 5070 5080 5070 5080 5090 TAAAGCTATG CATTITIATA AGACCATGGG ACTITITISCIG GCTITIAGATC ATTICGATAC GTAAAAATAT TCTGGTACCC TGAAAACGAC CGAAATCTAG	5170 TAAGGTAAAT ATTCCATTTA	5230 5280 5290 5300 5310 5310 5310 5280 5290 5300 5310 5310 5310 5310 5310 5310 531	5320 5340 5340 5350 5360 GCCATCTAGT GATGATGAGG CTACTGCTGA CTCTCAACAT TCTACTCCTC CGGTAGATGA CTACTAGTAGTAGTAGTAGTAGTAGTAGTAGTAGTAGTAGTAGT
4530	4620	4710	4800	4890		5070	5160	5250.	5340
CCGCTCAGGA	ACCTGGTTCT	GCTCATTITIC	GGAGGCAGTT	ACGITHITICC		AGACCATGGG	TTTBAAGCTC	ATGGAACTGA	CTACTGCTGA
GGCGAGTCCT	TGGACCAAGA	CGAGTAAAAG	CCTCCGTCAA	TGCAAAAAGG		TCTGGTACCC	AAATTTCGAG	TACCTTGACT	GATGACGACT
4520	4610	4700	4790	4870 4880	4960 4970	5050	5140 5140	5230 5240	5320 SUCATCTAGE GATGATGAGG CGGTAGATCA CTACTACTCC
ACCCTGGCCT	GGGTAGGAAA	ACCACGAGGA	TTGGATAGIC	TGCAGGAATT TGAAAGTGAC	TCCAGGAGGA AAAAGGCATC	TAAAGCTATG CATTTTATA	GGACAACTA CCTACAGAGA	TGTATTTAG ATTCCAACCT	
TGGGACCGGA	CCCATCCTTT	TGGTGCTCCT	AACCTATCAG	ACGTCCTTAA ACTTTCACTG	AGGTCCTCCT TTTTCCGTAG	ATTTCGATAC GTAAAAATAT	CCTGTTTGAT GGATGTCTCT	ACATAAAATC TAAGGTTGGA	
4510	4600	4690	4780	4870	4960	5050	5140	5230	5320
ACGGAGACCT	TGGTGATTAT	TCAAAGAACC	TAGACATGGT	TGCAGGAATT	TCCAGGAGGA	TAAAGCTATG	GGACAAACTA	TGTATTTTAG	GCCATCTAGT
TGCCTCTGGA	ACCACTAATA	AGTTTCTTGG	ATCTGTACCA	ACGTCCTTAA	AGGTCCTCCT	ATTTCGATAC	CCTGTTTGAT	ACATAAAATC	CGGTAGATCA

Figure 14 (continued)

5490 AAAAAGCTGC TTTTTCGACG	5580 TTTTTCTTAC AAAAAGAATG	5660 5670 TCTAAAGGGG 1TAATAAGGA ACATTTCCCC AATTATTCCT	5760 CTCCCACACC GAGGGTGTGG	5850 AGCAATAGCA TCGTTATCGT	5940 GTCTCGATCG CAGACCTAGC	6030 TACAAATAAA ATGTTTATTT	6120 TCTTATCATG AGAATAGTAC	6210 ACAATTCCAC TGTTAAGGTG	6300 TCACTGCCCG AGTGACGGGC
5480 ACCACAAAGG TGGTGTTTCC	5590 5570 5580 AACATACTGT TTTTTCTTAC TTGTATGACA AAAAAGAATG	5660 TCTAAAGGGG ACATTTCCCC	5750 TTTAAAAAAC AAATTTTTTG	5840 TTACAAATAA AATGTTTATT	5930 ATCTTATCAT TAGAATAGTA	6020 TTATAATGGT AATATTACCA	6110 CATCAATGTA GTAGTTACAT	6200 TTATCCGCTC AATAGGCGAG	6290 TGCGTTGCGC ACGCAACGCG
5410 5420 5430 5480 5480 5490 5400 5400 5400 5400 5400 5400 540	AGAAAATTA TGGAAAAATA TTCTGTAACC TTTATAAGTA GGCATAACAG TTATAATCAT TTCTTTTAAT ACCTTTTTAT AAGACATTGG AAATATTCAT CCGTATTGTC AATATTAGTA	S600 5610 5650 5650 5640 5650 5660 5670 CATAGAGTGT CTATATAATT TGTAAAGGGG 1TAATAAGGA GTATCTCACA GACGATAATT ATTGATACGA GTTTTTAACA CATGGAAATT GAAAAATTCCT	5680 5740 5750 5720 5730 5730 5740 5750 5740 5740 5740 5740 5740 5750 575	5800 5810 5820 5830 5830 CAATHOTHOT TOTTAACTEG GITAACAAC ACAATHOAC AAATAACGIC GAATATTACC	5860 5910 5920 5930 5940 S940 S910 5910 5920 5930 5940 ICACADATIT CACTICATIC TAGITICIOS TICICCADAC TCATCADIGT ATCITIATION GOATTITITI CACTICATIC TAGITICADAC TCATCADAC TAGADATADA GOATTITITI CACTICADAGA ATCADACACCA AACAGGITIG AGIAGITIACA TAGADATAGIA CAGACCTAGG	5970 5980 6000 6010 6010 6020 6030 GGGGATCTCA TGCTGGAGTT CTTCGCCCAC CCCAACTTGT TTATTGCAGC TTATAATGGT TACAAATAAA CCCCTAGAGT ACGACCTCAA GAAGCGGGTG GGGTTGAACA AATAAACGTCG AATATTACCA ATGTTTATTT	6010 6050 6050 6050 6070 6080 6080 6090 6100 6110 6120 GCAATAGCAT CACAAAȚITC ACAAATAAAG CATTITITIC ACTGCATYCT AGTICIGOTI IGICCAAACT CATCAATGIA TCITATCATG CGȚIAICGIA GIGITIAAAG IGIITIAITIC GIAAAAAAG IGACGIAAGA ICAACACCAA ACAGGITIGA GIAGITACAT AGAATAGIAC	6130 6140 6150 6150 6160 6170 6180 6190 6200 TCTGTATACC GTCGACCTCT AGCTAGAGCT TGGCGTAATC ATGGTCATAG CTGTTTCCTG TGTGAAATTG TTATCCGCTC AGACATATGG CAGCTGGAGA TCGATCAGA ACCGCATTAG TACCAGTATC GACAAAAGGAC ACACTTTAAC AATAGGCGAG	6220 6230 6230 6240 6250 6250 6270 6280 6290 6300 ACACACATAC ACCCGGAGG ATAACTCT ACCTGGGG TGCCTAATGA GTGAGCTAAC TCACATTAAT TGCGTTGGGC TCACTGCGGGTTGTTGTTGTATT ACGCAACGCG AGTGACGGGG
5460 TTGCTTGCTT AACGAACGAA	5550 GGCATAACAG CCGTATYGTC	5640 GTACCTTTAG CATGGAAATC	5730 TTTGTAGAGG AAACATCTCC	5820 TITATIGCAG AAATAACGIC	5910 TTGTCCAAAC AACAGGTTTG	6000 CCCAACTIGI GGGTIGAACA	6090 AGTTGTGGTT TCAACACCAA	6180 CTGTTTCCTG GACAAAGGAC	6270 GTGAGCTAAC CACTCGATTG
5450 AATAGAACTC TTATCTTGAG	5540 TTTATAAGTA AAATATTCAT	5620 5630 5640 TAACTATGCT CAAAAATTGT GTACCTTTAG ATTGATACGA GTPTPTAACA CATGGAAATC	5720 CCATACCACA GGTATGGTGT	5810 TGTTAACTTG ACAATTGAAC	5900 TAGTTGTGGT ATCAACACCA	5990 CTTCGCCCAC GAAGCGGGTG	6080 ACTGCATTCT TGACGTAAGA	6170 ATGGTCATAG TACCAGTATC	6260 TGCCTAATGA ACGGATTACT
5440 TGTGTTTAGT ACACAAATCA	5520 5530 TGGAAAATA TTCTGTAACC ACCTTTTTAT AAGACATTGG	5620 TAACTATGCT ATTGATACGA	5710 TCATAATCAG AGTATTAGTC	5800 CAATIGITIGI GITAACAACA	5890 CACTGCATTC GTGACGTAAG	5980 TGCTGGAGTT ACGACCTCAA	6070 CATTITITIC GTAAAAAAG	6160 TGGCGTAATC ACCGCATTAG	6250 AAGCCTGGGG TTCGGACCCC
5430 TGAGTCATGC ACTCAGTACG	5520 TGGAAAATA ACCTTTTTAT	5610 CTGCTATTAA GACGATAATT	5700 TGACTAGAGA ACTGATCTCT	5790 AAAATGAATG TTTTACTTAC	S870 S880 CACAAATAAA GCATTTTTTT CTGTAAAAAA	5970 GGGGATCTCA CCCCTAGAGT	6060 ACAAATAAAG TGTTTATTTC	6140 6150 GTCGACCTOT AGCTAGAGCT CAGCTGGAGA TCGATCTCGA	6240 ATAAAGTGTA TATTTCACAT
5420 CTAAGTTTTT GATTCAAAAA	5500 5510 ACTGCTATAC AAGAAATFA IGACGATATG TTCTTTTAAT	5600 CATAGAGIGT GIATCICACA	5690 TATAGTGCCT ATATCACGGA	5770 S780 TCCCCCTGAA CCTGAAACAT AGGGGGACTT GGACTTTGTA	5870 CACAAATAAA GTGTTYATTT	5950 5950 6CTGGATGAT CCTCCAGCGC CGACCTACTA GGAGGTCGCG	6040 6050 GCAATAGCAT CACAAATTC CGTTATCGTA GTGTTTAAAG	6140 GTCGACCTCT CAGCTGGAGA	6230 AGCCGGAAGC TCGGCCTTCG
5410 TTCAGAATTG AAGTCTTAAC	5500 ACTGCTATAC TGACGATATG	5590 TCCACACAGO AGGTGTGTCC	5680 ATATYTGATG TATAAACTAC	5770 TCCCCCTGAA AGGGGGACTT	5860 TCACAAATTT AGTGTTTAAA	5950 GCTGGATGAT CGACCTACTA	6040 GCAATAGCAT CGTTATCGTA	6130 TCTGTATACC AGACATATGG	6220 ACAACATACG TGTTGTATGC

Figure 14 (concinued)



		200			- () ()	~ d E.	~ ~ ~	054	၀ () ()
6390 CGCTCTTCCG GCGAGAAGGC	6480 TTATCCACAG AATAGGTGTC	6570 GCGTTTTTCC CGCAAAAGG	6660 TACCAGGCGT ATGGTCCGCA	6750 GGAAGCGTGG CCTTCGCACC	6840 CCCGTTCAGC GGGCAAGTCG	6930 ACTGGTAACA TGACCATTGT	7020 GTATTTGGTA CATAAACCAT	7110 GGTGGTTTTT CCACCAAAAA	720 CAGTGGAAC GTCACCTTG
	6470 6470 6480 GGTAATACGG TTATCCACAG CCATTATGCC AATAGGTGTC	6560 CGCGTTGCTG GCGCAACGAC	6650 ACTATAAAGA TGATATTTCT	6740 TCTCCCTTCG AGAGGGAAGC	6830 GCACGAACCC CGTGCTTGGG	6920 GGCAGCAGCC CCGTCGTCGG	7010 TAGAAGGACA ATCTTCCTGT	7100 CCCTGGTAGC GCGACCATCG	7190 GTCTGACGCT CAGACTGCGA
6370 GAGGCGGTTT CTCCGCCAAA	6460 ACTCAAAGGC TGAGTTTCCG	6550 GTAAAAAGGC CATTTITICCG	6640 ACCCGACAGG TGGGCTGTCC	6730 TGTCCGCCTT ACAGGCGGAA	6820 TGGGCTGTGT ACCCGACACA	6910 TATCGCCACT ATAGCGGTGA	7000 ACGCCTACAC TGCCCATGTG	7090 AACAAACCAC TTGTTTGGTG	7180 TTTCTACGGG AAAGATGCCC
6360 CGCGCGGGGA GCGCGCCCT	6450 GTATICAGCTC CATAGTICGAG	6540 GCCAGGAACC CGGTCCTTGG	6630 AGGTGGCGAA TCCACCGCTT	6720 ACCGGATACC TGGCCTATGG	6810 CGCTCCAAGC GCGAGGTTCG	6900 AGACACGACT TCTGTGCTGA	6990 TGGCCTAACT ACCGGATTGA	7080 TGATCCGGCA ACTAGGCCGT	7170 CCTTTGATCT GGAAACTAGA
6350 AATCGCCCAA TTAGCCGGTT	6440 GCGCCGAGCG CGCCGCTCGC	6530 CCAGCAAAAG GGTCGTTTTC	6620 CTCAAGTCAG GAGTTCAGTC	6710 CCTGCCGCTT GGACGGCGAA	6800 GTAGGTCGTT CATCCAGCAA	6890 CAACCCGGTA GTTGGGCCAT	CITGAAGIGG TGGCCTAACT ACGCCTACAC TAGAAGGACA GAACTICACC ACCGGAITIGA TGCCGAIGIG ATCTICCTGT	7070 TGGTAGCTCT ACCATCGAGA	7160 TCAAGAAGAT AGTTCTTCTA
6340 6350 6360 6370 6380 TGCATTAATG AATCGCCCAA CGCGCGGGG GAGGCGGTTT GCGTATTGGGACGTATTAC TTAGCCGGTT GCGCCCCCT CTCCGCCAAA CGCATAACCC	6430 TCGTTCGGCT AGCAAGCCGA	6520 GAGCAAAAGG CTCGTTTTCC	6610 AAAATCGACG TYTYTAGCTGC	6700 CTGTTCCGAC GACAAGGCTG.	6790 6800 6810 6820 6830 6840 TCAGITCGGT GTAGGTCGTT GCCCCTTCAGC TGGCCTGTGT GCACGAACC CCCGTTCAGC AGTCCACACCA CGTCCTTGGG GGGCAAGTCG	6880 GTCTTGAGTC CAGAACTCAG	.6970 CTACAGAGIT GAIGICICAA	7060 GAAAAAGAGT CTTTTTTCTCA	7150 AAAAAGGATC TTTTTCCTAG
6310 6320 6330 6330 6340 6350 6350 6350 6370 6380 CTTYCCAGTY GGGAAACGY GGGAAACGY GCGCGCCCA CGCGCGCCC CTCCGCCAAA CGCGCCCCT CTCCGCCAAA CGCAAAGGYCA CCCTTYGGAC AGCACGGYCG ACGTAATTAC TTAGCCGCTT GCGCGCCCCT CTCCGCCAAA CGCATAACCC	6480 6400 6410 6420 6420 6430 6440 6440 6440 6440 6450 6440 6440 644	6490 6500 6510 6520 6530 6530 6530 6540 6550 6550 6570 AATCAGGGGA TAACGCAGGA AAGAACATGT GAGCAAAAAGG CCAGCAAAAA GCCAGGAACC GTAAAAAAGG CGCGTTGCTG GCGTTTTTTCC TTAGTCCCCT ATTGCGTCCT TTCTTGTACA CTCGTTTTTCC GGTCGTTTTC CGGTCCTTGG CATTTTTTCC GCGCAAAAAGG	6580 6590 6600 6610 6620 6620 6630 6630 6630 6640 6650 6660 ATAGGCTCCG CCCCCTGAC GAGCATCACA AAAATCGACG CTCAAGTCAG AGGTGGCGAA ACCCGACAGG ACTATAAAGA TACCAGGCGT ATAGGCTCCG CCCCCTGAC GAGCATGAC TATTTAGCTGC GAGTTCAGTC TCCACCGCTT TGGGCTGTCC TGATATTTCT ATGGTCGCA	6710 6720 6680 6730 6740 6750 6710 6720 6730 6740 6750 TTCCCCCTG AACTCCCTC GTGCGCTGC CTGCCGCTT ACCGGATACC TGTCCGCCTT TCTCCCTTTCG GGAAGCGTGG AAGCGGGAG CACGCGAGAG GACGCGCTG. GGACGCCGAA TGGCCTATGG ACAGGCGGAA AGAGGGAAGC CCTTCGCACC	6810 6820 6770 6780 6780 6800 6810 6810 6820 6830 6840 6840 6920 6930 6840 6840 6840 6840 6840 6840 6840 684	6830 6850 6860 6870 6880 6890 6900 6900 6900 6900 CCGACCCCCT GGCAGCAGCC ACTGGTAACA CCGACCCCT TATCGCCACT GGCAGCAGCC ACTGGTAACA CCGACCGCTG CGCCTATCC GGTAACTATC CAGAACTCAG GTTGGCCCAT TCTGTGCTGA ATAGCGGTGA CCGTCGTCG TGACCATTGT	6940 6950 6960 6960 6960 6980 6980 7000 7000 7010 7020 6980 6980 7000 7010 7020 6940 6940 6950 CTACAGAGTT CTTGAAGTGG TGGCCTAACT ACGCCTACA TAGAGGACA GTATTTGGTA GGATTAGCAG ACCGAGGTAT GTAGGCGCAC GATGTCTCAA GAACTTCAC ACCGATTGA TGCCGATGTG ATCTTCCTGT CATAAACCAT	1110 1040 1050 1060 1060 1010 1010 1010 1010 101	7120 7130 7140 7150 7160 7170 7180 7200 7200 7200 7200 7200 7200 7200 72
6310 6320 6330 CTTYCCAGTE GGGAAACCTG TCGTGCCAGC GAAAGGTEAG CCCTTTGGAC AGCACGGTCG	6410 CACTGACTCG GTGACTGAGC	6500 TAACGCAGGA ATTGCGTCCT	6590 CCCCCTGAC GGGGGACTG	6680 AAGCTCCCTC	6770 ATGCTCACGC TACGAGTGCG	6860 CGCCTTATCC GCGGAATAGG	6950 AGCGAGGTAT TCGCTCCATA	7040 GCTGAAGCCA CGACTTCGGT	7130 GCAGCAGATT CGTCGTCTAA
6310 CTTTCCAGTC GAAAGGTCAG	6400 CITCCTCGCT GAAGGAGCGA	6490 AATCAGGGGA TTAGTCCCCT	6580 ATAGGCTCCG	6670 TTCCCCCTGG	6760 CGCTTTCACA	6850 CCGACCGCTG	6940 GGATTAGCAG CCTAATCGTC	7030 TCTGCGCTCT	7120 TTGTTTGCAA AACAAACGTT

Figure 14 (continued)



7290	7380	7470	7560	7650	7740	7830	7920	8010	8100
TTTAAATCAA	TYYCGTYCAT	CCGCGAGACC	TCCGCCTCCA	ACAGGCATCG	TTGTGCAAAA	CTGCATAATT	CGGCGACCGA	TCTTCGGGGC	TTTACTTTCA
AAATTTAGTT	AAAGCAAGTA	GGCGCTCTGG	AGGCGGAGGT	TGTCCGTAGC	AACACGTTTT	GACGTATTAA	GCCGCTGGCT	AGAAGCCCCG	AAATGAAAGT
AAAATGAAGT 1 TITIACTICA A	AGTGAGGCAC CTATCTCAGC GATCTGTCTA TITCGTTCAT TCACTCCGTG GATAGAGTCG CTAGACAGAT AAAGCAAGTA				7730 7730 77CCCCAAAA ATCCCCCATG TTGTGCAAAA TAGGGGGTAC AACACGTTTT	7820 TATGGCAGCA ATACCGTCGT	7910 ATAGTGTATG C TATCACATAC G	8010 TCGAAAACGT TCTTCGGGCC ACCTTTTGCA AGAAGCCCCG	8090 TTCAGCATCT T AAGTCGTAGA A
7270 TTTTAAATTA AAAATTTAAT	7360 CTATCTCAGC GATAGAGTCG	7450 GCCCCAGTGC CGGGGTCACG	GCCGAGCGCA GAAGTGGTCC TGCAACTTTA CGGCTCGCGT CTTCACCAGG ACGTTGAAAT	7630 7640 GCAACGTIGT TGCCATTGCT CGTTGCACA ACGGTAACGA	7720 GAGTTACATG CTCAATGTAC	CACTCATGGT GTGAGTACTA	7900 CATTCTGAGA GTAAGACTCT	7990 TGCTCATCAT ACGAGTAGTA	8080 CCAACTGATC
7260	7350	7440	7530	7620	7710	7800	7890	ACTITAAAAG TOTATCGTCT TGAAATTTTC	8070
ACCTAGATCC	AGTGAGGCAC	TTACCATCTG	GCCGAGCGCA	AATAGTTTGC	CGATCAAGGC	GCAGTGTTAT	TCAACCAAGT		ACTCGTGCAC
TGGATCTAGG	TCACTCCGTG	AATGGTAGAC	CGGCTCGCGT	TTATCAAACG	GCTAGTTCCG	CGTCACAATA	AGTTGGTTCA		TGAGCACGTG
7250	7340	7430	7520	7610	7700	7790 7800	7880	7970	8060
AAGGATCTTC	ATGCTTAATC	ACGGGAGGGC	AGCCGGAAGG	TTCGCCAGTT	CGGTTCCCAA	TAAGTIGGCC GCAGIGITAT	TGGTGAGTAC	ACATAGCAGA	GATGTAACCC
TTCCTAGAAG	TACGAATTAG	TGCCCTCCCG	TCGGCCTTCC	AAGCGGTCAA	GCCAAGGGTT	ATTCAACCGC CGICACAATA	ACCACTCATG	TGTATCGTCT	CTACATTGGG
7240 GATTATCAAA CTAATAGTTT	ACTIGGICIG ACAGITACCA AIGCITAAIC TGAACCAGAC IGICAAIGGI IACGAAITAG	7420 TAACTACGAT ATTGATGCTA	7510 TAAACCAGCC ATTTGGTCGG	7600 GAGTAAGTAG CTCATTCATC	7690 CATTCAGCTC GTAAGTCGAG	7780 TTGTCAGAAG AACAGTCTTC	7870 TTTCTGTGAC AAAGACACTG		B050 GATCCAGTIC CTAGGICAAG
7230 7230	7310 7320	CTGACTCCCC GTCGTGTAGA TAACTACGAT ACGGGAGGGC TTACCATCTG GACTGAGGGG CAGCACATCT ATTGATGCTA TGCCCTCCCG AATGGTAGAC	7490 7500	7590	7680	7770	7860	7950	8040
TTAAGGGATT TTGGTCATGA	ATATCAGTAA ACTTGGTCTG		GGCTCCAGAT TTATCAGCAA	CGGGAAGCTA	GGTATGGCTT	CCTCCGATCG	GTAAGATGCT	ATACGGGATA	CCGCTGTTGA
AATTCCCTAA AACCAGTACT	TATACTCATT TGAACCAGAC		CCGAGGTCTA AATAGTCGTT	GCCCTTCGAT	CCATACCGAA	GGAGGCTAGC	CATTCTACGA	TATGCCCTAT	GCCGACAACT
7220	7310	7400	7490	7580	7670	7760	7850	7940	8030
TTAAGGGATT	ATATGAGTAA	CTGACTCCCC	GGCTCCAGAT	TAATTGTTGC	CTCGTCGTTT	CTCCTTCGGT	CATGCCATCC	CCCGGCGTCA	AAGGATCTTA
AATTCCCTAA	TATACTCATT	GACTGAGGGG	CCGAGGTCTA	ATTAACAACG	GAGCAGCAAA	GAGGAAGCCA	GTACGGTAGG	GGGCCGCAGT	TTCCTAGAAT
7210	7300	7390	7480	7570	7660	7750	7840	7930	8020
AAAACTCACG	TCTAAAGTAT	CCATAGTTGC	CACGCTCACC	TCCAGTCTAT	TGGTGTCACG	AAGCGGTTAG	CTCTTACTGT	GTTGCTCTTG	GAAAACTCTC
TYTYGAGYGC	AGATTTCATA	GGTATCCAACG	GTGCGAGTGG	AGGTCAGATA	ACCACAGTGC	TTCGCCAATC	GAGAATGACA	CAACGAGAAC	CTTTTGAGAG

Figure 14 (continued)

8190 CTCATACTCT GAGTATGAGA	8280 AAACAAATAG TITIGITITATC	
8180 ATGTTGAATA TACAACTTAT	8270 TTAGAAAAT AATCTTTTTA	
8170 CGACACGGAA GCTGTGCCTT	8260 TTGAATGTAT AACTTACATA	
8160 GGAATAAGGG CCTTATTCCC	8250 GGATACATAT CCTATGTATA	
8150 CGCAAAAAAG GCGTTTTTTC	### ### ##############################	8330 G
8110 8120 8130 8140 8150 8150 8160 8170 8180 8190 8190 CCAGCGTTTC TGGTGAGCA AAAACAGGAA GGCAAAAAAG GGAATAAGGG CGACACGGAA ATGTTGAATA CTCATACTCT GGTCGCAAAG ACCCACTCGT TTTTGTCCTT CGTTTTTACG GCGTTTTTTC CCTTATTCCC GCTGTGCCTT TACAACTTAT GAGTATGAGA	8280 8250 8260 8270 8230 8230 8250 8250 8260 8260 8270 8280 RCCTTTTTCA ATATTATCA AGGGTTATTG TCTCATGAGC GGATACATAT TTGAATGTA TTAGAAAAAT AAACAAATAG AGGAAAAAAGT TCGTAAATAG TCCCAATAAC AGAGTACTCG CCTATGTATA AACTTACATA AATCTTTTTA TTTGTTTATC	9300 8310 8320 3GGTTCCGCG CACATTTCCC CGAAAGTGC CACCTGACGT C CCCAAGGCGC GTGTAAAGGG GCTTTTTCACG GTGGACTGCA G
8130 AAAACAGGAA TYYYYGTCCTY	8220 AGCATTTATC TCGTAAATAG	8310 CGAAAAGTGC GCTTTTCACG
8120 TGGGTGAGCA ACCCACTCGT	8210 ATATTATTGA TATAATAACT	8300 CACATTTCCC GTGTAAAGGG
8110 CCAGCGTTTC GGTCGCAAAG	8200 TCCTTTTTCA AGGAAAAGT	8290 GGGTTCCGCG CCCAAGGCGC

Figure 14 (continued)

PCT/US97/13562

Comparison of whole chiBR96 and deleted CH2 chiBR96 on Ley/K ELISA




Figure 15

hBR96-2B: L235 to A235 and G237 to A237

hBR96-2C: E318 to S318, K320 to S320, and K322 to S322

hBR96-2D: P331 to A331

hBR96-2E: L235 to A235, G237 to A237, E318 to S318, K320 to S320, and

K322 to S322


hBR96-2F: L235 to A235, G237 to A237, and P331 to A331

hBR96-2G: E318 to S318, K320 to S320, K322 to S322, and P331 to A331

hBR96-2H: L235 to A235, G237 to A237, E318 to S318, K320 to S320, K322 to

S322, and P331 to A331

Figure 16



BNSDOCID: <WO 9805787A1>

FIGURE 17

FIGURE 18A

1	GGTACCAATT	TAAATTGATA	TCTCCTTAGG	TCTCGAGTCT	CTAGATAACC
51	GGTCAATCGA	TTGGAATTCT	TGCGGCCGCT	TGCTAGCCAC	CATGGAGTTG
101	TGGTTAAGCT	TGGTCTTCCT	TGTCCTTGTT	TTAAAAGGTG	TCCAGTGTGA
151	AGTGCAACTG	GTGGAGTCTG	GGGGAGGCTT	AGTGCAGCCT	GGAGGGTCCC
201	TGCGACTTTC	CTGTGCTGCA	TCTGGATTCC	CGTTCAGTGA	CTATTACATG
251	TATTGGGTTC	GCCAGGCTCC	AGGCAAGGGA	CTGGAGTGGG	TCTCATACAT
301	TAGTCAAGAT	GGTGATATAA	CCGACTATGC	AGACTCCGTA	AAGGGTCGAT
351	TCACCATCTC	CAGAGACAAT	GCAAAGAACA	GCCTGTACCT	GCAAATGAAC
401	AGCCTGAGGG	ACGAGGACAC	AGCCGTGTAT	TACTGTGCAA	GAGGCCTGGC
451	GGACGGGGCC	TGGTTTGCTT	ACTGGGGCCA	AGGGACTCTG	GTCACGGTCT
501	CTTCCGCTAG	CACCAAGGGC	CCATCGGTCT	TCCCCCTGGC	ACCCTCCTCC
551	AAGAGCACCT	CTGGGGGCAC	AGCGGCCCTG	GGCTGCCTGG	TCAAGGACTA
601	CTTCCCCGAA	CCGGTGACGG	TGTCGTGGAA	CTCAGGCGCC	CTGACCAGCG
651	GCGTGCACAC	CTTCCCGGCT	GTCCTACAGT	CCTCAGGACT	CTACTCCCTC
701	AGCAGCGTGG	TCACCGTGCC	CTCCAGCAGC	TTGGGCACCC	AGACCTACAT
751	CTGCAACGTG	AATCACAAGC	CCAGCAACAC	CAAGGTGGAC	AAGAAAGTTG
801	GTGAGAGGCC	AGCACAGGGA	GGGAGGGTGT	CTGCTGGAAG	CCAGGCTCAG
851	CGCTCCTGCC	TGGACGCATC	CCGGCTATGC	AGCCCCAGTC	CAGGGCAGCA
901	AGGCAGGCCC	CGTCTGCCTC	TTCACCCGGA	GGCCTCTGCC	CGCCCCACTC
951	ATGCTCAGGG	AGAGGGTCTT	CTGGCTTTTT	CCCCAGGCTC	TGGGCAGGCA
1301	CAGGCTAGGT	GCCCCTAACC	CAGGCCCTGC	ACACAAAGGG	GCAGGTGCTG
1051	GGCTCAGACC	TGCCAAGAGC	CATATCCGGG	AGGACCCTGC	CCCTGACCTA
1101	AGCCCACCCC	AAAGGCCAAA	CTCTCCACTC	CCTCAGCTCG	GACACCTTCT
1151	CTCCTCCCAG	ATTCCAGTAA	CTCCCAATCT	TCTCTCTGCA	GAGCCCAAAT
1201	CTTGTGACAA	AACTCACACA	TGCCCACCGT	GCCCAGGTAA	GCCAGCCCAG
1251	GCCTCGCCCT	CCAGCTCAAG	GCGGGACAGG	TGCCCTAGAG	TAGCCTGCAT
1301	CCAGGGACAG	GCCCCAGCCG	GGTGCTGACA	CGTCCACCTC	CATCTCTTCC

1351	TCAGCACCTG	AACTOTTGGG	A37 GGGACCGTCA	GTCTTCCTCT	TCCCCCCAAA
1401	ACCCAAGGAC	ACCCTCATGA	TCTCCCGGAC	CCCTGAGGTC	ACATGCGTGG
1451	TGGTGGACGT	GAGCCACGAA	GACCCTGAGG	TCAAGTTCAA	CTGGTACGTG
1501	GACGGCGTGG	AGGTGCATAA	TGCCAAGACA	AAGCCGCGGG	AGGAGCAGTA
1551	CAACAGCACG		TCAGCGTCCT	CACCGTCCTG	CACCAGGACT
1601	GGCTGAATGG	CAAGGAGTAC	AAGIGCRAGG	TCTCCAACAA	AGCCCTCCCA
1651	GCCCCATCG	AGAAAACCAT	CTCCAAAGCC	AAAGGTGGGA	CCCGTGGGGT
1701	GCGAGGGCCA	CATGGACAGA	GGCCGGCTCG	GCCCACCCTC	TGCCCTGAGA
1751	GTGACCGCTG	TACCAACCTC	TGTCCCTACA	GGGCAGCCCC	GAGAACCACA
1801	GGTGTACACC	CTGCCCCCAT	CCCGGGATGA	GCTGACCAAG	AACCAGGTCA
1851	GCCTGACCTG	CCTGGTCAAA	GĠCTTCTATC	CCAGCGACAT	CGCCGTGGAG
1901	TGGGAGAGCA	ATGGGCAGCC	GGAGAACAAC	TACAAGACCA	CGCCTCCCGT
1951	GCTGGACTCC	GACGGCTCCT	TCTTCCTCTA	CAGCAAGCTC	ACCGTGGACA
2001	AGAGCAGGTG	GCAGCAGGGG	AACGTCTTCT	CATGCTCCGT	GATGCATGAG
2051	GCTCTGCACA	ACCACTACAC	GCAGAAGAGC	CTCTCCCTGT	CTCCGGGTAA
2101	ATGAGTGCGA	CGGCCGGCAA	GCCCCCGCTC	CCCGGGCTCT	CGCGGTCGCA
2151	CGAGGATGCT	TGGCACGTAC	CCCCTGTACA	TACTTCCCGG	GCGCCCAGCA
2201	TGGAAATAAA	GCACCCAGCG	CTGCCCTGGG	CCCCTGCGAG	ACTGTGATGG
2251	TTCTTTCCAC	GGGTCAGGCC	GAGTCTGAGG	CCTGAGTGGC	ATGAGGGAGG
2301	CAGAGCGGGT	CCCACTGTCC	CCACACTGGC	CCAGGCTGTG	CAGGTGTGCC
2351	TGGGCCCCCT	AGGGTGGGC	TCAGCCAGGG	GCTGCCCTCG	GCAGGGTGGG
2401	GGATTTGCCA	GCGTGGCCCT	CCCTCCAGCA	GCACCTGCCC	TGGGCTGGGC
2451	CACGGGAAGC	CCTAGGAGCC	CCTGGGGACA	GACACACAGC	CCCTGCCTCT
2501	GTAGGAGACT	GTCCTGTTCT	GTGAGCGCCC	CTGTCCTCCC	GACCTCCATG
2551	CCCACTCGGG	GGCATGCCTA	GTCCATGTGC	GTAGGGACAG	GCCCTCCCTC
2601	ACCCATCTAC	CCCCACGGCA	CTAACCCCTG	GCTGCCCTGC	CCAGCCTCGC
2651	ACCCGCATGG	GGACACAACC	GACTCCGGGG	ACATGCACTC	TCGGGCCCTG
2701	TGGAGGGACT	GGTGCAGATG	CCCACACACA	CACTCAGCCC	AGACCCGTTC
2751	AACAAACCCC	GCACTGAGGT	TGGCCGGCCA	CACGGCCACC	ACACACACAC
2801	GTGCACGCCT	CACACACGGA	GCCTCACCCG	GGCGAACTGC	ACAGCACCCA
		F	IGURE 18B		29156

FIGURE 18B

PCT/US97/13562

2851	GACCAGAGCA	AGG : CCTCGC	ACACGTGAAC	ACTCCTCGGA	CACAGGCCCC
2901	CACGAGCCCC	ACGCGGCACC	TCAAGGCCCA	CGAGCCTCTC	GGCAGCTTCT
2951	CCACATGCTG	ACCTGCTCAG	ACAAACCCAG	CCCTCCTCTC	ACAAGGGTGC
3001	CCCTGCAGCC	GCCACACACA	CACAGGGGAT	CACACACCAC	GTCACGTCCC
3051	TGGCCCTGGC	CCACTTCCCA	GTGCCGCCCT	TCCCTGCAGG	ACGGATCAGC
3101	CTCGACTGTG	CCTTCTAGTT	GCCAGCCATC	TGTTGTTTGC	CCCTCCCCG
3151	TGCCTTCCTT	GACCCTGGAA	GGTGCCACTC	CCACTGTCCT	TTCCTAATAA
3201	AATGAGGAAA	TTGCATCGCA	TTGTCTGAGT	AGGTGTCATT	CTATTCTGGG
3251	GGGTGGGGTG	GGGCAGGACA	GCAAGGGGGA	GGATTGGGAA	GACAATAGCA
3301	GGCATGCTGG	GGATGCGGTG	GGCTCTATGG	CTTCTGAGGC	GGAAAGAACC
3351	AGCTGGGGCT	CTAGGGGGTA	TCCCCACGCG	CCCTGTAGCG	GCGCATTAAG
3401	CGCGGCGGGT	GTGGTGGTTA	CGCGCAGCGT	GACCGCTACA	CTTGCCAGCG
3451	CCCTAGCGCC	CGCTCCTTTC	GCTTTCTTCC	CTTCCTTTCT	CGCCACGTTC
3501	GCCGGGCCTC	TCAAAAAAGG	GAAAAAAAGC	ATGCATCTCA	ATTAGTCAGC
3551	AACCATAGTC	CCGCCCTAA	CTCCGCCCAT	CCCGCCCCTA	ACTCCGCCCA
3601	GTTCCGCCCA	TTCTCCGCCC	CATGGCTGAC	TAATTTTTTT	TATTTATGCA
3651	GAGGCCGAGG	CCGCCTCGGC	CTCTGAGCTA	TTCCAGAAGT	AGTGAGGAGG
3701	CTTTTTTGGA	GGCCTAGGCT	TTTGCAAAAA	GCTTGGACAG	CTCAGGGCTG
3751	CGATTTCGCG	CCAAACTTGA	CGGCAATCCT	AGCGTGAAGG	CTGGTAGGAT
3801	TTTATCCCCG	CTGCCATCAT	GGTTCGACCA	TTGAACTGCA	TCGTCGCCGT
3851	GTCCCAAAAT	ATGGGGATTG	GCAAGAACGG	AGACCTACCC	TGGCCTCCGC
3901	TCAGGAACGA	GTTCAAGTAC	TTCCAAAGAA	TGACCACAAC	CTCTTCAGTG
3951	GAAGGTAAAC	AGAATCTGGT	GATTATGGGT	AGGAAAACCT	GGTTCTCCAT
4001	TCCTGAGAAG	AATCGACCTT	TAAAGGACAG	AATTAATATA	GTTCTCAGTA
4051	GAGAACTCAA	AGAACCACCA	CGAGGAGCTC	ATTTTCTTGC	CAAAAGTTTG
4101	GATGATGCCT	TAAGACTTAT	TGAACAACCG	GAATTGGCAA	GTAAAGTAGA
4151	CATGGTTTGG	ATAGTCGGAG	GCAGTTCTGT	TTACCAGGAA	GCCATGAATC
4201	AACCAGGCCA	CCTTAGACTC	TTTGTGACAA	GGATCATGCA	GGAATTTGAA
4251	AGTGACACGT	TTTTCCCAGA	AATTGATTTG	GGGAAATATA	AACTTCTCCC
4301	AGAATACCCA	GGCGTCCTCT	CTGAGGTCCA	GGAGGAAAA	GGCATCAAGT

FIGURE 18C

4351	ATAAGTTTGA	AGTCTACGAG	AAGAAAGACT	AACAGGAAGA	TGCTTTCAAG
4401	TTCTCTGCTC	CCCTCCTAAA	GCTATGCATT	TTTATAAGAC	CATGGGACTT
4451	TTGCTGGCTT	TAGATCTCTT	TGTGAAGGAA	CCTTACTTCT	GTGGTGTGAC
4501	ATAATTGGAC	AAACTACCTA	CAGAGATTTA	AAGCTCTAAG	GTAAATATAA
4551	AATTTTTAAG	TGTATAATGT	GTTAAACTAC	TGATTCTAAT	TGTTTGTGTA
4601	TTTTAGATTC	CAACCTATGG	AACTGATGAA	TGGGAGCAGT	GGTGGAATGC
4651	CTTTAATGAG	GAAAACCTGT	TTTGCTCAGA	AGAAATGCCA	TCTAGTGATG
4701	ATGAGGCTAC	TGCTGACTCT	CAACATTCTA	CTCCTCCAAA	AAAGAAGAGA
4751	AAGGTAGAAG	ACCCCAAGGA	CTTTCCTTCA	GAATTGCTAA	GTTTTTTGAG
4801	TCATGCTGTG	TTTAGTAATA	GAACTCTTGC	TTGCTTTGCT	ATTTACACCA
4851	CAAAGGAAAA	AGCTGCACTG	CTATACAAGA	AAATTATGGA	AAAATATTCT
4901	GTAACCTTTA	TAAGTAGGCA	TAACAGTTAT	AATCATAACA	TACTGTTTTT
4951	TCTTACTCCA	CACAGGCATA	GAGTGTCTGC	TATTAATAAC	TATGCTCAAA
5001	AATTGTGTAC	CTTTAGCTTT	TTAATTTGTA	AAGGGGTTAA	TAAGGAATAT
5051	TTGATGTATA	GTGCCTTGAC	TAGAGATCAT	AATCAGCCAT	ACCACATTTG
5101	TAGAGGTTTT	ACTTGCTTTA	AAAAACCTCC	CACACCTCCC	CCTGAACCTG
5151	AAACATAAAA	TGAATGCAAT	TGTTGTTGTT	AACTTGTTTA	TTGCAGCTTA
5201	TAATGGTTAC	AAATAAAGCA	ATAGCATCAC	AAATTTCACA	AATAAAGCAT
5251	TTTTTTCACT	GCATTCTAGT	TGTGGTTTGT	CCAAACTCAT	CAATGTATCT
5301	TATCATGTCT	GGATCGGCTG	GATGATCCTC	CAGCGCGGG	ATCTCATGCT
5351	GGAGTTCTTC	GCCCACCCCA	ACTTGTTTAT	TGCAGCTTAT	AATGGTTACA
5401	AATAAAGCAA	TAGCATCACA	AATTTCACAA	ATAAAGCATT	TTTTTCACTG
5451	CATTCTAGTT	GTGGTTTGTC	CAAACTCATC	AATGTATCTT	ATCATGTCTG
5501	TATACCGTCG	ACCTCTAGCT	AGAGCTTGGC	GTAATCATGG	TCATAGCTGT
5551	TTCCTGTGTG	AAATTGTTAT	CCGCTCACAA	TTCCACACAA	CATACGAGCC
5601	GGAAGCATAA	AGTGTAAAGC	CTGGGGTGCC	TAATGAGTGA	GCTAACTCAC
5651	ATTAATTGCG	TTGCGCTCAC	TGCCCGCTTT	CCAGTCGGGA	AACCTGTCGT
5701	GCCAGCTGCA	TTAATGAATC	GGCCAACGCG	CGGGGAGAGG	CGGTTTGCGT
5751	ATTGGGCGCT	CTTCCGCTTC	CTCGCTCACT	GACTCGCTGC	GCTCGGTCGT
5801	TCGGCTGCGG	CGAGCGGTAT	CAGCTCACTC	AAAGGCGGTA	ATACGGTTAT

31/56

PCT/US97/13562

5351	CCACAGAATC	AGGGGATAAC	GCAGGAAAGA	ACATGTGAGC	AAAAGGCCAG
5901	CAAAAGGCCA	GGAACCGTAA	AAAGGCCGCG	TTGCTGGCGT	TTTTCCATAG
5951	GCTCCGCCCC	CCTGACGAGC	ATCACAAAAA	TCGACGCTCA	AGTCAGAGGT
6001	GGCGAAACCC	GACAGGACTA	TAAAGATACC	AGGCGTTTCC	CCCTGGAAGC
6051	TCCCTCGTGC	GCTCTCCTGT	TCCGACCCTG	CCGCTTACCG	GATACCTGTC
6101	CGCCTTTCTC	CCTTCGGGAA	GCGTGGCGCT	TTCTCAATGC	TCACGCTGTA
6151	GGTATCTCAG	TTCGGTGTAG	GTCGTTCGCT	CCAAGCTGGG	CTGTGTGCAC
6201	GAACCCCCCG	TTCAGCCCGA	CCGCTGCGCC	TTATCCGGTA	ACTATCGTCT
6251	TGAGTCCAAC	CCGGTAAGAC	ACGACTTATC	GCCACTGGCA	GCAGCCACTG
6301	GTAACAGGAT	TAGCAGAGCG	AGGTATGTAG	GCGGTGCTAC	AGAGTTCTTG
6351	AAGTGGTGGC	CTAACTACGG	CTACACTAGA	AGGACAGTAT	TTGGTATCTG
6401	CGCTCTGCTG	AAGCCAGTTA	CCTTCGGAAA	AAGAGTTGGT	AGCTCTTGAT
6451	CCGGCAAACA	AACCACCGCT	GGTAGCGGTG	GTTTTTTTGT	TTGCAAGCAG
6501	CAGATTACGC	GCAGAAAAA	AGGATCTCAA	GAAGATCCTT	TGATCTTTTC
6551	TACGGGGTCT	GACGCTCAGT	GGAACGAAAA	CTCACGTTAA	GGGATTTTGG
6601	TCATGAGATT	ATCAAAAAGG	ATCTTCACCT	AGATCCTTTT	AAATTAAAAA
6651	TGAAGTTTTA	AATCAATCTA	AAGTATATAT	GAGTAAACTT	GGTCTGACAG
5701	TTACCAATGC	TTAATCAGTG	AGGCACCTAT	CTCAGCGATC	TGTCTATTTC
6751	GTTCATCCAT	AGTTGCCTGA	CTCCCCGTCG	TGTAGATAAC	TACGATACGG
6801	GAGGGCTTAC	CATCTGGCCC	CAGTGCTGCA	ATGATACCGC	GAGACCCACG
6851	CTCACCGGCT	CCAGATTTAT	CAGCAATAAA	CCAGCCAGCC	GGAAGGGCCG
6901	AGCGCAGAAG	TGGTCCTGCA	ACTTTATCCG	CCTCCATCCA	GTCTATTAAT
6951	TGTTGCCGGG	AAGCTAGAGT	AAGTAGTTCG	CCAGTTAATA	GTTTGCGCAA
7001	CGTTGTTGCC	ATTGCTACAG	GCATCGTGGT	GTCACGCTCG	TCGTTTGGTA
7051	TGGCTTCATT	CAGCTCCGGT	TCCCAACGAT	CAAGGCGAGT	TACATGATCC
7101	CCCATGTTGT	GCAAAAAAGC	GGTTAGCTCC	TTCGGTCCTC	CGATCGTTGT
7151	CAGAAGTAAG	TTGGCCGCAG	TGTTATCACT	CATGGTTATG	GCAGCACTGC
7201	ATAATTCTCT	TACTGTCATG	CCATCCGTAA	. GATGCTTTTC	TGTGACTGGT
7251	GAGTACTCAA	CCAAGTCATT	CTGAGAATAG	TGTATGCGGC	GACCGAGTTG
7301	CTCTTGCCCG	GCGTTAATAC	GGGATAATAC	CGCGCCACAT	AGCAGAACTT

FIGURE 18E 37/56

7351	TAAAAGTGCT	CATCATTGGA	AAACGTTCTT	CGGGGCGAAA	ACTCTCAAGG
7401	ATCTTACCGC	TGTTGAGATC	CAGTTCGATG	TAACCCACTC	GTGCACCCAA
7451	CTGATCTTCA	GCATCTTTTA	CTTTCACCAG	CGTTTCTGGG	TGAGCAAAA
7501	CAGGAAGGCA	AAATGCCGCA	AAAAAGGGAA	TAAGGGCGAC	ACGGAAATGT
7551	TGAATACTCA	TACTCTTCCT	TTTTCAATAT	TATTGAAGCA	TTTATCAGGG
7601	TTATTGTCTC	ATGAGCGGAT	ACATATTTGA	ATGTATTTAG	AAAAATAAAC
7651	AAATAGGGGT	TCCGCGCACA	TTTCCCCGAA	AAGTGCCACC	TGACGTCGAC
7701	GGATCGGGAG	ATCTGCTAGG	TGACCTGAGG	CGCGCCGGCT	TCGAATAGCC
7751	AGAGTAACCT	TTTTTTTAA	TTTTATTTTA	TTTTATTTT	GAGATGGAGT
7801	TTGGCGCCGA	TCTCCCGATC	CCCTATGGTC	GACTCTCAGT	ACAATCTGCT
7851	CTGATGCCGC	ATAGTTAAGC	CAGTATCTGC	TCCCTGCTTG	TGTGTTGGAG
7901	GTCGCTGAGT	AGTGCGCGAG	CAAAATTTAA	GCTACAACAA	GGCAAGGCTT
7951	GACCGACAAT	TGCATGAAGA	ATCTGCTTAG	GGTTAGGCGT	TTTGCGCTGC
8001	TTCGCGATGT	ACGGGCCAGA	TATACGCGTT	GACATTGATT	ATTGACTAGT
8051	TATTAATAGT	AATCAATTAC	GGGGTCATTA	GTTCATAGCC	CATATATGGA
8101	GTTCCGCGTT	ACATAACTTA	CGGTAAATGG	CCCGCCTGGC	TGACCGCCCA
8151	ACGACCCCCG	CCCATTGACG	TCAATAATGA	CGTATGTTCC	CATAGTAACG
8201	CCAATAGGGA	CTTTCCATTG	ACGTCAATGG	GTGGACTATT	TACGGTAAAC
8251	TGCCCACTTG	GCAGTACATC	AAGTGTATCA	TATGCCAAGT	ACGCCCCTA
8301	TTGACGTCAA	TGACGGTAAA	TGGCCCGCCT	GGCATTATGC	CCAGTACATG
8351	ACCTTATGGG	ACTTTCCTAC	TTGGCAGTAC	ATCTACGTAT	TAGTCATCGC
8401	TATTACCATG	GTGATGCGGT	TTTGGCAGTA	CATCAATGGG	CGTGGATAGC
8451	GGTTTGACTC	ACGGGGATTT	CCAAGTCTCC	ACCCCATTGA	CGTCAATGGG
8501	AGTTTGTTTT	GGCACCAAAA	TCAACGGGAC	TTTCCAAAAT	GTCGTAACAA
8551	CTCCGCCCCA	TTGACGCAAA	TGGGCGGTAG	GCGTGTACGG	TGGGAGGTCT
8601	ATATAAGCAG	AGCTCTCTGG	CTAACTAGAG	AACCCACTGC	TTACTGGCTT
8551	ATCGAAATTA	ATACGACTCA	CTATAGGGAG	ACCCAAGCTT	

FIGURE 18F

<u>ෆ</u>
_
_ +
_
_
\Box
d

4

9

20

40

60 GGTCAATCGA CCAGTTAGCT	120 CCTGGCACCC GGACCGTGGG	180 GGACTACTTC CCTGATGAAG	240 GCACACCTTC CGTGTGGAAG	300 CG'IGCCCTVCC GCACGGGAGG	360 CAACACCAAG GT'IGTGGT'IC	420 TGGAAGCCAG ACCTICGGTC	480 GCAGCAAGGC CGTCG1TCCG	540 TCAGGGAGAG AGTCCCTCTC	003
30 40 50 TCTCCTTAGG TCTCGAGTCT CTAGATAACC GGTCAATCGA AGAGGAATCC AGAGCTCAGA GATCTATTGG CCAGTTAGCT	AAGGCCCAT CGGTCTTCCC CCTGGCACCC TTCCCGGGTA GCCAGAAGG GGACCGTGGG	GCACCTCTGG GGCACAGCG GCCCTGGGCT GCCTGGTCAA GGACTACTTC CGTGGAGACC CGGGACCCCA CGGACCAGTT CCTGATGAAG	TGACGGTGTC GTGGAACTCA GGCGCCCTGA CCAGCGGCGT ACTGCCACAG CACCTTGAGT CCGCGGGACT GGTCGCCGCA	TACAGTCCTC AGGACTCTAC TCCCTCAGCA GCGTGGTCAC ATGTCAGGAG TCCTGAGATG AGGGAGTCGT CGCACCAGTG	350 AACGTGAATC ACAAGCCCAG TTGCAC1TAG TGTTCGGGTC	CAGGGAGGGA GGGTGTCTGC TGGAAGCCAG GTCCCTCCCT CCCACAGACG ACCTTCGGTC	430 440 450 460 450 460 CTGCCAGTCCAGG GCAGCAAGGC CGAGTCCCAGG GCAGCAAGGC CGAGTCCCAGG GCAGCAAGGC CGAGTCGCGA GGACGGACCT GCGTAGGGCC GATACGTCGG GGTCAGGGTCC CGTCGTTCCG	490 530 530 540 540 500 AGCCCCCC CCACTCATGC TCAGGGAGAG TCCGCCCCCC CCACTCATGC TCAGGGAGAG TCCCCCCCC CCACTCATGC TCAGGGAGAG TCCCCCCCCCC	
40 TCTCGAGTCT AGAGCTCAGA	100 AAGGGCCCAT TTCCCGGG'FA	160 GCCCTGGGCT CGGGACCCGA	220 GGCGCCCTGA CCGCGGGACT	280 TCCCTCAGCA AGGGAGTCGT	340 AACGTGAATC TTGCAC1TAG		160 CTATGCAGCC GATACGTCGG	520 TCTGCCCGCC AGACGGGCGG	
30 TCTCCTTAGG AGAGGAATCC	90 TGCTAGCACC ACGATCGTGG	150 GGGCACAGCG CCCGTGTCGC	210 GTGGAACTCA CACCTTGAGT	270 AGGACTCTAC TCCTGAGATG	330 CTACATCTGC GATGTAGACG	390 GAGGCCAGCA CTCCGGTCGT	450 CGCATCCCGG GCGTAGGGCC	510 CCCGGAGGCC GGGCCTCCGG	
20 30 GGTACCAA1T TAAATTGATA TCTCCTTAGG CCATGGTTAA ATTTAACTAT AGAGGAATCC	10 80 90 TTGGAAT''I'CT TGCGGCCGCT TGCTAGCACC AACCT'TAAGA ACGCCGGCGA ACGATCGTGG	140 GCACCTCTGG CGTGGAGACC		260 TACAGTCCTC ATGTCAGGAG	320 GCACCCAGAC CGTGGGTCTG	390 GYGGACAAGA AAGTYGGYGA GAGGCCAGCA CACCTGYTCY YYCCAACCACY CYCCGGTCGT	440 CCTGCCTGGA GGACGGACCT	500 TGCCTCTTCA ACGGAGAAGT	
10 GGTACCAA1T CCATGGTTAA	70 TYGGAATYICT AACCTYAAGA	130 TCCTCCAAGA AGGAGGTTCT	190 CCCGAACCGG GGGCTTGGCC	250 CCGGCTGTCC GGCCGACAGG	310 AGCAGCTTGG TCGTCGAACC	370 GTGGACAAGA CACCTGTTCT	430 GCTCAGCGCT CGAGTCGCGA	490 AGGCCCCGTC TCCGGGCCAG	1

34156

550 580 600 GGTCTTCTGG CAGGCACAGG CTAGGTGCCC CTAACCCAGG CUAGAAAAGGGG TCCGAGACCC GTCCGTGTCC GATCCACGG GATTGGGTCC

FIGURE 19 A

GAGINACAAGI TCCTCTTCCC CCCAAAACCC AAGGACACCC TCATGATCTC CCGGACCCCT GAGGTCACAT CACGAAGACC CTGAGGTCAA GTTCAACTGG TACGTGGACG CGCACCACCA CCTGCACITCG GTGCTTCTGG GACTCCAGITT CAAGTTGACC AIGCACCTGC 1140 CGCGGGGGG GCAGTACAAC AGCACGTACC CGCACCTCCA CGTATTACGG TICTGTTTCG GCGCCCTCCT) CGTCATGTTG TCGTGCATGG CTCAAGGUGG GACAGGTGCC CTAGAGTAGC CTGCATCCAG GGACAGGCCC CAGCCGGGTG GAGTTCCGCC CTGTCCACGG GACTTCCGGG GTCGGCCCAC 235 950237 960 QCTCGGGGGA CCGTCAGTCT AGGAGAAGGG GGGTITTIGGG ITTCCTGTGGG AGIACIIAGAG GGCCTGGGGA CTCCAGTGTA TGACAAAACT CACACATGCC CACCGTGCCC AGGTAAGCCA GCCCAGGCCT CGCCCTCCAG CCCTGCCCCT GACCTAAGCC CACCCCAAAG GCCAAACTCT CCACTCCCTC AGCTCGGACA GGGACGGGGA CTGGATYCGG GTGGGGTTYC CGGTYYGAGA GGTGAGGGAG YCGAGCCYGT CCTTCTCC TCCCAGATIC CAGTAACTCC CAATCTTCTC TCTGCAGAGC CCAAATCTTG GGAAGAGGG AGGGTCTAAG GTCATTGAGG GTTAGAAGAG AGACGTCTCG GGTTTAGAAC ACTG1"1TTGA GTGTGTACGG GTGGCACGGG TCCATTCGGT CGGGTCCGGA GCGGGAGGTC doactcccr cccagrcaga AAGAGCCATA TCCGGGAGGA GGGACCIGIG TITCCCCGIC CACGACCCGA GICTGGACGG ITCICGGIAI AGGCCCICCI CACACCACHE GEAGGAGIGG CAGGACGIGG ICCIGACCCA CHIACCGITIC CTUTGUICAG UGTCCTCACC GTCCTGCACC AGGACTGGCT GAATGGCAAG 1130 1010 GACTGTGCAG GTGGAGGTAG AGAAGGAGTC GTGGACTTGA 940 CTGACACGTC CACCTCCATC TCTTCCTCAG CACCTGAACT CCCTGCACAC AAAGGGGCAG GTGCTGGGCT CAGACCTGCC 1000 820 CCGTGCAGGT GCATAATGCC AAGACAAAGC 1170 1110 990 1050 810 930 750 GCGTGGTGGT GGACGTGAGC 1160 1100 1040 740 800 1150 1030 1090

FIGURE 19B

CCAGCGCTGC

1YCLAINGGGG ACAIGTATGA AGGGCCCGCG GGICGTACCT ITTATTTCGTG GGTCGCGACG

ACGTACCCCC TGTACATACT TCCCGGGCGC CCAGCATGGA AATAAAGCAC

CTACGAACCG

CCGAGAGCGC CAGCGTGCTC

1780

1770

CCCATTTACT

TTCTCGGAGA GGGACAGAGG

GTGCGACGGC CGGCAAGCCC CCGCTCCCCG GGCTCTCGCG GTCGCACGAG GATGCTTGGC

GGCGAGGGGC

CACGCTGCCG GCCGTTCGGG

pD17-hG1b

1240

123033

1210

AAAGCCAAAG ACCCTCTGCC ACCACAGGTG GACTCTCACT GGCGACATGG TTGGAGACAG GGATGTCCCG TCGGGGCTCT TGGTGTCTCAC TACACCCTGC CCCCATCCCG GGATGAGCTG ACCAAGAACC AGGTCAGCCT GACCTGCCTG ATCTGGGACG GGGGTAGGGC CCTACTCGAC TGGTTCTTGG TCCAGTCGGA CTGGACGGAC GCAGCCGGAG Trrcccrrrc TGGGAGACGG CAGTITICCGA AGATAGGGTC GCTGTAGCGG CACCTCACCC TCTCGTTACC CGTCGGCCTC CCTCTACAGC AAGCTCACCG TGGACAAGAG CAGGTGGCAG CAGGGGAACG 11C1TCTCATG CTCCGTGATG GTCCCCTTGC AGAAGAGTAC GAGGCACTAC GGGTAAATGA TIGITIGATOT TOTGGTGCGG AGGGCACGAC CTGAGGCTGC CGAGGAAGAA GGAGATGTCG creceaged edaregada aaceareree AGCCCCGAGA GCTCCTTCTT TTCGTAGAGG GCCTCGGCCC 1310 CCGAGCCGGG 1370 1430 GTGGAGTGGG AGAGCAATGG 1670 CANGAGGCITC INCOACAACCA CIACACGCAG AAGAGCCINCT CCCINTICC CTGAGAGTGA CCGCTGTACC AACCTCTGTC CCTACAGGGC GAGGGTCGG GGRAGCTCTT GTGGGACCCG TGGGGTGCGA GGGCCACATG GACAGAGGCC CCCGGTGTAC CTGTCTCCGG AACAACTACA AGACCACGCC TCCCGTGCTG GACTCCGACG 1300 1360 1480 1660 1540 GTCAAAGGCT TCTATCCCAG CGACATCGCC GTCCACCGTC 1350 1410 1470 1530 1650 GCAAGGTCTC CAACAAAGCC correcadas smermess ACCCCACGCT ACCTGTTCTC 1340 1460 1520 1640 CACCCTGGGC 1270 1510 TYCGAGINGGC 1630 1450

36/56

GTACTCCGAG ACGIGITICGT GATGTGCGTC

CTGAGGCCTG GGACCCCGGG ACCTCTGAC ACTACCAAGA AAGGTGCCCA GTCCGGCTCA GACTCCGGAC GCTGTGCAGG GGTGGGGGAT CCTTCGGGAT CGACACGTCC CCACCCCTA GGAAGCCCTA GGGACAGACA CACAGCCCCT GCCTCTGTAG GAGACTGTCC TGTTCTGTGA ACAAGACACT CTCGGGGGCA TGCTGGGGAT GCGGTGGGCT CHAITGGCITTC TCAGGCGGAA AGAACCAGCT GGGGCTCTAG GGGGTATCCC CACGCGCCCT GATACCGAAG ACTCCGCCTT TCTTGGTCGA CCCCGAGATC CCCCATAGGG GTGCGCGGGA COCOGOGACA GGAGGCCTGG AGGTACGGGT GAGCCCCCGT ACGACCCCTA CGCCACCCGA AGTGGCATGA GGGAGGCAGA GCGGGTCCCA CTGTCCCCAC ACTGGCCCAG CAGGCCGAGT CGCCCAGGGT GACAGGGGTG TGACCGGGTC CTGGGCCACG CCGGGAGGGA GGTCGTCGTG GACGGGACCC GACCCGGTGC CCCTCGGCAG CTCTGACAGG GGGAGCCGTC 1970 2030 2090 2150 2210 GGTCCCCGAC TGCGAGACIG TGATGGTTCT TTCCACGGGT GGCCCTCCCT CCAGCAGCAC CTGCCCTGGG CCCCCTAGGG 1GGGGCTCAG CCAGGGGCTG 1960 2020 2080 CCCTGTCTGT GYGTCGGGGA CGGAGACATC 2140 2200 ACCCCGAGTC 2010 2130 CCTCCCGACC TCCATGCCCA 1950 2070 2190 GGGGGATCCC CCCTCCGTCT 1940 2120 2180 TCACCGTACT TTGCCAGCGT GGAGCCCCTG GCCCCCTGT CCTGGGCCCC ACACGGACCC AACGGTCGCA TGYNCCTGGG CCTCGGGGAC 2110 2170

37/56

CGATGTGAAC

GTCGCACTGG

ACCAATGCGC

CCCCCACACC

TAATTCGCGC

CATCGCCGCG

2330

2320

TGCAAGCGGC

CCAGCGCCCT AGCGCCCGCT CCTTTCGCTT TCTTCCCTTC CTTTCTCGCC ACGTTCGCCG

2310

2300

GCINCECECE TUCCEGECEA GEAAAGUGAA AGAAGEGAAG GAAAGAGUGG

GTAGCUGCGC ATTAAGCGCG GCGGGIRTGG TGGTTACGCG CAGCGTGACC GCTACACTTG

2250

2260

TCAAGCTCTA AATCGGGGCA TCCCTTTAGG GTTCCGATTT AGTGCTTTAC

2380

2370

2360

GCTTTCCCCG

CGAAAGGGGC AGTTCGAGAT TTAGCCCCGT AGGGAAATCC CAAGGCTAAA TCACGAAATG

2460 CCATCGCCCT GGTAGCGGGA	2520 GGACTCTTGT CCTGAGAACA	2580 TAAGGGATTT ATTCCCTAAA	2640 AACGCGAATT TTGCGCTTAA	2700 CAGGCAGGCA GTCCGTCCGT	2760 CTAACTCCGC GATTGAGGCG	2820 TGACTAATTT ACTGATTAAA	2880 AAGTAGTGAG TTCATCACTC	2940 GCTGCGATTT CGACGCTAAA	3000 CCCGCTGCCA GCCCACGCT
2450 ACGTAGTGGG TGCATCACCC	2510 CTTTAATAGT GAAATTATCA	2580 2570 2580 CGGTCTATFC TPTGATFT TAAGGGATFT GCCAGATAAG AAAACTAAAT ATFCCCTAAA	2620 2630 AGCTGATTTA ACAAAAATTT TCGACTAAAAT TGTTTTTAAA	2690 CCAGGCTCCC GGTCCGAGGG	2750 AGTCCCGCCC TCAGGGCGGG	2800 2810 CCCATTCTCC GCCCCATGGC GGGTAAGAGG CGGGGTACCG	2870 GCTATTCCAG CGATAAGGTC	2930 ACAGCTCAGG TGTCGAGTCC	2990 GGATTTTATC CCI'NAAAI'NG
2440 GTGATGGTTC CACTACCAAG	2500 AGTCCACG1T TCAGGTGCAA		2620 AGCTGATTTA TCGACTAAAT	2680 TGGAAAGTCC ACCTTTCAGG	2740 CAGCAACCAT GTCGTTGGTA		2860 CGGCCTCTGA GCCGGAGACT	2910 2920 GGCTTTTGCA AAAAGCTFGG CCGAAAACGT TTTTCGAACC	2980 AAGGCTGGTA TTCCGACCA'F
2430 CTTGATTAGG GAACTAATCC	2490 TTTTCGCCCT TYGACGTYGG AAAAGCGGGA AACTGCAACC	2550 2550 AACAACACTC AACCCTATCT TYGTTGTGAG TYGGGATAGA	2600 2610 GGCCTATTGG TTAAAAATG CCGGATAACC AATTTTTTAC	2670 AGTTAGGGTG TCAATCCCAC	2730 CTCAATTAGT GAGTTAATCA	2790 CCCAGTYCCG GGGYCAAGGC	2840 2850 2860 TGCAGAGGCC GAGGCCGCCT CGGCCTCTGA ACGTCTCCGG CTCCGGCGGA GCCGGAGACT		2950 2950 2970 CGCGCCAAAC TTGACGCAA TCCTAGCGTG GCGCCCCIIIIIIIIC AACTGCCGTII AGGATCGCAC
2420 CCCCAAAAAA GGGGTTTTTTT		2540 AACAACACTC TTGTTGTGAG	2600 GGCCTATTGG CCGGATAACC	2660 AATGTGTGTC TTACACACAG	2720 AAGCATGCAT TTCGTACGTA	2780 CCTAACTCCG GGATTGAGGC		2900 TGGAGGCCTA ACCTCCGGAT	2960 TTGACGGCAA AACTGCCGTT
2410 GGCACCTCGA CCGTGGAGCT	2470 GATAGACGGT CTATCTGCCA	2530 TCCAAACTGG AGGTTTGACC	2590 TGGGGATTTC ACCCCTAAAG	2650 AATTCTGTGG TTAAGACACC	2710 GAAGTATGCA CTTCATACGT	2770 CCATCCCGCC GGTAGGGCGG	2830 TTTTTATTLA AAAATAAAT	2890 GAGGCTTYTY CTCCGAAAAA	2950 CGCGCCAAAC GCGCGCPPPPC
							38	156	

I CURE 1

TTTGGGGAAA TATAAACTTC

3470

3460

3450

GACAAATIGGIL CCTTICGGTAC

THAGITGGIC CGCTGGAATC TGAGAAACAC TGTTCCTAGT

AAGTATAAGT

ITTCATATTICA

TTTTCCGTAG

ACGICCITAA ACITICACIG IGCAAAAGG GICITITAACI AAACCCCITI ATAITIGAAG

3520

3510

TGCAGGAATT' TGAAAGTGAC ACGTTTTTTCC CAGAAATTGA

3440

3430

TCCCAGAATA CCCAGGCGTC CTCTCTGAGG TCCAGGAGGA AAAAGGCATC

AGGGICITIAT GGGTCCGCAG GAGAGACTCC AGGTCCTICCT

3560

TTGAAGTCTA CGAGAAGAAA GACTAACAGG AAGATGCTTT CAAGTTCTCT GCTCCCCTCC AACTICAGAI GUTCTICIIT CTGATIGICC TICTACGAAA GITCAAGAGA CGAGGGGAGG

pD17-hG1b

GCTCATTITIC TIGCCAAAAG TITIGGATGAT GCCTTAAGAC GGAGGCAGTT CIKITITACCA GGAAGCCAIG AAITCAACCAG GCCACCIIIAG ACTCTITIGIG ACAAGGAITCA CCTTTAAAGG ACAGAATTAA TATAGTTCTC AGTAGAAAC TGTCTTAATT ATATCAAGAG TCATCTTG ACITITIC TEGISCICCT CGAGTAAAAG AACGGITITIC AAACCIACTA CGGAATICITG CCTCCGTCAA TGCCTCTGGA TGGGACCGGA GGCGAGTCCT TGCTCAAGTT CATGAAGGTT TCTTACTGGT AGTGGAAGGT AAACAGAATC TGGTGATTAT GGGTAGGAAA ACCTGGTTCT TGGACCAAGA CCGTGTCCCA AAATATGGGG ATTGGCAAGA AGAATGACCA TAACCGTTCT TTATTGAACA ACCGGAATTG GCAAGTAAAG TAGACATGGT TTGGATAGTC AATAACTTGT TGGCCTTAAC CGTTCATTTC ATCTGTACCA AACCTATCAG 3410 3350 TTTATACCCC GTACTTCCAA GITGGAGAAG TCACCTTCCA TYTGTCTTAG ACCACTAATA CCCATCCTTT 3170 GGCACAGGGT ACCCTGGCCT CCGCTCAGGA ACGAGTTCAA 3280 3400 3160 3220 3100 CTTCTTAGCT GGAAATTTCC TCATGGITTCG ACCATTGAAC TGCATCGTCG TGGTAACTTG ACGTAGCAGC 3270 3390 3150 3210 3330 3090 CCATICCINGA GAAGAATCGA TCAAAGAACC ACCACGAGGA 3380 3320 3200 3260 3080 3140 CAACCTC'ITC 3370 ACGGAGACCT GGTAAGGACT AGTACCAAGC 3250 3310 3190 3130

29156

3490

3650

3640

3630

TCTTTGTGAA ATTTCGATAC GTAAAAATAT TCTGGTACCC TGAAAACGAC CGAAATCTAG AGAAACACTT GGACAAACTA CCTACAGAGA TYTAAAGCTC CCTGITTGAT GGATGTCTCT AAATTTCGAG TAAGGIAAAI ATAAAATITT TAAGIGIAIA ATGIGIIAAA CIACIGATIC TAATIGITIIG TACACAATI'TI GATIGACTAAG ATITAACAAAC TGAATGGGAG CAGTGGTGGA ATGCCTTTAA ACATAAAATC TAAGGTIGGA TACCTIGACT ACTTACCCTC GTCACCACCT TACGGAAATT GATGACGACT GAGAAAGGTA GAAGACCCCA AGGACTTTCC GAGAGITICTA AGATGAGGAG GITTTTTTCTT CTCTTTCCAT CTTCTGGGGT TCCTGAAAGG ACTGCTATAC AAGAAATTA TGGAAAATA AGGTGTGTCC GTATCTCACA GACGATAATT ATTGATACGA GTTTTTAACA CATGGAAATC CTACTGCTGA TGTGTTTAGT AATAGAACTC TTGCTTGCTT NAGTCTI'NAC GATTCAAAAA ACTCAGTACG ACACAAATCA TTATCTTGAG AACGAACGAA THCPPPAAT ACCPPPPAT THATAATCAT AACATACTGT TITTITCTTAC CCGTATTGTC AATAITTAGTA TTGTATGACA AAAAAGAATG TAACTATGCT CAAAAATTGT GTACCTTTAG GCTTTAGATC GCCATCTAGT GATGATGAGG CGGTAGATCA CTACTACTCC 3770 3830 3890 3950 4070 4130 4190 4010 TAAAGCTATG CATTITIATA AGACCATGGG ACTITITGCTG 3700 3760 3820 3940 TGACGATATG 3880 4060 4120 4000 4180 GGAACCTTAC TTCTGTGGTG TGACATAATT CCTTGGAATG AAGACACCAC ACTGTATTAA ATTCCATTTA TATTTTAAAA ATTCACATAT TICCTATTTAC ACCACAAAGG AAAAAGCTGC TTTTTCGACG GGCATAACAG rgtattriag attccaacct atccaactga TGAGGAAAAC CTGTTTTGCT CAGAAGAAAT TCCACACAGG CATAGAGTGT CTGCTATTAA GACAAACGA GTCTTCTTTA PICAGANITIC CTAAGTITITIT TGAGTCATGC 3810 CTCTCAACAY TCTACTCCTC CAAAAAGAA 3690 3750 3870 3930 3990 4050 4110 4170 3740 TTTATAAGTA AAATATTCAT 3680 3800 3860 3920 4160 3980 4040 TGGTGTTTTCC 4100 ACTCCTTTTC TTCTGTAACC **AAGACATTIGG** 3850 **ACGA'TAAATG** 40

FIGURE 190

4230

4220

CTTTTTAATT TGTAAAGGGG TTAATAAGGA ATATTTGATG TATAGTGCCT TGACTAGAGA GAAAAA1TAA ACATTTCCCC AATTATTCCT TATAAACTAC ATATCACGGA ACTGATCTCT CTCCCACACC TITIATTGCAG AGGGGGACT'' GGACTTYGTA TTYTACTTAC GTYYACAACA ACAATYGAAC AAATAACGTC CGTAAAAAA TAGTTGTGGT TTGTCCAAAC TCATCAATGT ATCTTATCAT GTCTGGATCG CCCAACITIGE GGGTTTGAACA GACGCINCTCC GTGACGTAAG ATCAACACCA AACAGGTTTG AGTAGTTACA TAGAATAGTA CAGACCTAGC GCATTTTTT AGTAITTAGTC GGTATGGTGT AAACATCTCC AAAATGAACG AAATTTTTTG TCCCCCTGAA CCTGAAACAT AAAATGAATG CAATTGTTGT TGTTAACTTG THACAAATAA AGCAATAGCA TCACAAATTT CACAAATAAA AATCITTAIT TCGTTATCGT AGTGTTTAAA GTGTTTATTT GCTGGATGAT CCTCCAGCGC GGGGATCTCA TGCTGGAGTT CTTCGCCCAC CGACCTACTA GGAGGTCGCG CCCCTAGAGT ACGACCTCAA GAAGCGGGTG TTTAAAAAAC 4310 4430 4490 TTTTACTTGC 4360 4540 4300 4420 4480 TYTCTAGAGG 4410 4470 4530 4350 4290 CCATACCACA 4340 4280 4400 4460 4520 CTTATAATGG TCATAATCAG 42.10 GAAT'ATTACC CACTGCATTC 1330 4390 4450 4510

41150

G'IAAAAAAAG

TIATAATGGT TACAAATAAA GCAATAGCAT CACAAATTTC ACAAATAAAG

4600

4590

1580

4570

TTATTGCAGC

AATAACGICG AATATTACCA A'IGITTAITT CGTTATCGTA

TCTTATCATG

4670

4660

4650

4640

1630

TUACGTAAGA TCAACACCAA ACAGGTTTGA GTAGTTACAT AGAATAGTAC

CATIFITY TOTIC ACTICCATIVET AGTINGTIGGT TOTICCAAACT CATCAATGTA

TGTTTATTTC

GTGTTTAAAG

4740

4730

4720

4710

4700

4690

TCTGTATACC

CTGTTTCCTG

GTCGACCTCT AGCTAGAGCT TGGCGTAATC ATGGTCATAG CAGCTGGAGA TCGATCTCGA ACCGCATTAG TACCAGTATC

GACAAAGGAC

TGTGAAATTG 1TATCCGCTC ACAATTCCAC ACAACATACG AGCCGGAAGC ATAAAGTGTA ACACTTTAAC ACACATTTAACGCAG TGTTAAGGTG TGTTGTATGC TCGCCCTTCG TATTTCACAT

4770

4760

FIGURE 19H

p

G
_
~
-
0
þ

4860	4920	4980	5040	5100	5160	5220	5280	5340	5400
TCACTGCCCG	CGCGCGGGGA	CTGCGCTCGG	TTATCCACAG	GCCAGGAACC	GAGCATCACA	TACCAGGCGT	ACCGGATACC	TGTAGGTATC	CCCGTTCAGC
AGTGACGGGC	GCGCGCCCTT	GACGCGAGCC	AATAGGTGTC	CGGTCCTTGG	CTCGTAGTGT	ATGGTCCGCA	TGGCC'IATGG	ACATCCATAG	GGGCAAGTCG
4850	4910	4970	5030	5090	5150	5210	5270	5330	5390
YGCGTYGCGC	AATCGGCCAA	CACTGACTCG	GGTAATACGG	CCAGCAAAAG	CCCCCCTGAC	ACTATAAAGA	CCTGCCGCTT	ATGCTCACGC	GCACGAACCC
ACGCAACGCG	TTAGCCGGTT	GTGACTGAGC	CCATTATGCC	GGTCGTTTTC	GGGGGGACTG	TGA1'ATTTC1'	GGACGGCGAA	TACGAGTGCG	CGTGCTTGGG
4840	4900	4960	5020	5080	5140	5200	5260	5320	5380
TCACATTAAT	TGCATTAATG	CTTCCTCGCT	ACTCAAAGGC	GAGCAAAAGG	ATAGGCTCCG	ACCCGACAGG	CTGTTCCGAC	CGCTTTCTCA	TGGGCTGTGT
AGTGTAATTA	ACGTAATTAC	GAAGGAGCGA	TGAGTTTCCG	CTCGITTTTCC	TATCCGAGGC	TGGGCTGTCC	GACAAGGCTG	GCGAAAGAG'I	ACCCGACACA
4830	4890	4950	5010	5070	5130	5190	5250	5310	5370
G'IGAGCTAAC	TCGTGCCAGC	CGCTCTTCCG	GTATCAGCTC	AAGAACATGT	GCGTTTTTCC	AGGTGGCGAA	GTGCGCTCTC	GGAAGCGTGG	CGCTCCAAGC
CACTCGATTG	AGCACGGTCG	GCGAGAAGGC	CATAGTCGAG	TTCTTGTACA	CGCAAAAAGG	TCCACCGCTT	CACGCGAGAG	CCTTCGCACC	GCGAGGTTCG
4820	4880	4940	5000	5060	5120	5180	5240	5300	5360
TGCCTAATGA	GGGAAACCTG	GCGTATTGGG	GCGGCGAGCG	TAACGCAGGA	CGCGTTGCTG	CTCAAGTCAG	AAGCTCCCTC	TCTCCCTTCG	GTAGGTCGTT
ACGGATTACT	CCCTTTGGAC	CGCATAACCC	CGCCGCTCGC	ATTGCGTCCT	GCGCAACGAC	GAGTTCAGTC	TTCGAGGGAG	AGAGGGAAGC	CATCCAGCAA
4810	4870	4930	4990	5050	5110	5170	5230	5290	5350
AAGCC'IYGGG	CTTTCCAGTC	GACGCGCTTT	TCGTTCGGCT	AATCAGGGGA	GTAAAAAGGC	AAAATCGACG	TTCCCCCTGG	TGTCCGCCTT	TCAGTTCGGT
TTCGGACCCC	GAAAGGTCAG	CTCCGCCAAA	AGCAAGCCGA	TTAGTCCCCT	CATPTTTCCG	TTTTYAGCTGC	AAGGGGGACC	ACAGGCGGAA	AGTCAAGCCA

FIGURE 191

5450

5440

5410

5640 5820 GAACTICACC ACCGGATIGA IGCCGAIGIG AICTICCIGI CAIAAACCAI GCTGAAGCCA GTTACCTTCG GAAAAAGAGT TGGTAGCTCT TGATCCGGCA CAGTGGAACG TIPITICCTAG AGTICTICIA GGAAACTAGA AAAGATGCCC CAGACTGCGA GICACCTTGC AAAACTCACG TTAAGGGATT TTGGTCATGA GATTATCAAA AAGGATCTTC ACCTAGATCC TGGATCTAGG TTTAAATCAA TCTAAAGTAT ATATGAGTAA ACTTGGTCTG TYTTACTTCA AAATTTAGTT AGATTTCATA TATACTCATT TGAACCAGAC TTTCGTTCAT TAACTACGAT ACGGGAGGC TTACCATCTG GGTPATCAACG GACTGAGGGG CAGCACATCT ATTGATCCTA TGCCCTCCCG AATGGTAGAC CATCCGCCAC GTATTTGGTA CTTTTTCTCA ACCATCGAGA ACTAGGCCGT ACGCGCAGAA C'IAGACAGAT AAAGCAAGTA GGTAACTATC GTCTTGAGTC CAACCCGGTA AGACACGACT GTAGGCGGTG CAGAACTCAG GTTGGGCCAT TCTGTGCTGA TCCCCCTCTT CTTGAAGTGG TGGCCTAACT ACGGCTACAC TAGAAGGACA ACTGGTAACA GGATTAGCAG AGCGAGGTAT TGACCATTGT CCTAATCGTC TCGCTCCATA GCAGCAGATT CGTCGTCTAA TCAAGAAGAT CCTTTGATCT TTTCTACGGG GTCTGACGCT GATCTGTCTA INTINGACTICE AATTICCETAA AACCAGTACT CTAATAGTIT TICCTAGAAG 5870 5570 5630 5690 5750 5810 PGTCAATGGT TACGAATTAG TCACTCCGTG GATAGAGTCG 5980 5740 ATGCTTAATC AGTGAGGCAC CTATCTCAGC 5500 9899 5620 5680 CGCTGGTAGC GGTGGTTTTT TTGTTTTGCAA CCACCAAAA AACAAACGTT 5800 5860 5920 CCATACITIC CTGACTCCCC GTCGTGTAGA GCGGAATAGG CCATTGATAG 5550 CGACTTCGGT CAATGGAAGC **267**0 5730 5790 5850 5910 5970 5490 5610 TTTTAAATTA AAAATGAAGT GGCAGCAGCC GCGACCATCG CGCCTTATCC CCGTCGTCGG 5840 2900 2960 5540 9995 5720 5480 5600 ACAGTTACCA TATCGCCACT TCTGCGCTCT AACAAACCAC AAAAAGGATC C'FACAGAGT'T GATGICTICAA AGACGCGAGA **AAATTT**AAT TTGTTTGGTG CCGACCGCTG GGCTGGCGAC 5470 ATAGCGGTGA 5710 5830

FICURE 19J

6040

6030

6120 6180 TCCAATGATA CCGCGAGACC CACGCTCACC GCCTCCAGAT TTATCAGCAA CCGAGGTCTA AATAGTCGTT TGCAACTFTA TCCGCCTCCA TCGGCCTTCC CGCCTCGCGT CTTCACCAGG ACGTTGAAAT AGGCGGAGGT TCCACTCTAT TAATTGTTGC CGGGAAGCTA GAGTAAGTAG TTCGCCAGTT AATAGTTTGC AGGTCAGATA ATTAACAACG GCCCTTCGAT CTCATTCATC AAGCGGTCAA TTATCAAACG TGCCATTIGCT ACAGGCATCG TGGTGTCACG CTCGTCGTTT GGTATGGCTT CGGTTCCCAA CGATCAAGGC GAGTTACATG ATCCCCCATG TTGTGCAAAA GCCAAGGGTT GCTAGTTCCG CTCAATGTAC TAGGGGGTAC AACACGTTTT CTCCTTCGGT CCTCCGATCG TTGTCAGAAG TAAGTTGGCC GCAGTGTTAT TATGGCAGCA CTGCATAATT CTCTTACTGT CATGCCATCC GTAAGATGCT CCCGCCCTCA ATACGGGATA ATACCCCCCC ACATAGCAGA ACTTTAAAAG CGTTGCAACA ACGGTAACGA TGTCCGTAGC ACCACAGTGC GAGCAGCAAA CCATACCGAA CGTCACAATA GYGAGYFACCA ATACCGTCGT GACGTATTAA GAGAATGACA GTACGGTAGG CATTCTACGA TOGTGAGITAC TCAACCAAGT CATTCTGAGA ATAGIGTATG CGGCGACCGA GCCGCTGGCT TGCTCATCAT TGGAAAACGT TCTTCGGGGC GAAAACTCTC AAGGATCTTA CCGCTGTTGA ACGACITACITA ACCITITIFICEA AGAAGCCCCG CITITIFICAGAG TITCCTAGAAT GCCGACAACIT GGGCCGCAGT TATGCCCTAT TATGGCGCGG TGTATCGTCT TGAAATTTTC AAAGACACTG ACCACTCATG AGTTGGTTCA GTAAGACTCT TATCACATAC GGAGGCTAGC AACAGTCTTC ATTCAACCGG 6110 6290 6230 6410 6350 6470 GCCGAGCGCA GAAGTGGTCC GTGCGAGTGG 6100 6160 6220 6340 6400 6460 6280 6580 6570 GGCGCTCTGG 0609 6150 6210 6330 6390 6450 6510 6270 CGGGGTCACG ACGTTACTAT AGCCGGAAGG GAGGAAGCCA 6140 6200 6380 6560 6080 6260 6320 6440 TAAACCAGCC GCAACGTTGT CATTCAGCTC AAGCGGTTAG TTTCTCTGAC GCCCCAGINGC ATTIGGTCGG GTAAGTCGAG CACTCATGGT GTTGCTCTTG PICGCCAATC 6190 6370 6430 6490 CAACGAGAAC

44 156

FIGURE 19K

CGAGCAAAAT TTAAGCTACA ACAAGGCAAG GCTTGACCGA GCTCGTTTTA AATTCGATGT TGTTCCGTTC CGAACTGGCT

7110

7100

GGAGGTCGCT GAGTAGTGCG

7090

CTCATCACGC

CCTCCAGCGA

7130

CAATIGCATG AAGAATCTGC TTAGGGTTAG GCGTTTTGCG CTGCTTCGCG ATGTACGGGC GTTAACGTAC TICTTAGACG AATCCCAATC CGCAAAACGC GACGAAGCGC TACATGCCCG

7170

7160

7180

pD17-hG1b

GGCTTCGAAT AGCCAGAGTA ACCTTTTTTT TTAATTTTAT TGGAAAAAA AATTAAAATA TITATITITAT TITTGAGATG GAGTITIGGCG CCGATCTCCC GATCCCCTAT GGTCGACTCT CAGTACAATC TGCTCTGATG CCGCATAGTT AAGCCAGTAT CTGCTCCCTG CTTGTGTGTT GAACACACAA AGGGTTATIG ICTCATGAGC GGATACATAT ITGAATGTAT ITAGAAAAAT AAACAAATAG GGAGATCTGC CCTCTAGACG AANTAAAATA AAAACTCTAC CTCAAACCGC GGCTAGAGGG CTAGGGGATA CCAGCTGAGA GGAATAAGGG CCTTATTCCC AGCATTTATC TCGTAAATAG TTTGTTTATC CTAGGTCAAG CTACATYGGG TGAGCACGTG GGTYGACTAG AAGTCGTAGA AAATGAAAGT TTTACTTTCA TTCGGTCATA GACGAGGGAC CGCAAAAAAG CGACACGGAA ATGTTGAATA CTCATACTCT TCCTTTTTCA ATATTATTGA TACAACTTAT GAGTATGAGA AGGAAAAAGT TATAATAACT TCCCAATAAC AGAGTACTCG CCTATGTATA AACTTACATA AATCTTTTTA CACCTGACGT CGACGGATCG CCCAAGGCGC GIGTAAAGGG GCTTTTCACG GTGGACTGCA GCTGCCTAGC 6950 TTCAGCATCT Tringiccin ccgrirmacg gcgimming 6710 CTCCGCGCGG CCGAAGCTTA TCGGTCTCAT CCAGCGITITC TGGGTGAGCA AAAACAGGAA GGCAAAATGC 6820 6940 7000 6880 CCAACTGATC 6700 6760 6640 GICATGITAG ACGAGACIAC GGCGIAICAA CACATTTCCC CGAAAAGTGC 7050 6930 0669 GATCCAGTTC GATGTAACCC ACTCGTGCAC 6750 6810 6870 6630 0699 TAGGTGACCT GAGGCGCGCC GGTCCCAAAG ACCCACTCGT 6740 6860 6920 6980 6800 6620 9899 GGGTTCCGCG ATCCACTGGA 7030 GCTGTGCCTT 6910 07.69 6790 6850 0/99

FIGURE 19L

CTTACGGTAA ATGGCCCGCC GAATGCCATT TACCGGGCGG	7380 1"ICCCATAGT AAGGGTATCA	7440 AAACTGCCCA TTTGACGGGT	7500 TCAATGACGG AGTTACTGCC	7560 CTACTTGGCA GATGAACCGT	7620 AGTACATCAA TCATGTAGTT	7680 TYGACGTCAA AACTGCAGTY	7740 ACAACTCCGC TGTTGAGGCG	7800 GCAGAGCTCT CGTCTCGAGA
CTTACGGTAA GAATGCCATT	7370 ATGACGTATG TACTGCATAC	7430 TATTTACGGT ATAAATGCCA	7490 CCTATTGACG GGATAACTGC	7550 TGGGACTTTC ACCCTGAAAG	7610 CGGTTTTTGCC GCCAAAACCG	7670 CTCCACCCCA GAGGTGGGGT	7730 7740 AAATGTCGTA ACAACTCCGC TTTACAGCAT TGTTGAGGCG	7790 GTCTATATAA CAGATATATT
CGTTACATAA	7360 GACGTCAATA CTGCAGITAT	7420 ATGGGTGGAC TACCCACCTG	7480 AAGTACGCCC TTCATGCGGG	7540 CATGACCTTA GTACTGGAAT	7600 CATGGTGATG GTACCACTAC	7660 ATTTCCAAGT TAAAGGTTCA	7720 7730 7740 GGACTTTCCA AAATGTCGTA ACAACTCCGC CCTGAAAGGT TTTACAGCAT TGTTGAGGCG	7780 ACGGTGGGAG TGCCACCCFC
AGCCCATATA TGGAGTTCCG CGTTACATAA TCGGGTATAT ACCTCAAGGC GCAATGTATT	TGGCTGACCG CCCAACGACC CCCGCCCATT GACGTCAATA ACCGACTGC GCGTTGCTGG GGCCGGGTAA CTGCAGTTAT	AACGCCAATA GGGACTTTCC ATTGACGTCA ATGGGTGGAC TTGCGGTTAT CCCTGAAAGG TAACTGCAGT TACCCACCTG	CATCAAGIGT ATCATATGCC AAGTACGCCC GTAGTTCACA TAGTATACGG TTCATGCGGG	7530 ATGCCCAGTA TACGGGTCAT	7590 7590 GTATTAGTCA TCGCTATTAC CATAATCAGT AGCGATAATG	7630 7630 7650 7650 7650 7650 AGGCGTGGA TAGGCGTTTG ACTCACGGGG ATTTCCAAGT ACCCGCACC'F ATGCCCAAAC TGAGTGCCCC TAAAGGTTCA	7710 AAAATCAACG TTTTAGTTGC	7770 7780 GTAGGCGTGT ACGGTGGGAG CATCCGCACA TGCCACCCTC
AGCCCATATA TCGGGTATAT	7340 CCCAACGACC GCGTTGCTGG	7400 GGGACTTTCC CCCTGAAAGG	7460 CATCAAGTGT GTAGTTCACA	7520 GCCTGGCATT CGGACCGTAA	7580 GTATTAGTCA CATAATCAGT	7640 TAGCGGTTTG ATCGCCAAAC	7700 TYTYGGCACC AAAACCGTGG	7760 CCCATTGACG CAAATGGGCG GGGTAACTGC GTTTACCCGC
ATTAGTTCAT TAATCAAGTA	7330 TGGCTGACCG ACCGACTGGC	7390 AACGCCAATA TTGCGGTTAT	7450 CTTGGCAGTA GAACCGTCAT	7510 7520 TAAATGGCCC GCCTGGCATT ATTTACCGGG CGGACCGTAA	7570 GTACATCTAC CATGTAGATG	7630 TGGGCGTGGA ACCCGCACC'F	7690 TGGGAGTTTG ACCCTCAAAC	7750 CCCATTGACG GGGTAACTGC

pD17-hG1b

CAGATATACG CGTTGACATT GATTATTGAC TAGTTATTAA TAGTAATCAA TTAGGGGGTC GTCTATATGC GCAACTGTAA CTAATAACTG ATCAATAATT A1CATTAGTT AATGCCCCAG

FIGURE 19M

FIGURE 19N

pD17-hG1b


7810 7850 7860 CTGGCTAACT AGAGAACCCA CTGCTTACTG GCTTATCGAA ATTAATACGA CTCACTATAG GACCGATTGA TCTCTTGGGT GACGAATGAC CGAATAGCTT TAATTATGCT GAGTGATATC 7870 GGAGACCCAA GCTT CCTCTGGGTT CGAA

7880

WO 98/05787 PCT/US97/13562

FIGURE 20

Complement Dependent Cytotoxicity



Concentration IgG (µg/ml)

FIGURE 21

Antibody Dependent Cell-Mediated Cytotoxicity






FIGURE 22




Binding activity of hBR96-2 constant region mutants on LNFPIILBSA

FIGURE 23



WO 98/05787 PCT/US97/13562



PCT/US97/13562

WO 98/05787

Figure 25




Figure 26

hBR96-2 Heavy Chain Variable Region (VH)

EVQLVESGGG LVQPGGSLRL SCAASGFPFS DYYMYWVRQA PGKGLEWVSY

51 61 71 81 91
ISQDGDITDY ADSVKGRFTI SRDNAKNSLY LQMINSLRDED TAVYYCARGL

101 ADGAWFAYWG QGTLVTVSS

human IgGI constant

YFPEPVTVSW NSGALTSGVH TFPAVLQSSG LYSLSSVVTV PSSSLCTQTY
ICNVNHKPSN TKVDKKVEPK SCDKTHTCPP CHAPELOGE SVFLFPPKPK
DTLMISRTPE VTCVVVDVSH EDPEVKFNWY VDGVEVHNAK TKPREEQYNS
180 320 321
TYRVVSVLTV LHQDWLNGRE YKOKVSNKAL PREIEKTISK AKCOPREPQV
YTLPPSRDEL TKNQVSLTCL VKGFYPSDIA VEWESNGQPE NNYKTTPPVL
DSDGSFFLYS KLTVDKSRWQ QGNVFSCSVM HEALHNHYTQ KSLSLSPGK

Figure 27

hBR96-2A: Heavy Chain Variable Region (VH)

EVQLVESGGG LVQPGGSLRL SCAASGFPFS DYYMYWVRQA PGKGLEWVSY

51 61 71 81 91
ISQDGDITDY ADSVKGRFTI SRDNAKNSLY LQMNSLRDED TAVYYCARGL

101 111
TADGAWFAYWG QGTLVTVSS

hBR96-2A: Human Heavy Chain IgG1 Constant Region &CH2

A STKGPSVFPL APSSKSTSGG ȚAALGCLVKD YFPEPVTVSW NSGALTSGVH

TFPAVLQSSG LYSLSSVVTV PSSSLGTQTY ICNVNHKPSN TKVDKKVEPK

SCDKTHTCPP CP GQPREPQV YTLPPSRDEL TKNQVSLTCL VKGFYPSDIA

VEWESNGQPE NNYKTTPPVL DSDGSFFLYS KLTVDKSRWQ QGNVFSCSVM

HEALHNHYTG KSLSLSPGK

PCT/US97/13562

Figure 28

This sequence is the chi BR96 IgG1 with CH2 deleted.

	J.H				
1	VH EVNLVESGGG	LVQPGGSLKV	SCVISGFTFS	DYYMYWVRQT	PEKRLEWVAY
51	ISQGGDITDY	PDTVKGRFTI	SRDNAKNTLY	LQMSRLKSED	TAMYYCARGI
	DDGAWFAYWG				
151	YPPEPVTVSW	NSGALTSGVH	TFPAVLQSSG	LYSLSSVVTV	PSSSLGTQT
201	icnvnhkpsn	TKVDKKVEPK	SCDKTHTCPP	CHGQPREPQV	YTLPPSRDEI
251	TKNOVSLTCL	VKGFYPSDIA	vewesngqpe	NNYKTTPPVL	DSDGSFFLYS
201	ען איידטע כפשט	OCNUESCSUM	HEALHNHYTO	KSLSLSPGK	

INTER TIONAL SEARCH REPORT

em: al Application No. PCT/US 97/13562

CLASSIFICATION OF SUBJECT MATTER A61K51/10 A61K47/48 A61K38/17 A61K39/395 IPC 6 C12N1/21 C12N15/13 C07K16/00 C07K16/46 C07K16/30 //C07K19/00 C12N5/10 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) $IPC\ 6\ C07K\ A61K$ Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No Citation of document, with indication, where appropriate, of the relevant passages S. GILLIES ET AL.: "Antigen binding and 1-8. Χ 23-25 biological activities of engineered mutant chimeric antibodies with human tumor specificities." HUMAN ANTIBODIES AND HYBRIDOMAS, vol. 1, no. 1, 1990, STONEHAM, MA, USA, pages 47-54, XP002050448 see the whole document -/--Patent family members are listed in annex. Х Further documents are listed in the continuation of box C. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance "X" document of particular relevance; the claimed invention "E" earlier document but published on or after the international cannot be considered novel or cannot be considered to fiting date involve an inventive step when the document is taken alone *L* document which may throw doubts on priority claim(s) or which is oxed to establish the publication date of another citation or other special reason (as specified) document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-"O" document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled other mean *P* document published prior to the international filing date but "&" document member of the same patent family later than the priority date claimed Date of mailing of the international search report Date of the actual completion of the international search 2 1. 01. 98 17 December 1997 Authorized officer Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Nooij, F

Form PCT/ISA/210 (second sheet) (July 1992)


Fax: (+31-70) 340-3016

Alegory Caston of document, with industrion where appropriate, of the measure personal person					
Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claum No.				
G. SCHREIBER ET AL.: "An unmodified anticarcinoma antibody, BR96, localizes to and inhibits the outgrowth of human tumors in nude mice." CANCER RESEARCH, vol. 52, no. 12, 15 June 1992, BALTIMORE, MD, USA, pages 3262-3266, XP002050449	33,35,36				
see abstract	1,2,5,7, 8,11-18, 23				
A. DUNCAN ET AL.: "The binding site for Clq on IgG." NATURE, vol. 332, no. 6166, 21 April 1988, LONDON, GB, pages 738-740, XP002050450 cited in the application see the whole document	1,2,5,7,				
J. LUND ET AL.: "Human FcgammaRI and FcgammaRII interact with distinct but overlapping sites on human IgG." THE JOURNAL OF IMMUNOLOGY, vol. 147, no. 8, 15 October 1991, BALTIMORE, MD, USA, pages 2657-2662, XP002050451 cited in the application see abstract	1.2,5,7,				
Y. XU ET AL.: "Residue at position 331 in the IgG1 and IgG4 CH2 domains contributes to their differential ability to bind and activate complement." THE JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 269, no. 5, 4 February 1994, BALTIMORE, MD, USA, pages 3469-3474, XP002050452 cited in the application see abstract see discussion	1-8				
T. MICHAELSEN ET AL.: "One disulfide bond in front of the second heavy chain constant region is necessary and sufficient for effector functions of human IgG3 without a genetic hinge." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE USA, vol. 91, no. 20, 27 September 1994, WASHINGTON, DC, USA, pages 9243-9247, XP002050453	1,2,5,7,				
	anticarcinoma antibody, BR96, localizes to and inhibits the outgrowth of human tumors in nude mice." CANCER RESEARCH, vol. 52, no. 12, 15 June 1992, BALTIMORE, MD, USA, pages 3262-3266, XP002050449 see abstract A. DUNCAN ET AL.: "The binding site for Clq on IgG." NATURE, vol. 332, no. 6166, 21 April 1988, LONDON, GB, pages 738-740, XP002050450 cited in the application see the whole document J. LUND ET AL.: "Human FcgammaRI and FcgammaRII interact with distinct but overlapping sites on human IgG." THE JOURNAL OF IMMUNOLOGY, vol. 147, no. 8, 15 October 1991, BALTIMORE, MD, USA, pages 2657-2662, XP002050451 cited in the application see abstract Y. XU ET AL.: "Residue at position 331 in the IgG1 and IgG4 CH2 domains contributes to their differential ability to bind and activate complement." THE JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 269, no. 5, 4 February 1994, BALTIMORE, MD, USA, pages 3469-3474, XP002050452 cited in the application see abstract T. MICHAELSEN ET AL.: "One disulfide bond in front of the second heavy chain constant region is necessary and sufficient for effector functions of human IgG3 without a genetic hinge." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE USA, vol. 91, no. 20, 27 September 1994, WASHINGTON, DC, USA, WASHINGTON, DC, USA,				

1

Form PCT/ISA/210 (communition of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT



		/05 97/13562
LContinua Lategory *	etton) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of occument, with indication, where appropriate, of the relevant passages	Relevant to claim No
A	L. TAN ET AL.: "Influence of the hinge region on complement activation, Clq binding, and segmental flexibility in chimeric human immunoglobulins." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE USA, vol. 87, no. 1, January 1990, WASHINGTON, DC, USA, pages 162-166, XP002050454 see the whole document	1-8
A	EP 0 699 756 A (BRISTOL-MYERS SQUIBB COMPANY) 6 March 1996 cited in the application see examples see claims	11-18, 23.25, 28.29, 31-52

Farm PCT/ISA/210 (continuation of second sheet) (July 1992)

Boxi	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)		
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:			
الصا	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: see FURTHER INFORMATION sheet PCT/ISA/210		
<u> </u>	Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carned out, specifically: see FURTHER INFORMATION sheet PCT/ISA/210		
з. 🔲 (Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).		
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)		
This Inter	national Searching Authority found multiple inventions in this international application, as follows:		
	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.		
	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.		
	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:		
	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:		
Remark	on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.		

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)



International Application No. PCT/US 97/13562

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

Claims Nos.: 26,27

because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

Claim 26 represents a method of detection/diagnosis and refers forward to claim 30, which represents a method of treatment. Claim 27 refers to a method in claim 24; however, in claim 24 a product is claimed, not a method.

Remark: Although claims 1-22, 25, 28-32 and 34-36 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.

BNSDOCID: <WO 9805787A1>

Information on patent family members

Inf Pal Application No PCT/US 97/13562

Publication date	Patent family member(s)	Publication date
06-03-96	06-03-96 AU 2834995 A CA 2155397 A JP 8191692 A	15-02-96 05-02-96 30-07-96
		06-03-96 AU 2834995 A CA 2155397 A

Form PCT/ISA/210 (patent family ennex) (July 1992)